AZzardo®

TECHNOline



collection 2023

AZzardo

BULGARIA
VISTA_G LTD
tel.: +359 32 655 877
mobile: +359 888 579 030
e-mail: sales@iml.bg
• www.vista-g.com

CROATIA
REP. OF BOSNIA AND HERZEGOVINA
MONTENEGRO
REMBOL D.O.O.
KOPERNIKOVA 5; 10000 ZAGREB
tel.: +91 222 02 29
tel.: +91 520 12 54
e-mail: info@azzardo.com.hr
• www.azzardo.com.hr

CZECH REPUBLIC
AZZARDO LIGHTING S.R.O.
tel.: +421 41 565 22 56
e-mail: info@azzardo.sk
• www.azzardodesign.com

HUNGARY
ELTER LTD.
tel.: +36 20 203 4751
e-mail: info@elter.hu
• www.elter.hu

ICELAND
PFAFF
tel.: +354 414 0400
fax +354 414 0401
e-mail: pfaff@pfaff.is
• www.pfaff.is

NIGERIA
Lights & Finishings EnVogu
Silverado Mall, No. 1A Chief Collins Street,
Off Emma Abimbola Street
Lekki Phase 1, Lagos.
tel.: 08033458196
e-mail: lightingandfittingsev@gmail.com

POLAND
AZZARDO SP. Z O.O.
tel.: +48 61 849 40 80
fax +48 61 849 40 84
e-mail: office@azzardolighting.com
• www.azzardolighting.com

PORTUGAL
DOMOLED
NÚCLEO EMPRESARIAL
DA ABRUNHEIRA ZONA
POENTE PAV.4, 2710-089 SINTRA
tel.: +351 219 111 201
tel.: +351 911 003 235
e-mail: geral@domoled.pt
• www.domoled.pt

ROMANIA
JACEK KREMPIŃSKI
tel.: +48 518 543 875
e-mail: jacekkrempinski@gmail.com

SLOVAKIA
AZZARDO LIGHTING S.R.O.
TEL.: +421 41 565 22 56
e-mail: info@azzardo.sk
• www.azzardodesign.com

UKRAINE
ELEKOMP
82107 LVIV REGION,
M.DROHOBYCZ VUL. GRUSHEWSKOGO 58
fax +38 0324 438328
tel.: +38 067 353 3757
tel.: +38 097 860 6839
e-mail: elekomp@ukr.net
• www.elekomp.com.ua

PROFORMA
KYIV, EKSKAVATORNA 24
tel.: +38 098 193 22 22
tel.: +38 097 083 81 53
e-mail: zakaz@proforma.kiev.ua
• www.proforma.com.ua

UNITED KINGDOM AND IRELAND
IAN DORMER
tel.: 07745 763251
e-mail: ian@eurolamps.uk

AZzardo®

TRACKLINE

www.azzardolighting.com

ALPHABETICAL
pictorial list

TRACK**Line** **1**
TECHNO**line** **171**
OUTDOOR**line** **425**



TRACK SYSTEM FOR ALFA 48

TRACK SYSTEM FOR BETA 94



TRACK SYSTEM FOR NEO 154

TRACK SYSTEM FOR 1 LINE 2

TRACK SYSTEM FOR 3 LINE 12

TRACK SYSTEM FOR GAMMA 130

ADAMO DIAMOND 304

ADAMO MIDST 302

ADAMO RING 303

ADAPTERS FOR GAMMA 150

AFI IP54 482

AGAPE IP54 500

AIDA R 320

AIDA S 321

ALEX 243



ALF IP65 484

ALFA ALDO 86

ALFA CYRUS 82

ALFA CYRUS CCT BLUETOOTH 68

ALFA ELIN 88

ALFA ELSA 89

ALFA KERRY 80

ALFA KERRY CCT BLUETOOTH 66

ALFA KIRA 77

ALFA KIRA CCT BLUETOOTH 64

ALFA KIRA II 78

ALFA KIRA II CCT BLUETOOTH 65

ALFA KORI 91

ALFA MAKITA CCT BLUETOOTH 58

ALFA MAKITA II 72

ALFA MAKITA II CCT BLUETOOTH 60

ALFA MAYA 90

ALFA NIKKI 84

ALFA NIKO 85

ALFA SAGA 73

ALFA SAGA CCT BLUETOOTH 61

ALFA SAGA CORNER 75

ALFA SAGA II 74

ALFA SAGA II CCT BLUETOOTH 62

ALFA SAGA II CORNER 76

ALFA SARI 81

ALFA SARI CCT BLUETOOTH 70

ALFA SKYE PENDANT **87**

ALFA SONYA CCT BLUETOOTH **71**

ALIX **242**

ALIX 230V **245**

ALIX IP65 **440**

ANCONA LED IP54 **408**

ANGUS LED SWITCH **415**

APULIA IP54 **437**

ARBAX IP54 **464**

ARCHO **412**

ARIDA IP54 **465**

ARO IP54 **174**

AVON LED **402**

BETA BECKER 230V GU10 **107**

BETA GARY 230V GU10 **106**

BETA KERRY 230V **104**

BETA KERRY 230V CCT BLUETOOTH **119**

BETA KIRA 230V **102**

BETA KIRA 230V CCT BLUETOOTH **118**

BETA MAKITA 230V **100**

BETA MAKITA 230V CCT BLUETOOTH **112**

BETA MAKITA 230V RGB-CW CCT BLUETOOTH **114**

BETA OPTICA 230V **108**

BETA OPTICA 230V CCT BLUETOOTH **121**

BETA SAGA 230V **101**

BETA SAGA 230V CCT BLUETOOTH **116**

BETA SAGA 230V RGB-CW BLUETOOTH **115**

BETA SANDERS 230V **105**

BETA SANDERS 230V CCT BLUETOOTH **120**

BIAGIO **307**

BILL **205**

BLAS **392**

BOOMBOX IP44 **509**

BORIS **194**

BOSTON 10W R **339**

BOSTON 10W TUBE **204**

BRANT **184**

BRANT IP44 **185**

BRANT S **186**

BRANT S IP44 **187**

BROSS **178**

BROSS ARM **180**

BROSS ARM TRACK 3-LINE **40**

CARLO **356**

CARO R **362**

CARO S **363**

CASOLA IP54 **462**

CASORIA IP54 **480**

CASPER R IP54 **436**

CASPER S IP54 **435**

CESAR **352**

CIVITA IP54 **472**

CLETO **301**

CLOE **297**

CLOVER LED **403**

COLLODI 48 CCT **278**

CORTONA **282**

COSEL IP54 **463**

COSTA **182**

COSTA ARM **183**

COSTA ARM TRACK 3-LINE **30**

COSTA SPOT **340**

COSTA TRACK 3-LINE **31**

CREMONA IP54 **468**

DARIO **195**

DIADO **224**

DURANTE IP54 **473**

ECO ALEX 230V **247**

ECO ALIX **246**

ECO ALIX NEW 230V **244**

EDITTA **357**

EDVIN / EDVARD IP65 **502**

EIGER IP54 **175**

EIGER TRACK 3-LINE **20**

ELOY **188**

EMILIO IP54 **348**

ENOK IP54 **478**

EREBUS **216**

EREBUS TRACK **38**

ERIKA **373**

ESTER R **310**

ESTER S **312**

EVA **298**

EXO **218**

EXO TRACK 1-LINE **6**

EXO TRACK 3-LINE **41**

EZIO IP54 **349**

FALCO 12 **274**

FANO IP54 **432**

FANO SMART IP54 **434**

FARO LED SWITCH **419**

FELIX LED **394**

FILL R **332**

FILL S **333**

FLAVIO **220**

FLOKI IP65 **503**

FRAME IP54 **504**

FREDO IP54 **492**

FRIDA **336**

GAGARIN IP44 **476**

GALATA IP44 **322**

GALENA **222**

GALILEO 1 PENDANT **288**

GALILEO TRACK 3-LINE **27**

GAMBINO 1 IP54 **466**

GAMBINO LED IP54 **398**

GAMMA DANIEL **141**

GAMMA DANKA **140**

GAMMA KIRA **134**

GAMMA KIRA CCT BLUETOOTH **144**

GAMMA NIKO **135**

GAMMA NIKO CCT BLUETOOTH **145**

GAMMA SAGA **139**

GAMMA SAGA CCT BLUETOOTH **149**

GAMMA SANGRIA MILKY **136**

GAMMA SANGRIA MILKY CCT BLUETOOTH **146**

GAMMA SANGRIA POINT **137**

GAMMA SANGRIA POINT CCT BLUETOOTH **147**

GAMMA SANGRIA UGR **138**

GAMMA SANGRIA UGR CCT BLUETOOTH **148**

GELO **371**

GILBERTO IP54 **505**

GINNA IP54 **474**

GINNO LED **414**

GORAN IP44 **457**


GUIDO IP54 **493**

GULIA TRACK 23

HAVANA IP44 506

HERA GIPS R 383

HERA GIPS S 382

HUGO 190

HUGO 1 DOWNLIGHT 354

HUGO 2 DOWNLIGHT 355

HYDE IP54 430

IBIZA 364

IKA IP65 351

IKA IP65 431

ITAKA 369

IVO 358

IVO S 359

JAKE WALL 2 IP54 455

JANE 33
TRACK 3-LINE

JASON S WALL IP65 445

JASON WALL IP65 444

JERRY 12V 248

JERRY 230V 249

JERRY 9
TRACK 1-LINE

JERRY 32
TRACK 3-LINE

JOE IP 54 442

JUNONA 276

KASTORIA IP44 323

KIRKE TRACK 10W 8
CCT SWITCH

KIRKE 26
TRACK CCT SWITCH

LAMBDA 393

LAMIR 17 DIMM IP44 + 325
REMOTE CONTROL

LAMIR R IP44 324

LARS IP54 470

LATONA LED 405

LENS 2 S 209

LENS R 207

LENS S 208

LENS TRACK 3-LINE 42

LEON 45
TRACK 3-LINE

LEON 223

LETICIA 399

LETICIA 2 400

LETICIA 2 LED IP54 401

LETICIA 2 LED IP54 467

LINA **341**

LINDA **330**


LINNEA PENDANT CCT SWITCH **290**

LINNEA TRACK CCT SWITCH **36**

LINO **214**

LINZ IP44 **344**

LIVIO 2 IP54 **475**

LOLO TRACK 1-LINE **7**

LOLO TRACK 3-LINE **22**

LORENZA **308**
LORENZO **309**

LUCIANO **306**

LUMI FLEX LED **421**

LUMI LED **420**

LUMI TRACK **28**

LUNA 15W **342**

LUNA 7W **343**

MAKALU **210**

MALTA R **258**

MANE 10W **201**

MANE 20W **202**

MANE 30W **203**

MARIKA **316**

MARS **396**

MATEO **252**

MATERA IP54 **501**

MAX **250**

MEGARA TRACK 3-LINE **21**

MIKKA TRACK 3-LINE **34**

MIKKEL IP54 **488**

MILET **368**

MINI BROSS **176**

MINI ELOY **177**

MINI R **196**

MINI S **197**

MINORKA **366**

MIRA **296**

MOMO **253**

MONA 12W **228**

MONA 18W **229**

MONA SPOT 12W **334**

MONA SPOT 18W **335**

MONA TRACK 3-LINE **35**

MONZA II R 264

MONZA II S 268

MONZA R CCT 270

MONZA R PENDANT 263

MONZA S CCT 272

MONZA S 266

MONZA R TOP 262

NANO 200

NEMO 372

NEO SERIE 100
CCT BLUETOOTH 160

NEO SERIE 120
CCT BLUETOOTH 162

NEO SERIE 140
CCT BLUETOOTH 164

NEO SERIE 160
CCT BLUETOOTH 166

NEO SERIE 180
CCT BLUETOOTH 167

NEO SERIE 200
CCT BLUETOOTH 168

NEO SERIE 220
CCT BLUETOOTH 169

NEOS 198

NIKEA ES111 237

NIKEA GU10 236

NIKLAS IP44 486

NILS IP44 498

NINO 199

NOGAT LED SWITCH 423

NOVA 380

NOVA GIPS 381

OJOS 232

OKA 331

OSCAR IP44 346

OSVALD IP44 491

OVE WALL IP54 483

OZ 387

PABLO IP54 350

PACO 360

PANKA
CCT SWITCH DIMM 256

PANKA
CCT SWITCH SENSOR 254


PANKA SQ
CCT SWITCH DIMM 257


PANKA SQ
CCT SWITCH SENSOR 255

PAOLA 230V 238

PAPIKO IP65 438

PAULO 12V
BULBS QR111 SYSTEM 241

PAULO 230V
BULBS GU10 SYSTEM 240

PEDER IP54 456

PIENZA DIMM **275**

PIO **361**

PIRAMIDE **300**

QUADRO 50 CCT **280**

RAFFAEL **235**

RAGGIO IP54 **389**

RAMONA LED SWITCH **416**

RASMUS IP65 **490**

RAUL **406**

REMI **365**

REMO **192**

REMO 1 DOWNLIGHT **353**

REZIA IP54 **450**

RIMINI IP54 **454**

RIMINI S IP54 **452**

ROLAND SQ WALL IP65 **447**

ROLAND WALL IP65 **446**

ROLF IP44 **494**

ROMOLO R IP65 **428**

ROMOLO S IP65 **429**

ROTONDO **206**


SANE **388**

SANTOS **212**

SANTOS EXPOSED **226**

SANTOS S **213**

SANTOS S
TRACK 3-LINE **43**

SANTOS
TRACK 3-LINE **24**

SARONA LED IP54 **477**

SAVIO **370**

SCORPIO **225**

SIENA **227**

SIMON **294**

SIRO **374**

SISTO **375**

SKYE **230**

SKYE PENDANT **231**

SKYE
TRACK 3-LINE **44**

SLIM R IP44 **328**

SLIM S IP44 **326**

SONA CCT **281**

SORANO IP54 **496**

SOVANA PENDANT CCT **286**

SOVANA TOP CCT **284**

STAN **376**

TAZ **386**

TITO IP54 **347**

TIVOLI **39**
TRACK 3-LINE

TONIO IP54 **439**

TORCH LED IP54 **410**

TORONTO **234**

TORONTO 15W SPOT **338**

TORRES **377**

SETS (TRACK) **123**

ULF IP44 **458**

UNA IP44 **345**

VASKO **215**

VEGA **411**

VEKTOR R **314**

VEKTOR S **315**

VELIA R **390**

VELIA S **391**

VENETO IP54 **461**

VENTA IP54 **460**

VENUS **397**

VERONICA LED **422**
SWITCH IP44

VERA LED SWITCH **418**

VERDI **378**

VIDAL **407**

VIGO LED IP54 **404**

VISION **221**

ZARIA IP 65 **448**
CCT SWITCH

ZITA XL IP54 **471**

OLD & NEW
codes list

A

Adamo Midst (black chrome) . . . . . AZ1480 . . NC1825-M-BK . . . **302**
Adamo Midst (black matt) . . . . . AZ2562 . . . . . **302**
Adamo Midst (chrome) . . . . . AZ1481 . . NC1825-M-CH . . . **302**
Adamo Midst Diamond (black chrome) . . AZ2731 . . . . . **304**
Adamo Midst Diamond (chrome) . . . . . AZ2734 . . . . . **304**
Adamo Midst Diamond (gold) . . . . . AZ2740 . . . . . **304**
Adamo Midst Diamond (white) . . . . . AZ2738 . . . . . **304**
Adamo Midst (gold) . . . . . AZ1482 . . NC1825-M-GO . . . **302**
Adamo Midst (white matt) . . . . . AZ1483 . . NC1825-M-W . . . **302**
Adamo Ring (black chrome) . . . . . AZ1484 . . NC1827-BK-CH . . . **303**
Adamo Ring (black matt) . . . . . AZ2567 . . . . . **303**
Adamo Ring (chrome) . . . . . AZ1485 . . NC1827-CH R . . . **303**
Adamo Ring (gold) . . . . . AZ1486 . . NC1827-GO R . . . **303**
Adamo Ring (white) . . . . . AZ1487 . . NC1827-WH R . . . **303**
Afi 3000K (black) . . . . . AZ4512 . . . . . **482**
Afi 3000K (dark grey) . . . . . AZ4510 . . . . . **482**
Afi 4000K (black) . . . . . AZ4513 . . . . . **482**
Afi 4000K (dark grey) . . . . . AZ4511 . . . . . **482**
Agape 60 (dark grey) . . . . . AZ3482 . . . . . **500**
Agape 80 (dark grey) . . . . . AZ3483 . . . . . **500**
Aida Round 10W 3000K (black) . . . . . AZ4220 . . . . . **320**
Aida Round 10W 3000K (white) . . . . . AZ4218 . . . . . **320**
Aida Round 16W 3000K (black) . . . . . AZ4224 . . . . . **320**
Aida Round 16W 3000K (white) . . . . . AZ4222 . . . . . **320**
Aida Square 10W 3000K (black) . . . . . AZ4227 . . . . . **321**
Aida Square 10W 3000K (white) . . . . . AZ4226 . . . . . **321**
Aida Square 16W 3000K (black) . . . . . AZ4229 . . . . . **321**
Aida Square 16W 3000K (white) . . . . . AZ4228 . . . . . **321**
Alex (black) . . . . . AZ1358 . . GM4112-BK **243**
Alex (white) . . . . . AZ1359 . . GM4112-WH **243**
Alfa Aldo Tr. Magn. 12W Milky120 3000K (black) . . . AZ4625 . . . . . **86**
Alfa Aldo Tr. Magn. 12W Milky120 3000K (white) . . AZ4626 . . . . . **86**
Alfa Aldo Tr. Magn. 12W Points60 3000K (black) . . . AZ4621 . . . . . **86**
Alfa Aldo Tr. Magn. 12W Points60 3000K (white) . . . AZ4622 . . . . . **86**
Alfa Aldo Tr. Magn. 12W Points60 4000K (black) . . . AZ4623 . . . . . **86**
Alfa Aldo Tr. Magn. 12W Points60 4000K (white) . . . AZ4624 . . . . . **86**
Alfa Cyrus Tr. Magn. 6W 3000k (Black) . . . . . Az5482 . . . . . **82**
Alfa Cyrus Tr. Magn. 6W 4000k (Black) . . . . . Az5481 . . . . . **82**
Alfa Cyrus Tr. Magn. 6W CCT (Black) . . . . . Az5507 . . . . . **68**
Alfa Cyrus Tr. Magn. 12W 3000k (Black) . . . . . Az5484 . . . . . **82**
Alfa Cyrus Tr. Magn. 12W 4000K (Black) . . . . . Az5483 . . . . . **82**
Alfa Cyrus Tr. Magn. 12W CCT (Black) . . . . . Az5508 . . . . . **68**
Alfa Cyrus Tr. Magn. 18W 3000k (Black) . . . . . Az5486 . . . . . **82**
Alfa Cyrus Tr. Magn. 18W 4000k (Black) . . . . . Az5485 . . . . . **82**
Alfa Cyrus Tr. Magn. 18W CCT (Black) . . . . . Az5509 . . . . . **68**
Alfa Elin Tr. Magn. 7W 3000k (Black) . . . . . Az4630 . . . . . **88**
Alfa Elin Tr. Magn. 7W 3000k (Gold) . . . . . Az4632 . . . . . **88**
Alfa Elin Tr. Magn. 7W 4000k (Black) . . . . . Az4631 . . . . . **88**
Alfa Elsa Tr. Magn. 7W 3000k (Black) . . . . . Az4633 . . . . . **89**
Alfa Elsa Tr. Magn. 7W 3000k (Gold) . . . . . Az4635 . . . . . **89**
Alfa Elsa Tr. Magn. 7W 4000k (Black) . . . . . Az4634 . . . . . **89**
Alfa Kerry Tr. Magn. 5W Cct (Sand Black) Az4852 . . . . . **66**
Alfa Kerry Tr. Magn. 5W Cct (White) . . . . . Az4853 . . . . . **66**
Alfa Kerry Tr. Magn. 7W 3000k (Black) . . . . . Az5500 . . . . . **80**
Alfa Kerry Tr. Magn. 7W 4000k (Black) . . . . . Az5501 . . . . . **80**
Alfa Kerry Tr. Magn. 7W Cct (Black) . . . . . Az5516 . . . . . **67**
Alfa Kerry Tr. Magn. 15W Cct (Sand Black) . . . . . Az4854 . . . . . **66**
Alfa Kerry Tr. Magn. 15W CCT (white) . . AZ4855 . . . . . **66**
Alfa Kira II Tr. Magn. 6W 3000K (black) . . . . . AZ5469 . . . . . **78**
Alfa Kira II Tr. Magn. 6W 4000K (black) . . . . . AZ5470 . . . . . **78**
Alfa Kira II Tr. Magn. 6W (black) . . . . . AZ5502 . . . . . **65**
Alfa Kira II Tr. Magn. 12W 3000K (black) AZ5471 . . . . . **78**
Alfa Kira II Tr. Magn. 12W 4000K (black) AZ5472 . . . . . **78**
Alfa Kira II Tr. Magn. 12W (black) . . . . . AZ5503 . . . . . **65**
Alfa Kira II Tr. Magn. 18W 3000K (black) . AZ5473 . . . . . **78**
Alfa Kira II Tr. Magn. 18W 4000K (black) . AZ5474 . . . . . **78**
Alfa Kira II Tr. Magn. 24W (black) . . . . . AZ5504 . . . . . **65**
Alfa Kira Tr. Magn. 12W (black) . . . . . AZ4901 . . . . . **64**
Alfa Kira Tr. Magn. 12W Points60 3000K (black) . . . AZ4595 . . . . . **77**
Alfa Kira Tr. Magn. 12W Points60 3000K (white) . . . AZ4596 . . . . . **77**
Alfa Kira Tr. Magn. 12W Points60 4000K (black) . . . AZ4597 . . . . . **77**
Alfa Kira Tr. Magn. 12W Points60 4000K (white) . . . AZ4598 . . . . . **77**
Alfa Kira Tr. Magn. 20W (black) . . . . . AZ4902 . . . . . **64**
Alfa Kira Tr. Magn. 24W Points60 3000K (black) . . . AZ4599 . . . . . **77**
Alfa Kira Tr. Magn. 24W Points60 3000K (white) . . . AZ4600 . . . . . **77**
Alfa Kira Tr. Magn. 24W Points60 4000K (black) . . . AZ4601 . . . . . **77**
Alfa Kira Tr. Magn. 24W Points60 4000K (white) . . . AZ4602 . . . . . **77**
Alfa Kira Tr. Magn. 30W (black) . . . . . AZ4903 . . . . . **64**
Alfa Kori Tr. Magn. 5W 3000K (black) . . . . . AZ4627 . . . . . **91**
Alfa Kori Tr. Magn. 5W 3000K (gold) . . . . . AZ4628 . . . . . **91**
Alfa Makita II Tr. Magn. 12W 3000K (black) . . . . . AZ5491 . . . . . **72**
Alfa Makita II Tr. Magn. 12W 4000K (black) . . . . . AZ5492 . . . . . **72**
Alfa Makita II Tr. Magn. 12W CCT (black) AZ5512 . . . . . **60**
Alfa Makita II Tr. Magn. 24W 3000K (black) . . . . . AZ5493 . . . . . **72**
Alfa Makita II Tr. Magn. 24W 4000K (black) . . . . . AZ5494 . . . . . **72**
Alfa Makita II Tr. Magn. 24W CCT (black) AZ5513 . . . . . **60**
Alfa Makita Tr. Magn. 2x 7W CCT (sand black) . . . . AZ4838 . . . . . **58**
Alfa Makita Tr. Magn. 2x 7W CCT (white) AZ4839 . . . . . **58**
Alfa Makita Tr. Magn. 7W CCT (sand black) . . . . . AZ4836 . . . . . **58**
Alfa Makita Tr. Magn. 7W CCT (white) . . AZ4837 . . . . . **58**
Alfa Makita Tr. Magn. 20W CCT (sand black) . . . . . AZ4840 . . . . . **59**
Alfa Makita Tr. Magn. 20W CCT (white) . AZ4841 . . . . . **59**
Alfa Makita Tr. Magn. 30W CCT (sand black) . . . . . AZ4842 . . . . . **59**
Alfa Makita Tr. Magn. 30W CCT (white) . AZ4843 . . . . . **59**
Alfa Maya Tr. Magn. 3W (black) . . . . . AZ4629 . . . . . **90**
Alfa Nikki Tr. Magn. 2 (black/black) . . . . . AZ4592 . . . . . **84**
Alfa Nikki Tr. Magn. 2 (black/gold) . . . . . AZ4594 . . . . . **84**
Alfa Nikki Tr. Magn. 2 (white/black) . . . . . AZ4593 . . . . . **84**
Alfa Nikki Tr. Magn. (black/black) . . . . . AZ4589 . . . . . **84**
Alfa Nikki Tr. Magn. (black/gold) . . . . . AZ4591 . . . . . **84**
Alfa Nikki Tr. Magn. (white/black) . . . . . AZ4590 . . . . . **84**
Alfa Niko Track 2 Magn.etic 3000K (black/black) . . . AZ4584 . . . . . **85**
Alfa Niko Track 2 Magn.etic 3000K (black/gold) . . . . AZ4588 . . . . . **85**
Alfa Niko Track 2 Magn.etic 3000K (white/black) . . . AZ4585 . . . . . **85**
Alfa Niko Track 2 Magn.etic 4000K (black/black) . . . AZ4586 . . . . . **85**
Alfa Niko Track 2 Magn.etic 4000K (white/black) . . . AZ4587 . . . . . **85**
Alfa Niko Tr. Magn. 3000K (black/black) . . . . . AZ4579 . . . . . **85**
Alfa Niko Tr. Magn. 3000K (black/gold) . . . . . AZ4583 . . . . . **85**
Alfa Niko Tr. Magn. 3000K (white/black) . . . . . AZ4580 . . . . . **85**
Alfa Niko Tr. Magn. 4000K (black/black) . . . . . AZ4581 . . . . . **85**
Alfa Niko Tr. Magn. 4000K (white/black) . . . . . AZ4582 . . . . . **85**
Alfa Saga II Tr. Magn. 12W 3000K (black) AZ5475 . . . . . **74**
Alfa Saga II Tr. Magn. 12W 4000K (black) AZ5476 . . . . . **74**
Alfa Saga II Tr. Magn. 12W CCT (black) . . . . . AZ5505 . . . . . **62**
Alfa Saga II Tr. Magn. 20W 3000K (black) AZ5477 . . . . . **74**
Alfa Saga II Tr. Magn. 20W 4000K (black) AZ5478 . . . . . **74**

Alfa Saga II Tr. Magn. 20W CCT (black). . . . . AZ5506. . . . . **62**
Alfa Saga II Tr. Magn. 30W 3000K (black) AZ5479 . . . . . **74**
Alfa Saga II Tr. Magn. 30W 4000K (black) AZ5480. . . . . **74**
Alfa Saga II Tr. Magn. Corn. A 25W 3000K (black). . . AZ5496. . . . . **76**
Alfa Saga II Tr. Magn. Corn. A 25W 4000K (black). . . AZ5497. . . . . **76**
Alfa Saga II Tr. Magn. Corn. A 25W CCT (black). . . . AZ5514 . . . . . **62**
Alfa Saga II Tr. Magn. Corn. B 25W 3000K (black). . . AZ5498. . . . . **76**
Alfa Saga II Tr. Magn. Corn. B 25W 4000K (black). . . AZ5499. . . . . **76**
Alfa Saga II Tr. Magn. Corn. B 25W CCT (black) . . . AZ5515 . . . . . **62**
Alfa Saga Tr. Magn. 12W Milky120 3000K (black) . . AZ4603 . . . . . **73**
Alfa Saga Tr. Magn. 12W Milky120 3000K (white) . . AZ4604. . . . . **73**
Alfa Saga Tr. Magn. 12W Milky120 4000K (black) . . AZ4605 . . . . . **73**
Alfa Saga Tr. Magn. 12W Milky120 4000K (white) . . AZ4606. . . . . **73**
Alfa Saga Tr. Magn. 12W Milky 120 CCT (sand black) AZ4846. . . . . **61**
Alfa Saga Tr. Magn. 12W Milky 120 CCT (white). . . . AZ4847. . . . . **61**
Alfa Saga Tr. Magn. 20W Milky 120 CCT (sand black) AZ4848. . . . . **61**
Alfa Saga Tr. Magn. 20W Milky 120 CCT (white) . . . AZ4849. . . . . **61**
Alfa Saga Tr. Magn. 24W Milky120 3000K (black). . . AZ4607 . . . . . **73**
Alfa Saga Tr. Magn. 24W Milky120 3000K (white) . . AZ4608. . . . . **73**
Alfa Saga Tr. Magn. 24W Milky120 4000K (black). . . AZ4609 . . . . . **73**
Alfa Saga Tr. Magn. 24W Milky120 4000K (white) . . AZ4610. . . . . **73**
Alfa Saga Tr. Magn. 36W Milky120 3000K (black) . . AZ4611. . . . . **73**
Alfa Saga Tr. Magn. 36W Milky120 3000K (white) . . AZ4612. . . . . **73**
Alfa Saga Tr. Magn. 36W Milky 120 CCT (sand black) AZ4850. . . . . **61**
Alfa Saga Tr. Magn. 36W Milky 120 CCT (white) . . . AZ4851. . . . . **61**
Alfa Saga Tr. Magn. Corn. A 24W Milky 120 3000K (BK) AZ4613 . . . . . **75**
Alfa Saga Tr. Magn. Corn. A 24W Milky120 3000K (WH)AZ4614 . . . . . **75**
Alfa Saga Tr. Magn. Corn. A 24W Milky120 4000K (BK) AZ4615 . . . . . **75**
Alfa Saga Tr. Magn. Corn. A 24W Milky120 4000K (WH)AZ4616. . . . . **75**
Alfa Saga Tr. Magn. Corn. B 24W Milky120 3000K (BK) AZ4617 . . . . . **75**
Alfa Saga Tr. Magn. Corn. B 24W Milky120 3000K (BK) AZ4618 . . . . . **75**
Alfa Saga Tr. Magn. Corn. B 24W Milky120 4000K (BK) AZ4619 . . . . . **75**
Alfa Saga Tr. Magn. Corn. B 24W Milky120 4000K (WH)AZ4620 . . . . . **75**
Alfa SARI Tr. Magn. 6W 3000K (black) . . . . . AZ5487. . . . . **81**
Alfa SARI Tr. Magn. 6W 4000K (black) . . . . . AZ5488. . . . . **81**
Alfa SARI Tr. Magn. 6W CCT (black) . . . . . AZ5510 . . . . . **70**
Alfa SARI Tr. Magn. 12W 3000K (black) . . . . . AZ5489. . . . . **81**
Alfa SARI Tr. Magn. 12W 4000K (black) . . . . . AZ5490. . . . . **81**
Alfa SARI Tr. Magn. 12W CCT (black). . . . . AZ5511 . . . . . **70**
Alfa Skye Tr. Magn. Pendant 12W (black). . . . . AZ4636. . . . . **87**
Alfa Skye Tr. Magn. Pendant 12W (white). . . . . AZ4637. . . . . **87**
Alfa Sonya Tr. Magn. 20W Points60 (sand black) . . . AZ4844. . . . . **71**
Alfa Sonya Tr. Magn. 20W Points60 (white) . . . . . AZ4845. . . . . **71**
Alfa Tr. Magn. 27 1,5m (black) . . . . . AZ4715. . . . . **48**
Alfa Tr. Magn. 27 1,5m (white) . . . . . AZ4714 . . . . . **48**
Alfa Tr. Magn. 27 1m (black) . . . . . AZ4713. . . . . **48**
Alfa Tr. Magn. 27 1m (white) . . . . . AZ4712. . . . . **48**
Alfa Tr. Magn. 27 2m (black) . . . . . AZ4717 . . . . . **48**
Alfa Tr. Magn. 27 2m (white) . . . . . AZ4716. . . . . **48**
Alfa Tr. Magn. 27 3m (black) . . . . . AZ4719 . . . . . **48**
Alfa Tr. Magn. 27 3m (white) . . . . . AZ4718. . . . . **48**
Alfa Tr. Magn. 27 Corn.90 A (black) . . . . . AZ5003 . . . . . **50**
Alfa Tr. Magn. 27 Corn.90 A (white) . . . . . AZ5004 . . . . . **50**
Alfa Tr. Magn. 27 Corn.90 B (black) . . . . . AZ5001. . . . . **50**
Alfa Tr. Magn. 27 Corn.90 B (white) . . . . . AZ5002 . . . . . **50**
Alfa Tr. Magn. 27 Cover 1m (black) . . . . . AZ5444 . . . . . **54**
Alfa Tr. Magn. 27 Cover 1m (white) . . . . . AZ5443 . . . . . **54**
Alfa Tr. Magn. 27 Cover (black). . . . . AZ4860. . . . . **53**
Alfa Tr. Magn. 27 Cover (white). . . . . AZ4861. . . . . **53**
Alfa Tr. Magn. 52 1,5m (black) . . . . . AZ4640. . . . . **48**
Alfa Tr. Magn. 52 1,5m (white) . . . . . AZ4641. . . . . **48**
Alfa Tr. Magn. 52 1m (black) . . . . . AZ4638. . . . . **48**
Alfa Tr. Magn. 52 1m (white) . . . . . AZ4639. . . . . **48**
Alfa Tr. Magn. 52 2m (black) . . . . . AZ4642. . . . . **48**
Alfa Tr. Magn. 52 2m (white) . . . . . AZ4643. . . . . **48**
Alfa Tr. Magn. 52 3m (black) . . . . . AZ4644. . . . . **48**
Alfa Tr. Magn. 52 3m (white) . . . . . AZ4645. . . . . **48**
Alfa Tr. Magn. 52 Corn.90 A (black) . . . . . AZ4679. . . . . **50**
Alfa Tr. Magn. 52 Corn.90 A (white) . . . . . AZ4680. . . . . **50**
Alfa Tr. Magn. 52 Corn.90 B (black) . . . . . AZ4683. . . . . **50**
Alfa Tr. Magn. 52 Corn.90 B (white) . . . . . AZ4684. . . . . **50**
Alfa Tr. Magn. 52 Cover 1m (black) . . . . . AZ4652. . . . . **54**
Alfa Tr. Magn. 52 Cover 1m (white) . . . . . AZ4653. . . . . **54**
Alfa Tr. Magn. 52 Gips1 1,5m (black). . . . . AZ4864. . . . . **49**
Alfa Tr. Magn. 52 Gips1 1,5m (white) . . . . . AZ5458. . . . . **49**
Alfa Tr. Magn. 52 Gips1 1m (black). . . . . AZ4863. . . . . **49**
Alfa Tr. Magn. 52 Gips1 1m (white) . . . . . AZ5457. . . . . **49**
Alfa Tr. Magn. 52 Gips1 2m (black). . . . . AZ4865. . . . . **49**
Alfa Tr. Magn. 52 Gips1 2m (white) . . . . . AZ5453. . . . . **49**
Alfa Tr. Magn. 52 Gips1 3m (black). . . . . AZ5455. . . . . **49**
Alfa Tr. Magn. 52 Gips1 3m (white) . . . . . AZ5454. . . . . **49**
Alfa Tr. Magn. 52 Gips1 Corn.90 A (black) . . . . . AZ4862. . . . . **51**
Alfa Tr. Magn. 52 Gips1 Corn.90 A (white) . . . . . AZ5461. . . . . **51**
Alfa Tr. Magn. 52 Gips1 Corn.90 B (black) . . . . . AZ5463. . . . . **51**
Alfa Tr. Magn. 52 Gips1 Corn.90 B (white) . . . . . AZ5462. . . . . **51**
Alfa Tr. Magn. 52 Gips2 1,5m (black). . . . . AZ4648. . . . . **49**
Alfa Tr. Magn. 52 Gips2 1,5m (white) . . . . . AZ4649. . . . . **49**
Alfa Tr. Magn. 52 Gips2 1m (black). . . . . AZ4646. . . . . **49**
Alfa Tr. Magn. 52 Gips2 1m (white) . . . . . AZ4647. . . . . **49**
Alfa Tr. Magn. 52 Gips2 2m (black). . . . . AZ4650. . . . . **49**
Alfa Tr. Magn. 52 Gips2 2m (white) . . . . . AZ4651. . . . . **49**
Alfa Tr. Magn. 52 Gips2 Corn.90 A (black) . . . . . AZ4681. . . . . **51**
Alfa Tr. Magn. 52 Gips2 Corn.90 A (white) . . . . . AZ4682. . . . . **51**
Alfa Tr. Magn. 52 Gips2 Corn.90 B (black) . . . . . AZ4685. . . . . **51**
Alfa Tr. Magn. 52 Gips2 Corn.90 B (white) . . . . . AZ4686. . . . . **51**
Alfa Tr. Magn. Driver Electric Conn. (black). . . . . AZ4675. . . . . **53**
Alfa Tr. Magn. Driver Electric Conn. (white). . . . . AZ4676. . . . . **53**
Alfa Tr. Magn. Driver Inside 60W (black) . . . . . AZ4669. . . . . **52**
Alfa Tr. Magn. Driver Inside 60W (white) . . . . . AZ4670. . . . . **52**
Alfa Tr. Magn. Driver Inside 100W (black) . . . . . AZ4671. . . . . **52**
Alfa Tr. Magn. Driver Inside 100W (white) . . . . . AZ4672. . . . . **52**
Alfa Tr. Magn. Driver Inside 200W (black) . . . . . AZ4673. . . . . **52**
Alfa Tr. Magn. Driver Inside 200W (white) . . . . . AZ4674. . . . . **52**
Alfa Tr. Magn. Flex Conn. Electric (black) . AZ4687. . . . . **52**
Alfa Tr. Magn. Flex Conn. Electric (white) AZ4688. . . . . **52**
Alfa Tr. Magn. Mechanical Conn. (black) . AZ4689. . . . . **52**
Alfa Tr. Magn. Mechanical Conn. (white) . AZ4690. . . . . **52**
Alfa Tr. Magn. Straight Conn. (black). . . . . AZ4677. . . . . **52**
Alfa Tr. Magn. Straight Conn. (white) . . . . . AZ4678. . . . . **52**
Alfa Tr. Magn. Suspension Kit 2m (black) . . . . . AZ4693. . . . . **54**
Alfa Tr. Magn. Suspension Kit 2m (white) . . . . . AZ4694. . . . . **54**
Alf Round 3000K (black) . . . . . AZ4663. . . . . **484**
Alf Round 3000K (dark grey). . . . . AZ4664. . . . . **484**
Alf Square 3000K (black) . . . . . AZ4665. . . . . **484**
Alf Square 3000K (black) . . . . . AZ4666. . . . . **484**
Alix 230V (black) . . . . . AZ3540. . . . . **245**

Alix 230V (white) AZ3541 245
Alix (black) AZ1357 GM4110-BK 242
Alix IP65 (black) AZ4056 440
Alix IP65 (grey) AZ4057 440
Alix IP65 (white) AZ4055 440
Alix (white) AZ1356 GM4110-WH 242
Ancona L (black) AZ2852 408
Ancona L (white) AZ2853 408
Ancona M (black) AZ2194 GW-8663M-BK 408
Ancona M (white) AZ2193 GW-8664M-WH 408
Ancona S (black) AZ2191 GW-8663S-BK 408
Ancona S (white) AZ2192 GW-8664S-WH 408
Angus (chrome) AZ2445 SN-6409-CH 415
Angus (white) AZ2446 SN-6408-WH 415
Apulia R (black) AZ4333 437
Apulia R (dark grey) AZ4335 437
Apulia R (white) AZ4334 437
Apulia S (black) AZ4336 437
Apulia S (dark grey) AZ4338 437
Apulia S (white) AZ4337 437
Arbax 1 (dark grey) AZ4341 464
Arbax 2 (dark grey) AZ4342 464
Archo 2A (chrome) AZ0326 AX6068-18W-CH 412
Archo 2B (chrome) AZ0327 AX6068-36W-CH 412
Archo 2C (chrome) AZ0328 AX6068-55W-CH 413
Archo A (aluminium) AZ0199 AX6068-18W-ALU 412
Archo C (aluminium) AZ0201 AX6068-55W-ALU 413
Arida (dark grey) AZ4347 465
Aro IP54 (black) AZ2558 174
Aro IP54 (chrome) AZ1360 174
Aro IP54 (gold) AZ5240 174
Aro IP54 (white) AZ2559 174
Avon (black) AZ2196 GW-6100-BK 402
Avon (gold) AZ2197 GW-6100-GO 402
Avon (white) AZ2195 GW-6100-WH 402
B
Beta Becker 230V Tr. Magn. GU10 (black) AZ5465 107
Beta Becker 230V Tr. Magn. GU10 (white) AZ5466 107
Beta Gary 230V Tr. Magn. GU10 (black) AZ5207 106
Beta Gary 230V Tr. Magn. GU10 (white) AZ5208 106
Beta Kerry 230V Tr. Magn. 10W 3000K (black) AZ5203 104
Beta Kerry 230V Tr. Magn. 10W 4000K (black) AZ5204 104
Beta Kerry 230V Tr. Magn. 10W CCT (black) AZ5186 119
Beta Kira 230V Tr. Magn. 9W Points60 3000K (BK) AZ5187 103
Beta Kira 230V Tr. Magn. 9W Points60 4000K (BK) AZ5211 103
Beta Kira 230V Tr. Magn. 9W Points60 CCT (black) AZ5175 118
Beta Kira 230V Tr. Magn. 18W Points60 3000K (BK) AZ5188 103
Beta Kira 230V Tr. Magn. 18W Points60 4000K (BK) AZ5212 103
Beta Kira 230V Tr. Magn. 18W Points60 CCT (black) AZ5176 118
Beta Kira 230V Tr. Magn. 27W Points60 3000K (BK) AZ5189 103
Beta Kira 230V Tr. Magn. 27W Points60 4000K (BK) AZ5213 103
Beta Kira 230V Tr. Magn. 27W Points60 CCT (black) AZ5177 118
Beta Makita 230V Tr. Magn. 10W 3000K (black) AZ5199 100
Beta Makita 230V Tr. Magn. 10W 4000K (black) AZ5200 100
Beta Makita 230V Tr. Magn. 10W CCT (black) AZ5184 112
Beta Makita 230V Tr. Magn. 10W RGB-CW CCT (BK) AZ5206 114
Beta Makita 230V Tr. Magn. 20W 3000K (black) AZ5201 100
Beta Makita 230V Tr. Magn. 20W 4000K (black) AZ5202 100
Beta Makita 230V Tr. Magn. 20W CCT (black) AZ5185 112
Beta Optica 230V Tr. Magn. 7W 3000K (black) AZ5195 108
Beta Optica 230V Tr. Magn. 7W 4000K (black) AZ5196 108
Beta Optica 230V Tr. Magn. 7W CCT (black) AZ5182 121
Beta Optica 230V Tr. Magn. 10W 3000K (black) AZ5198 108
Beta Optica 230V Tr. Magn. 10W 4000K (black) AZ5197 108
Beta Optica 230V Tr. Magn. 10W CCT (black) AZ5183 121
Beta Saga 230V Tr. Magn. 9W Milky 120 3000K (BK) AZ5190 101
Beta Saga 230V Tr. Magn. 9W Milky 120 4000K (BK) AZ5214 101
Beta Saga 230V Tr. Magn. 9W Milky120 CCT (black) AZ5178 116
Beta Saga 230V Tr. Magn. 18W Milky 120 3000K (BK) AZ5191 101
Beta Saga 230V Tr. Magn. 18W Milky 120 4000K (BK) AZ5215 101
Beta Saga 230V Tr. Magn. 18W Milky120 CCT (BK) AZ5179 116
Beta Saga 230V Tr. Magn. 18W RGB-CW (black) AZ5205 115
Beta Saga 230V Tr. Magn. 27W Milky 120 3000K (BK) AZ5192 101
Beta Saga 230V Tr. Magn. 27W Milky 120 4000K (BK) AZ5216 101
Beta Saga 230V Tr. Magn. 27W Milky120 CCT (BK) AZ5180 116
Beta Sanders 230V Tr. Magn. 9W 3000K (black) AZ5193 105
Beta Sanders 230V Tr. Magn. 9W 4000K (black) AZ5194 105
Beta Sanders 230V Tr. Magn. 9W CCT (black) AZ5181 120
Beta Tr. Magn.57 230V 1m (black) AZ5139 94
Beta Tr. Magn.57 230V 1m (white) AZ5140 94
Beta Tr. Magn.57 230V 2m (black) AZ5241 94
Beta Tr. Magn.57 230V 2m (white) AZ5242 94
Beta Tr. Magn.57 230V 3m (black) AZ5143 94
Beta Tr. Magn.57 230V 3m (white) AZ5144 94
Beta Tr. Magn.57 230V Conn. (black) AZ5154 95
Beta Tr. Magn.57 230V Corn.90 A (black) AZ5158 96
Beta Tr. Magn.57 230V Corn.90 A Gips1 (black) AZ5162 96
Beta Tr. Magn.57 230V Corn.90 A Gips1 (white) AZ5163 96
Beta Tr. Magn.57 230V Corn.90 A Gips2 (black) AZ5173 97
Beta Tr. Magn.57 230V Corn.90 A (white) AZ5159 96
Beta Tr. Magn.57 230V Corn.90 B Gips1 (black) AZ5164 96
Beta Tr. Magn.57 230V Corn.90 B Gips1 (white) AZ5165 96
Beta Tr. Magn.57 230V Corn.90 B Gips2 (black) AZ5174 97
Beta Tr. Magn.57 230V Cover (black) AZ5168 99
Beta Tr. Magn.57 230V Cover (white) AZ5169 99
Beta Tr. Magn.57 230V End Cap (black) AZ5166 98
Beta Tr. Magn.57 230V End Cap (white) AZ5167 98
Beta Tr. Magn.57 230V Flex Conn. Electric (BK) AZ5153 97
Beta Tr. Magn.57 230V Gips1 1m (black) AZ5145 94
Beta Tr. Magn.57 230V Gips1 1m (white) AZ5146 94
Beta Tr. Magn.57 230V Gips1 2m (black) AZ5147 94
Beta Tr. Magn.57 230V Gips1 2m (white) AZ5148 94
Beta Tr. Magn.57 230V Gips1 3m (black) AZ5149 94
Beta Tr. Magn.57 230V Gips1 3m (white) AZ5150 94
Beta Tr. Magn.57 230V Gips2 1m (black) AZ5170 95
Beta Tr. Magn.57 230V Gips2 2m (black) AZ5171 95
Beta Tr. Magn.57 230V Gips2 2m (black) AZ5172 95
Beta Tr. Magn.57 230V Inner Corn.90 B (black) AZ5160 96
Beta Tr. Magn.57 230V Inner Corn.90 B (white) AZ5161 96
Beta Tr. Magn.57 230V Straight Conn. Electric (BK) AZ5152 97
Beta Tr. Magn.57 230V Straight Conn. Mechanical (BK) AZ5151 98
Beta Tr. Magn.57 230V Suspension Kit (black) AZ5155 98
Biagio (chrome) AZ1492 NC571-CH 307
Biagio (gold) AZ1493 NC571-GO 307
Bill 10W (black) AZ337 205
Bill 10W (white) AZ3375 205
Boston (black) AZ3468 204

Boston (white) . . . AZ3469 . . . 204
Blas (black) . . . AZ3069 . . . 392
Boombox Bucket RGBW (white) . . . AZ4665 . . . 509
Boombox Medium RGBW (white) . . . AZ4664 . . . 509
Boris (aluminium) . . . AZ1053 . . GM4108-ALU . . . 194
Boris (black) . . . AZ1110 . . GM4108-BK . . . 194
Boris (white) . . . AZ1054 . . GM4108-WH . . . 194
Boston 1 Round (black) . . . AZ3471 . . . 339
Boston 1 Round (white) . . . AZ3470 . . . 339
Brant 2 (black) . . . AZ2821 . . . 184
Brant 2 (black/chrome) . . . AZ2930 . . . 184
Brant 2 IP44 (chrome) . . . AZ2817 . . . 185
Brant 2 IP44 (white) . . . AZ2816 . . . 185
Brant 2 Square (black) . . . AZ2827 . . . 186
Brant 2 Square IP44 (black) . . . AZ2879 . . . 187
Brant 2 Square IP44 (white) . . . AZ2823 . . . 187
Brant 2 Square (white) . . . AZ2826 . . . 186
Brant 2 (white) . . . AZ2820 . . . 184
Brant (black) . . . AZ2819 . . . 184
Brant (black/chrome) . . . AZ2929 . . . 184
Brant IP44 (chrome) . . . AZ2691 . . . 185
Brant IP44 (white) . . . AZ2690 . . . 185
Brant Square (black) . . . AZ2825 . . . 186
Brant Square IP44 (black) . . . AZ2878 . . . 187
Brant Square IP44 (white) . . . AZ2822 . . . 187
Brant Square (white) . . . AZ2824 . . . 186
Brant (white) . . . AZ2818 . . . 184
Bross 1 (aluminium) . . . AZ0780 . . GM4100-ALU . . . 178
Bross 1 (black/aluminium) . . . AZ0779 . . GM4100-BK . . . 178
Bross 1 (black/black) . . . AZ2135 . . GM4100-BK-BK . . 178
Bross 1 (black/gold) . . . AZ2955 . . . 178
Bross 1 (chrome) . . . AZ0857 . . GM4100-CH . . . 178
Bross 1 (white/aluminium) . . . AZ0781 . . GM4100-WH-ALU . 178
Bross 1 (white) . . . AZ0858 . . GM4100-WH . . . 178
Bross 1 (white/black) . . . AZ1436 . . GM4100-WH-BK . . 178
Bross 2 (aluminium) . . . AZ0783 . . GM4200-ALU . . . 178
Bross 2 (black/aluminium) . . . AZ0782 . . GM4200-BK-ALU . 178
Bross 2 (black/black) . . . AZ2136 . . GM4200-BK-BK . . 178
Bross 2 (black/gold) . . . AZ2956 . . . 178
Bross 2 (bright grey) . . . AZ1787 . . GM4200-BGR . . . 178
Bross 2 (chrome) . . . AZ0941 . . GM4200-CH . . . 178
Bross 2 (white/aluminium) . . . AZ0784 . . GM4200-WH-ALU . 178
Bross 2 (white) . . . AZ0859 . . GM4200-WH . . . 178
Bross 2 (white/black) . . . AZ1753 . . GM4200-WH-BK . . 178
Bross Arm 2 (black) . . . AZ3503 . . . 180
Bross Arm 2 (white) . . . AZ3502 . . . 180
Bross Arm (black) . . . AZ3499 . . . 180
Bross Arm Track (black) . . . AZ3501 . . . 40
Bross Arm Track (white) . . . AZ3500 . . . 40
Bross Arm (white) . . . AZ3498 . . . 180
C Carlo (aluminium) . . . AZ0804 . . . 356
Carlo (black) . . . AZ4141 . . . 356
Carlo (white) . . . AZ0805 . . . 356
Caro 2 Square (aluminium) . . . AZ2438 . . SN-6812S-ALU . . . 363
Caro 2 Square (black) . . . AZ2437 . . SN-6812S-BK . . . 363
Caro 2 Square (gold) . . . AZ5426 . . . 363
Caro 2 Square (white) . . . AZ2436 . . SN-6812S-WH . . . 363
Caro 3 Square (aluminium) . . . AZ2441 . . SN-6813S-ALU . . . 363
Caro 3 Square (black) . . . AZ2440 . . SN-6813S-BK . . . 363
Caro 3 Square (white) . . . AZ2439 . . SN-6813S-WH . . . 363
Caro 4 Square (white) . . . AZ2442 . . SN-6814S-WH . . . 363
Caro Round (aluminium) . . . AZ2432 . . SN-6810R-ALU . . . 362
Caro Round (black) . . . AZ2431 . . SN-6810R-BK . . . 362
Caro Round (gold) . . . AZ5424 . . . 362
Caro Round (white) . . . AZ2430 . . SN-6810R-WH . . . 362
Caro Square (aluminium) . . . AZ2435 . . SN-6811S-ALU . . . 363
Caro Square (black) . . . AZ2434 . . SN-6811S-BK . . . 363
Caro Square (gold) . . . AZ5425 . . . 363
Caro Square (white) . . . AZ2433 . . SN-6811S-WH . . . 363
Casola (black) . . . AZ4355 . . . 462
Casola (dark grey) . . . AZ4356 . . . 462
Casoria Round (black) . . . AZ4366 . . . 480
Casoria Round (dark grey) . . . AZ4365 . . . 480
Casoria Slim (dark grey) . . . AZ4368 . . . 480
Casoria Square (dark grey) . . . AZ4367 . . . 480
Casper Round 3000K (black) . . . AZ4490 . . . 436
Casper Round 3000K (dark grey) . . . AZ4492 . . . 436
Casper Round 3000K (white) . . . AZ4494 . . . 436
Casper Round 4000K (black) . . . AZ4491 . . . 436
Casper Round 4000K (dark grey) . . . AZ4493 . . . 436
Casper Round 4000K (white) . . . AZ4495 . . . 436
Casper Square 3000K (black) . . . AZ4496 . . . 435
Casper Square 3000K (dark grey) . . . AZ4498 . . . 435
Casper Square 3000K (white) . . . AZ4500 . . . 435
Casper Square 4000K (black) . . . AZ4497 . . . 435
Casper Square 4000K (dark grey) . . . AZ4499 . . . 435
Casper Square 4000K (white) . . . AZ4501 . . . 435
Ceiling plate + wire (black) . . . AZ4780 . . . 5
Ceiling plate + wire (white) . . . AZ4782 . . . 5
Ceiling Plate 3-Line + Wire (black) . . . AZ480 . . . 16
Ceiling Plate 3-Line + Wire (white) . . . AZ4782 . . . 16
Cesar (chrome) . . . AZ1152 . . GM2113-CH . . . 352
Civita (dark grey) . . . AZ4361 . . . 472
Civita Sensor (dark grey) . . . AZ4360 . . . 472
Cleto (chrome) . . . AZ1621 . . NC2004R-B-CH . . 301
Cleto (gold) . . . AZ1622 . . NC2004R-B-GO . . 301
Cloe (chrome) . . . AZ1466 . . NC1738-M-CH . . . 297
Clover Oval (black) . . . AZ2997 . . - . . . 403
Clover Oval (white) . . . AZ2998 . . - . . . 403
Clover Square (black) . . . AZ2198 . . GW-6809-BK . . . 403
Clover Square (white) . . . AZ2199 . . GW-6809-WH . . . 403
Collodi 48 CCT (beige) . . . AZ2716 . . . 278
Collodi 48 CCT (grey) . . . AZ2717 . . . 278
Cortona 41 3000K (black) . . . AZ2737 . . . 282
Cortona 41 3000K (grey) . . . AZ2735 . . . 282
Cortona 41 3000K (white) . . . AZ2732 . . . 282
Cortona 41 4000K (black) . . . AZ2736 . . . 282
Cortona 41 4000K (grey) . . . AZ2733 . . . 282
Cortona 41 4000K (white) . . . AZ2730 . . . 282
Cortona 55 3000K (black) . . . AZ2745 . . . 282
Cortona 55 3000K (grey) . . . AZ2743 . . . 282
Cortona 55 3000K (white) . . . AZ2741 . . . 282
Cortona 55 4000K (black) . . . AZ2744 . . . 282
Cortona 55 4000K (grey) . . . AZ2742 . . . 282
Cortona 55 4000K (white) . . . AZ2739 . . . 282
Cosel (black) . . . AZ4353 . . . 463

Cosel (dark grey) . . . AZ4354 . . . 463
Costa 3000K (black) . . . AZ2857 . . . 182
Costa 3000K (white) . . . AZ2856 . . . 182
Costa 4000K (black) . . . AZ4553 . . . 182
Costa 4000K (white) . . . AZ4554 . . . 182
Costa Arm (black/black) . . . AZ2702 . . . 183
Costa Arm Track 3 Line (black/black) . . . AZ3486 . . . 30
Costa Arm Track 3 Line (white/white) . . . AZ3487 . . . 30
Costa Arm (white/white) . . . AZ2703 . . . 183
Costa Spot (black/black) . . . AZ2706 . . . 182
Costa Spot (black/black) . . . AZ2706 . . . 340
Costa Spot (white/white) . . . AZ2705 . . . 182
Costa Spot (white/white) . . . AZ2705 . . . 340
Costa Track 3 Line 12W 3000K (black) . . . AZ4549 . . . 31
Costa Track 3 Line 12W 3000K (white) . . . AZ4550 . . . 31
Costa Track 3 Line 12W 4000K (black) . . . AZ4551 . . . 31
Costa Track 3 Line 12W 4000K (white) . . . AZ4552 . . . 31
Cremona M (black) . . . AZ4340 . . . 469
Cremona M (dark grey) . . . AZ2182 . . . 469
Cremona M (white) . . . AZ2181 . . . 469
Cremona S (black) . . . AZ4339 . . . 469
Cremona S (dark grey) . . . AZ2180 . . . 469
Cremona S (white) . . . AZ2179 . . . 469

D

Dario (aluminium) . . . AZ1055 . . . GM4109-ALU . . . 195
Dario (black) . . . AZ1111 . . . GM4109-BK . . . 195
Dario (white) . . . AZ1056 . . . GM4109-WH . . . 195
Diado (chrome) . . . AZ1453 . . . LC1329-CH . . . 224
Driver Meanwell (100W) . . . AZ4691 . . . 155
Driver Meanwell (200W) . . . AZ4692 . . . 155
Driver Meanwell (350W) . . . AZ4866 . . . 155
Durante IP54 Sensor 4000K (black) . . . AZ5340 . . . 473

E

Eco Alex v.2 (black) . . . AZ4317 . . . 247
Eco Alex v.2 (white) . . . AZ4318 . . . 247
Eco Alix New 230V (antique gold) . . . AZ3496 . . . 244
Eco Alix New 230V (black) . . . AZ3493 . . . 244
Eco Alix New 230V (black chrome) . . . AZ3494 . . . 244
Eco Alix New 230V (chrome) . . . AZ3495 . . . 244
Eco Alix New 230V (white) . . . AZ3492 . . . 244
Eco Alix v2. (black) . . . AZ4319 . . . 246
Eco Alix v2. (white) . . . AZ4320 . . . 246
Editta (aluminium) . . . AZ0806 . . . 357
Editta (black) . . . AZ4144 . . . 357
Editta (white) . . . AZ0807 . . . 357
Edvard (Dark Grey) . . . AZ4503 . . . 502
Edvin (black) . . . AZ4502 . . . 502
Eiger IP54 (black) . . . AZ4260 . . . 175
Eiger IP54 (black/gold) . . . AZ4261 . . . 175
Eiger IP54 (gold) . . . AZ5239 . . . 175
Eiger IP54 (white) . . . AZ4259 . . . 175
Eiger Track 3 Line GU10 (black) . . . AZ4205 . . . 20
Eiger Track 3 Line GU10 (black/gold) . . . AZ4206 . . . 20
Eiger Track 3 Line GU10 (gold) . . . AZ5238 . . . 20
Eiger Track 3 Line GU10 (white) . . . AZ4204 . . . 20
Electric 1-Line (black) . . . AZ4749 . . . 5
Electric 1-Line (white) . . . AZ4748 . . . 5
Electric 3-Line (black) . . . AZ3003 . . . 17
Electric 3-Line (white) . . . AZ3012 . . . 17
Eloy 1 (aluminium) . . . AZ0991 . . . GM4106-ALU . . . 188
Eloy 1 (black/aluminium) . . . AZ0930 . . . GM4106-BK-ALU . . . 188
Eloy 1 (black/black) . . . AZ2137 . . . GM4106-BK-BK . . . 188
Eloy 1 (chrome) . . . AZ0873 . . . GM4106-CH . . . 188
Eloy 1 (white/aluminium) . . . AZ0872 . . . GM4106-WH-ALU . . . 188
Eloy 1 (white) . . . AZ0929 . . . GM4106-WH . . . 188
Eloy 1 (white/black) . . . AZ1439 . . . GM4106-WH-BK . . . 188
Eloy 2 (aluminium) . . . AZ1352 . . . GM4204-ALU . . . 188
Eloy 2 (black/aluminium) . . . AZ1355 . . . GM4204-BK-ALU . . . 188
Eloy 2 (black/black) . . . AZ2138 . . . GM4204-BK-BK . . . 188
Eloy 2 (white/aluminium) . . . AZ1354 . . . GM4204-WH-ALU . . . 188
Eloy 2 (white) . . . AZ1353 . . . GM4204-WH . . . 188
Emilio (aluminium) . . . AZ0810 . . . GM2104-ALU . . . 348
Emilio (black) . . . AZ0809 . . . GM2104-BK . . . 348
Emilio (chrome) . . . AZ0808 . . . GM2104-CH . . . 348
Emilio (white) . . . AZ0871 . . . GM2104-WH . . . 348
End Cap 1-Line (black) . . . AZ4745 . . . 4
End Cap 1-Line (white) . . . AZ4744 . . . 4
End Cap 3-Line (black) . . . AZ4288 . . . 17
End Cap 3-Line (white) . . . AZ4287 . . . 17
End Power 1-Line (black) . . . AZ4743 . . . 3
End Power 1-Line (white) . . . AZ4742 . . . 3
End Power Gips Left 3-Line (black) . . . AZ4310 . . . 15
End Power Gips Left 3-Line (white) . . . AZ4309 . . . 15
End Power Gips Right 3-Line (black) . . . AZ4304 . . . 15
End Power Gips Right 3-Line (white) . . . AZ4303 . . . 15
End Power Left 3-Line (black) . . . AZ4284 . . . 14
End Power Left 3-Line (white) . . . AZ4283 . . . 14
End Power Right 3-Line (black) . . . AZ4116 . . . 14
End Power Right 3-Line (white) . . . AZ4117 . . . 14
Enok Round Wall 3000K (dark grey) . . . AZ4460 . . . 479
Enok Square Wall 3000K (black) . . . AZ4461 . . . 479
Enok Square Wall 4000K (black) . . . AZ4462 . . . 479
Erebus Angle (black) . . . AZ3395 . . . 216
Erebus Angle (white) . . . AZ3394 . . . 216
Erebus Bases (aluminium) . . . AZ3389 . . . 216
Erebus Pendant (black) . . . AZ3393 . . . 216
Erebus Pendant (white) . . . AZ3392 . . . 216
Erebus Track (black) . . . AZ3391 . . . 216
Erebus Track (black) . . . AZ3391 . . . 38
Erebus Track (white) . . . AZ3390 . . . 216
Erebus Track (white) . . . AZ3390 . . . 38
Erebus Tube 14 (black) . . . AZ3384 . . . 216
Erebus Tube 14 (black) . . . AZ3384 . . . 38
Erebus Tube 14 (gold) . . . AZ3385 . . . 216
Erebus Tube 14 (gold) . . . AZ3385 . . . 38
Erebus Tube 14 (white) . . . AZ3383 . . . 216
Erebus Tube 14 (white) . . . AZ3383 . . . 38
Erebus Tube 21 (black) . . . AZ3387 . . . 216
Erebus Tube 21 (black) . . . AZ3387 . . . 38
Erebus Tube 21 (gold) . . . AZ3388 . . . 216
Erebus Tube 21 (gold) . . . AZ3388 . . . 38
Erebus Tube 21 (white) . . . AZ3386 . . . 216
Erebus Tube 21 (white) . . . AZ3386 . . . 38
Erika (chrome) . . . AZ2777 . . . 373
Ester Round 1 (black) . . . AZ4175 . . . 310
Ester Round 1 (chrome) . . . AZ1449 . . . 310
Ester Round 1 (gold) . . . AZ1450 . . . 310
Ester Round 2 (black) . . . AZ4176 . . . 310

OLD&NEW CODES LIST

Ester Round 2 (chrome) . . . AZ1451 . . . **310**
Ester Round 2 (gold) . . . AZ2467 . . . **310**
Ester square 1 (black) . . . AZ4411 . . . **312**
Ester square 1 (chrome) . . . AZ4410 . . . **312**
Ester square 1 (gold) . . . AZ4412 . . . **312**
Ester square 2 (black) . . . AZ4414 . . . **312**
Ester square 2 (chrome) . . . AZ4413 . . . **312**
Ester square 2 (gold) . . . AZ4415 . . . **312**
Eva Round (chrome) . . . AZ1458 . . NC1519R-CH . . . **298**
Eva Round (gold) . . . AZ1459 . . NC1519R-GO . . . **298**
Eva Square (chrome) . . . AZ1460 . . NC1519SQ-CH . . . **298**
Exo 1 (black) . . . AZ3193 . . . **218**
Exo 1 (white) . . . AZ3194 . . . **218**
Exo 2 (black) . . . AZ3195 . . . **218**
Exo 2 (white) . . . AZ3196 . . . **218**
Exo 3 (black) . . . AZ3197 . . . **219**
Exo 3 (white) . . . AZ3198 . . . **219**
Exo Track (black) . . . AZ3199 . . . **41**
Exo Track (black) . . . AZ4660 . . . **6**
Exo Track (white) . . . AZ3200 . . . **41**
Exo Track (white) . . . AZ4661 . . . **6**
Ezio (aluminium) . . . AZ0811 . . GM2105-ALU . . . **349**
Ezio (black) . . . AZ0812 . . GM2105-BK . . . **349**
Ezio (chrome) . . . AZ1051 . . GM2105-CH . . . **349**
Ezio (white) . . . AZ0813 . . GM2105-WH . . . **349**

F

Falco 12 3000K (black) . . . AZ2782 . . . **274**
Falco 12 3000K (white) . . . AZ2780 . . . **274**
Falco 12 4000K (black) . . . AZ2783 . . . **274**
Falco 12 4000K (white) . . . AZ2781 . . . **274**
Fano R 30 LED RGB (black) . . . AZ4783 . . . **434**
Fano R 30 LED RGB (dark grey) . . . AZ4784 . . . **434**
Fano R 30 LED RGB (white) . . . AZ4785 . . . **434**
Fano R (black) . . . AZ4371 . . . **432**
Fano R (dark grey) . . . AZ2187 . . MAX-1316R-DGR . . **433**
Fano R (dark grey) . . . AZ4369 . . . **432**
Fano R (white) . . . AZ4373 . . . **432**
Fano S 30 LED RGB (black) . . . AZ4786 . . . **434**
Fano S 30 LED RGB (dark grey) . . . AZ4787 . . . **434**
Fano S 30 LED RGB (white) . . . AZ4788 . . . **434**
Fano Square (black) . . . AZ4372 . . . **432**
Fano Square (dark grey) . . . AZ2186 . . MAX-1316S-DGR . . **433**
Fano Square (dark grey) . . . AZ4370 . . . **432**
Fano Square (white) . . . AZ4374 . . . **432**
Faro (black) . . . AZ3204 . . . **419**
Faro (chrome) . . . AZ2424 . . SN-6326-CH . . . **419**
Faro (satin nickel) . . . AZ2552 . . SN-6409-SN . . . **419**
Felix L (white) . . . AZ2427 . . SN-1036L-WH . . . **395**
Felix M (white) . . . AZ2426 . . SN-1036M-WH . . . **395**
Felix S (gold) . . . AZ2425 . . SN-1036S-GO . . . **395**
Felix S (white) . . . AZ2456 . . SN-1036S-WH . . . **395**
Fill R 5W 3000K (black) . . . AZ3381 . . . **332**
Fill R 5W 4000K (black) . . . AZ3382 . . . **332**
Fill Square 5W 3000K (black) . . . AZ3379 . . . **333**
Fill Square 5W 3000K (white) . . . AZ3377 . . . **333**
Fill Square 5W 4000K (black) . . . AZ3380 . . . **333**
Fill Square 5W 4000K (white) . . . AZ3378 . . . **333**
Flavio 2 (white/black) . . . AZ0792 . . GM4202-WH-BK . . **220**
Flavio (white/black) . . . AZ0791 . . GM4102-WH-BK . . **220**
Flexible Conn. 3-Line (black) . . . AZ4282 . . . **17**
Flexible Conn. 3-Line (white) . . . AZ4281 . . . **17**
Floki 3000K (black) . . . AZ4468 . . . **503**
Floki 4000K (black) . . . AZ4467 . . . **503**
Frame 70 (black) . . . AZ4305 . . . **504**
Frame 70 (dark grey) . . . AZ2130 . . A-700-DGR . . . **504**
Frame spike (black) . . . AZ4307 . . . **504**
Frame spike (dark grey) . . . AZ2128 . . A-414-DGR . . . **504**
Frame wall (black) . . . AZ4308 . . . **504**
Frame wall (bright grey) . . . AZ2132 . . . **504**
Fredo 58 IP54 4000K (black) . . . AZ5337 . . . **492**
Fredo 98 IP54 4000K (black) . . . AZ5338 . . . **492**
Frida 7W 3000K (black) . . . AZ4523 . . . **336**
Frida 7W 3000K (white) . . . AZ4525 . . . **336**
Frida 7W 4000K (black) . . . AZ4524 . . . **336**
Frida 7W 4000K (white) . . . AZ4526 . . . **336**
Frida 12W 3000K (black) . . . AZ4527 . . . **336**
Frida 12W 3000K (white) . . . AZ4529 . . . **336**
Frida 12W 4000K (black) . . . AZ4528 . . . **336**
Frida 12W 4000K (white) . . . AZ4530 . . . **336**

G

Gagarin (dark grey) . . . AZ4352 . . . **476**
Galata R IP44 3000K (black) . . . AZ4379 . . . **322**
Galata R IP44 3000K (white) . . . AZ4380 . . . **322**
Galata R IP44 4000K (black) . . . AZ4381 . . . **322**
Galata R IP44 4000K (white) . . . AZ4382 . . . **322**
Galena (white matt) . . . AZ1457 . LC1486-11W-W-WH **222**
Galileo 1 pendant 3000K (black) . . . AZ4069 . . . **288**
Galileo 1 pendant 3000K (white) . . . AZ4068 . . . **288**
Galileo Track 3 Line 15W (black) . . . AZ4067 . . . **27**
Galileo Track 3 Line 15W (white) . . . AZ4066 . . . **27**
Gamma Kira Tr. Magn. 12W 3000K (black) . . . AZ5290 . . . **134**
Gamma Kira Tr. Magn. 12W 4000K (black) . . . AZ5291 . . . **134**
Gamma Kira Tr. Magn. 18W 3000K (black) . . . AZ5293 . . . **134**
Gamma Kira Tr. Magn. 18W 4000K (black) . . . AZ5294 . . . **134**
Gamma Kira Tr. Magn. 24W 3000K (black) . . . AZ5296 . . . **134**
Gamma Kira Tr. Magn. 24W 4000K (black) . . . AZ5297 . . . **134**
Gambino 1 3000K (black) . . . AZ4148 . . . **466**
Gambino 1 3000K (bright grey) . . . AZ0958 . . . **466**
Gambino 1 3000K (dark grey) . . . AZ0957 . . . **466**
Gambino 1 3000K (white) . . . AZ0950 . . . **466**
Gambino 1 4000K (black) . . . AZ4470 . . . **466**
Gambino 1 4000K (dark grey) . . . AZ4471 . . . **466**
Gambino 1 4000K (white) . . . AZ4472 . . . **466**
Gambino 1 (bright grey) . . . AZ0958 . . LC8005-BGR . . . **398**
Gambino 1 (dark grey) . . . AZ0957 . . LC8005-DGR . . . **398**
Gambino 1 (white) . . . AZ0950 . . LC8005-WH . . . **398**
Gamma Daniel Tr. Magn. 8W 3000K (black) . . . AZ5308 . . . **141**
Gamma Daniel Tr. Magn. 8W 4000K (black) . . . AZ5309 . . . **141**
Gamma Danka Tr. Magn. 8W 3000K (black) . . . AZ5306 . . . **140**
Gamma Danka Tr. Magn. 8W 4000K (black) . . . AZ5307 . . . **140**
Gamma Kira Tr. Magn. 12W CCT (black) . . . AZ5292 . . . **144**
Gamma Kira Tr. Magn. 18W CCT (black) . . . AZ5295 . . . **144**
Gamma Niko Tr. Magn. 7W 3000K (black) AZ5284 . . . **135**
Gamma Niko Tr. Magn. 7W 4000K (black) AZ5285 . . . **135**
Gamma Niko Tr. Magn. 7W CCT (black) . . . AZ5286 . . . **145**
Gamma Niko Tr. Magn. 12W 3000K (black) . . . AZ5287 . . . **135**
Gamma Niko Tr. Magn. 12W 4000K (black) . . . AZ5288 . . . **135**
Gamma Niko Tr. Magn. 12W CCT (black) AZ5289 . . . **145**

Gamma Saga Tr. Magn. 10W 3000K (black) AZ5298 139
Gamma Saga Tr. Magn. 10W 4000K (black) AZ5299 139
Gamma Saga Tr. Magn. 10W CCT (black) AZ5300 149
Gamma Saga Tr. Magn. 20W 3000K (black) AZ5301 139
Gamma Saga Tr. Magn. 20W 4000K (black) AZ5302 139
Gamma Saga Tr. Magn. 20W CCT (black) AZ5303 149
Gamma Saga Tr. Magn. 30W 3000K (black) AZ5304 139
Gamma Saga Tr. Magn. 30W 4000K (black) AZ5305 139
Gamma Sangria Milky Tr. Magn. 6W 3000K (black) . . AZ5266 136
Gamma Sangria Milky Tr. Magn. 6W 4000K (black) . . AZ5267 136
Gamma Sangria Milky Tr. Magn. 6W CCT (black) . . . AZ5268 146
Gamma Sangria Milky Tr. Magn. 12W 3000K (black) . AZ5269 136
Gamma Sangria Milky Tr. Magn. 12W 4000K (black) . AZ5270 136
Gamma Sangria Milky Tr. Magn. 12W CCT (black) . . AZ5271 146
Gamma Sangria Point Tr. Magn. 6W 3000K (black) . . AZ5272 137
Gamma Sangria Point Tr. Magn. 6W 4000K (black) . . AZ5273 137
Gamma Sangria Point Tr. Magn. 6W CCT (black) . . . AZ5274 147
Gamma Sangria Point Tr. Magn. 12W 3000K (black) . AZ5275 137
Gamma Sangria Point Tr. Magn. 12W 4000K (black) . AZ5276 137
Gamma Sangria Point Tr. Magn. 12W CCT (black) . . AZ5277 147
Gamma Sangria UGR Tr. Magn. 6W 3000K (black) . . AZ5278 138
Gamma Sangria UGR Tr. Magn. 6W 4000K (black) . . AZ5279 138
Gamma Sangria UGR Tr. Magn. 6W CCT (black) . . . AZ5280 148
Gamma Sangria UGR Tr. Magn. 12W 3000K (black) . AZ5281 138
Gamma Sangria UGR Tr. Magn. 12W 4000K (black) . AZ5282 138
Gamma Sangria UGR Tr. Magn. 12W CCT (black) . . . AZ5283 148
Gamma Tr. Magn. 1m (black) AZ5312 130
Gamma Tr. Magn. 2m (black) AZ5313 130
Gamma Tr. Magn. Adapter Big (black) AZ5311 132
Gamma Tr. Magn. Adapter Small (black) AZ5310 132
Gamma Tr. Magn. Driver Conn. (black) AZ5328 130
Gamma Tr. Magn. Driver Inside 100W (black) AZ5330 131
Gamma Tr. Magn. Driver Inside 200W (black) AZ5332 131
Gamma Tr. Magn. Driver Rounded Inside 100W (BK) . . AZ5578 131
Gamma Tr. Magn. Driver Rounded Inside 100W (BK) . . AZ5579 131
Gamma Tr. Magn. Inner Corn.90 (black) AZ5322 133
Gamma Tr. Magn. L Conn. (black) AZ5324 133
Gamma Tr. Magn. Round Corn.90 (black) AZ5326 133
Gamma Tr. Magn. Straight Conn. (black) AZ5320 133
Gamma Tr. Magn. T Conn. (black) AZ5316 132
Gamma Tr. Magn. X Conn. (black) AZ5318 132
Gateway AZ4856 55
Gelo (white frost) AZ3539 371
Gilberto Table IP54 (black) AZ5335 505
Gilberto Table IP54 (corten) AZ5336 505
Gilberto Table IP54 (white) AZ5334 505
Ginna 3 (black) AZ3484 474
Ginna 3 (dark grey) AZ4194 474
Ginna 3 (gold) AZ3485 474
Ginna 3 (white) AZ4195 474
Ginno 1 (aluminium) . . . . . AZ0764 . . GM1100-ALU 414
Ginno 2 (aluminium) . . . . . AZ0765 . . GM1200-ALU 414
Ginno 2 (white/aluminium) . . . . . AZ0762 . . GM1200-WH-ALU . 414
Ginno 3 (aluminium) . . . . . AZ0766 . . GM1300-ALU 414
Goran Sensor (black) AZ4695 457
Goran Sensor (dark grey) AZ4696 457
Goran Sensor (white) AZ4697 457
Guido Wall IP54 3000K (black) AZ5339 493
Gulia Track (black) AZ4710 23
Gulia Track (gold) AZ4711 23
Gulia Track (white) AZ4709 23
H
Havana (black) AZ4662 506
Havana (white) AZ4663 506
Hera Gips Round M (white) AZ3465 383
Hera Gips Round S (white) AZ3464 383
Hera Gips Square M (white) AZ3467 382
Hera Gips Square S (white) AZ3466 382
Hugo 1 downlight (aluminium) . . . . . AZ1733 . . GM2118S-ALU . . . 354
Hugo 1 downlight (black) . . . . . AZ1736 . . GM2118S-BK 354
Hugo 1 downlight (chrome) . . . . . AZ1734 . . GM2118S-CH 354
Hugo 1 downlight (white) AZ1735 . . . . . GM2118S-WH . . . 354
Hugo 2 downlight (aluminium) . . . . . AZ1737 . . GM2203-ALU 355
Hugo 2 downlight (black) . . . . . AZ1740 . . GM2203-BK 355
Hugo 2 downlight (chrome) . . . . . AZ1738 . . GM2203-CH 355
Hugo 2 downlight (white) . . . . . AZ1739 . . GM2203-WH 355
Hugo (aluminium) . . . . . AZ0828 . . GM4104-ALU 190
Hugo (black) . . . . . AZ0826 . . GM4104-BK 190
Hugo R (aluminium) . . . . . AZ0829 . . GM4104-ALU 190
Hugo R (black) . . . . . AZ0832 . . GM4104-BK 190
Hugo R (champagne) . . . . . AZ0833 . . GM4104-CM 190
Hugo R (chrome) . . . . . AZ0856 . . GM4104-CH 190
Hugo R (gold) . . . . . AZ0831 . . GM4104-GO 190
Hugo R (white) . . . . . AZ0830 . . GM4104-WH 190
Hugo (white) . . . . . AZ0827 . . GM4104-WH 190
Hyde Oval (chrome) AZ3325 430
Hyde Square (chrome) AZ3326 430
I
Ibiza (black/black) AZ3532 364
Ibiza (black/gold) AZ2804 364
Ibiza (white/black) . . . . . AZ1361 . . GM2114-WH-BK . . 364
Ibiza (white/white) AZ2803 364
Ika round IP65 (black) AZ3017 431
Ika round IP65 (dark grey) AZ4232 431
Ika round IP65 (white) AZ2865 431
Ika square IP65 (black) AZ4230 431
Ika square IP65 (dark grey) AZ4231 431
Ika square IP65 (white) AZ2864 431
Ika Round (dark grey) AZ4232 351
Itaka (black) AZ4074 369
Itaka (white) AZ4073 369
Ivo 2 Square (chrome) . . . . . AZ1789 . . GM22002S-CH . . . 359
Ivo 2 Square (white) . . . . . AZ1826 . . GM2202S-WH . . . 359
Ivo (aluminium) . . . . . AZ0758 . . GM2100-ALU 358
Ivo (black) . . . . . AZ1716 . . GM2100-BK 358
Ivo (chrome) . . . . . AZ1717 . . GM2100-CH 358
Ivo Square (chrome) . . . . . AZ1788 . . GM21001S-CH . . . 359
Ivo Square (white) . . . . . AZ1825 . . GM21001S-WH . . . 359
Ivo (white) . . . . . AZ0759 . . GM2100-WH 358
J
Jake Wall 2 (black) AZ4269 455
Jake Wall 2 (dark grey) AZ3321 455
Jake Wall 2 (white) AZ3322 455
Jane Track 3 Line GU10 (black) . . . . . AZ2457 . . GM3116-BK 33
Jane Track 3 Line GU10 (white) . . . . . AZ2460 . . GM3116-WH 33
Jason 2 Square Wall IP65 (black) AZ5223 445
Jason 2 Square Wall IP65 (dark grey) . . . AZ5224 445
Jason 2 Wall IP65 (black) AZ5219 444
Jason 2 Wall IP65 (dark grey) AZ5220 444

OLD&NEW CODES LIST

Jason Square Wall IP65 (black) . . . . . AZ5221 . . . . . **445**
Jason Square Wall IP65 (dark grey) . . . . AZ5222 . . . . . **445**
Jason Wall IP65 (black) . . . . . AZ5217 . . . . . **444**
Jason Wall IP65 (dark grey) . . . . . AZ5218 . . . . . **444**
Jerry 1 12V (black) . . . . . AZ1365 . . GM4113-12V-BK . . **248**
Jerry 1 12V (chrome) . . . . . AZ1752 . . GM4113-12V-CH . . **248**
Jerry 1 12V (white) . . . . . AZ1364 . . GM4113-12V-WH . **248**
Jerry 1 230V (black) . . . . . AZ1367 . . GM4113-BK **249**
Jerry 1 230v (white) . . . . . AZ1366 . . GM4113-WH **249**
Jerry 2 12V (black) . . . . . AZ1368 . . GM4205-12V-BK . . **248**
Jerry 2 12V (chrome) . . . . . AZ1751 . . GM4205-12V-CH . . **248**
Jerry 2 12V (white) . . . . . AZ1369 . . GM4205-12V-WH . **248**
Jerry 2 230V (black) . . . . . AZ1370 . . GM4205-BK **249**
Jerry 2 230V (white) . . . . . AZ1371 . . GM4205-WH **249**
Jerry 3 12V (black) . . . . . AZ1724 . . GM4302-12V-BK . . **248**
Jerry 3 12V (white) . . . . . AZ1723 . . GM4302-12V-WH . **248**
Jerry 3 230V (black) . . . . . AZ1886 . . GM4302-BK **249**
Jerry 3 230V (white) . . . . . AZ1885 . . GM4302-WH **249**
Jerry Track 1 Line (black) . . . . . AZ4666 . . . . . **9**
Jerry Track 1 Line (white) . . . . . AZ4667 . . . . . **9**
Jerry Track 3 Line ES111 (black) . . . . . AZ2458 . . GM4114-BK **32**
Jerry Track 3 Line ES111 (gold) . . . . . AZ5237 . . . . . **32**
Jerry Track 3 Line ES111 (white) . . . . . AZ2459 . . GM4114-WH **32**
Joe Square (black) . . . . . AZ4270 . . . . . **443**
Joe Square (dark grey) . . . . . AZ3323 . . . . . **443**
Joe Square (white) . . . . . AZ3324 . . . . . **443**
Joe Tube (black) . . . . . AZ3314 . . . . . **442**
Joe Tube (bright grey) . . . . . AZ3316 . . . . . **442**
Joe Tube (dark grey) . . . . . AZ3313 . . . . . **442**
Joe Tube (white) . . . . . AZ3315 . . . . . **442**
Joe Wall 1 (black) . . . . . AZ3318 . . . . . **442**
Joe Wall 1 (dark grey) . . . . . AZ3317 . . . . . **442**
Joe Wall 1 (white) . . . . . AZ4315 . . . . . **442**
Joe Wall 2 (black) . . . . . AZ3320 . . . . . **443**
Joe Wall 2 (dark grey) . . . . . AZ3319 . . . . . **443**
Joe Wall 2 (white) . . . . . AZ4316 . . . . . **443**
Junona 28 3000K (chrome) . . . . . AZ2747 . . . . . **276**
Junona 28 4000K (chrome) . . . . . AZ2746 . . . . . **276**
Junona 33 3000K (chrome) . . . . . AZ2749 . . . . . **276**
Junona 33 4000K (chrome) . . . . . AZ2748 . . . . . **276**
Junona 38 3000K (chrome) . . . . . AZ2751 . . . . . **276**
Junona 38 4000K (chrome) . . . . . AZ2750 . . . . . **276**

K

Kastoria IP44 (black) . . . . . AZ4389 . . . . . **323**
Kastoria IP44 (chrome) . . . . . AZ4391 . . . . . **323**
Kastoria IP44 (gold) . . . . . AZ4390 . . . . . **323**
Kirke Track 1 Line (black) . . . . . AZ4656 . . . . . **8**
Kirke Track 1 Line (white) . . . . . AZ4657 . . . . . **8**
Kirke Track 3 Line 10W CCT (black) . . . . AZ4658 . . . . . **26**
Kirke Track 3 Line 10W CCT (white) . . . . AZ4659 . . . . . **26**

L

Lambda (black) . . . . . AZ3346 . . . . . **393**
Lambda (white) . . . . . AZ3345 . . . . . **393**
Lamir R 9 IP44 3000K (white) . . . . . AZ4384 . . . . . **324**
Lamir R 9 IP44 4000K (white) . . . . . AZ4383 . . . . . **324**
Lamir R 12 IP44 3000K (white) . . . . . AZ4385 . . . . . **324**
Lamir R 12 IP44 4000K (white) . . . . . AZ4386 . . . . . **324**
Lamir R 17 IP44 3000K (white) . . . . . AZ4387 . . . . . **325**
Lamir R 17 IP44 4000K (white) . . . . . AZ4392 . . . . . **325**
Lamir S 17 IP44 3000K DIMM (WH) . . . AZ4388 . . . . . **325**
Lamir S 17 IP44 4000K DIMM (white) . . AZ4393 . . . . . **325**
Lars Round 3000K (black) . . . . . AZ4504 . . . . . **470**
Lars Round 4000K (black) . . . . . AZ4505 . . . . . **470**
Lars Square 3000K (black) . . . . . AZ4506 . . . . . **470**
Lars Square 4000K (black) . . . . . AZ4507 . . . . . **470**
Latona (black) . . . . . AZ2204 . . GW-681-BK **405**
Latona (white) . . . . . AZ2205 . . GW-681-WH **405**
L Conn. 1-Line (black) . . . . . AZ4739 . . . . . **4**
L Conn. 1-Line (white) . . . . . AZ4738 . . . . . **4**
L Conn. Gips only Right (black) . . . . . AZ4298 . . . . . **15**
L Conn. Gips only Right (white) . . . . . AZ4297 . . . . . **15**
L Conn. Left (black) . . . . . AZ2985 . . . . . **14**
L Conn. Left (white) . . . . . AZ2986 . . . . . **14**
L Conn. Right (black) . . . . . AZ2983 . . . . . **14**
L Conn. Right (white) . . . . . AZ2984 . . . . . **14**
Lens 2 Square (black/black) . . . . . AZ3520 . . . . . **209**
Lens 2 Square (black/gold) . . . . . AZ3521 . . . . . **209**
Lens 2 Square (white/white) . . . . . AZ3519 . . . . . **209**
Lens Round (black/black) . . . . . AZ3517 . . . . . **207**
Lens Round (black/gold) . . . . . AZ3518 . . . . . **207**
Lens Round (white/white) . . . . . AZ3516 . . . . . **207**
Lens Square (black/black) . . . . . AZ3514 . . . . . **208**
Lens Square (black/gold) . . . . . AZ3515 . . . . . **208**
Lens Square (white/white) . . . . . AZ3513 . . . . . **208**
Lens Track (black/black) . . . . . AZ3511 . . . . . **42**
Lens Track (black/gold) . . . . . AZ3512 . . . . . **42**
Lens Track (white/white) . . . . . AZ3510 . . . . . **42**
Leon 5 (black) . . . . . AZ3489 . . . . . **223**
Leon 5 Track (black) . . . . . AZ3491 . . . . . **45**
Leon 5 Track (white) . . . . . AZ3490 . . . . . **45**
Leon 5 (white) . . . . . AZ3488 . . . . . **223**
Leticia 2 (aluminium) . . . . . AZ1059 . . GM1112-ALU **400**
Leticia 2 (black/black) . . . . . AZ2933 . . . . . **400**
Leticia 2 (black/gold) . . . . . AZ2815 . . . . . **400**
Leticia 2 LED (black) . . . . . AZ4469 . . . . . **401**
Leticia 2 LED (black) . . . . . AZ4469 . . . . . **467**
Leticia 2 LED (dark grey) . . . . . AZ2189 . . . . . **467**
Leticia 2 LED (dark grey) . . . . . AZ2189 . . GW-A310-DGR . . . **401**
Leticia 2 LED (white) . . . . . AZ2190 . . . . . **467**
Leticia 2 LED (white) . . . . . AZ2190 . . GW-A310-WH . . . **401**
Leticia 2 (white) . . . . . AZ1058 . . GM1112-WH **400**
Leticia (anodised gold) . . . . . AZ0952 . . GM1111-AGO **399**
Leticia (black/black) . . . . . AZ2932 . . . . . **399**
Leticia (black/gold) . . . . . AZ2814 . . . . . **399**
Leticia (white) . . . . . AZ0951 . . GM1111-WH **399**
Lina (black) . . . . . AZ2708 . . . . . **341**
Linda 23 3000K (chrome) . . . . . AZ2246 . . SH723000-18-CH . **330**
Linda 30 3000K (chrome) . . . . . AZ2250 . . SH743000-24-CH . **330**
Linda 30 4000K (chrome) . . . . . AZ2251 . . SH744000-24-CH . **330**
Linnea 29 Track 3 Line 12W CCT (white) AZ4564 . . . . . **36**
Linnea 112 Pendant (black) . . . . . AZ4569 . . . . . **290**
Linnea 112 Pendant (white) . . . . . AZ4570 . . . . . **290**
Linnea 140 Pendant (black) . . . . . AZ4571 . . . . . **290**
Linnea 140 Pendant (white) . . . . . AZ4572 . . . . . **290**
Lino (black) . . . . . AZ1477 . . NC1802-YLD-BK . . **214**
Lino (chrome) . . . . . AZ1478 . . NC1802-YLD-CH . . **214**
Lino (white matt) . . . . . AZ1479 . . NC1802-YLD-WH . **214**
Linz 3000K (acryl) . . . . . AZ2774 . . . . . **344**

Linz 4000K (acryl) . . . AZ2775 . . . **344**
Livio 2 (bright grey) . . . AZ0888 . . GM1101-2-BGR . . . **475**
Lolo Track 1 Line GU10 (black) . . . AZ4654 . . . **7**
Lolo Track 1 Line GU10 (white) . . . AZ4655 . . . **7**
Lolo Track 3 Line GU10 (black) . . . AZ4577 . . . **22**
Lolo Track 3 Line GU10 (white) . . . AZ4578 . . . **22**
Lorenza (black) . . . AZ4174 . . . **308**
Lorenza (chrome) . . . AZ1475 . . . **308**
Lorenza (white matt) . . . AZ1476 . . . **308**
Lorenzo (black) . . . AZ4173 . . . **309**
Lorenzo (chrome) . . . AZ1617 . . . **309**
Lorenzo (white matt) . . . AZ1496 . . . **309**
Luciano Round (chrome) . . . AZ1470 . . NC1760R-CH . . . **306**
Luciano Round (white) . . . AZ1549 . . NC1760R-WH . . . **306**
Luciano Square (chrome) . . . AZ1471 . . NC1760SQ-CH . . . **306**
Luciano Square (white) . . . AZ1472 . . NC1760SQ-WH . . . **306**
Lumi (black) . . . AZ4555 . . . **420**
Lumi Flex (black) . . . AZ4561 . . . **421**
Lumi Flex Track 3 Line (black) . . . AZ4559 . . . **28**
Lumi Flex Track 3 Line (white) . . . AZ4560 . . . **28**
Lumi Flex (white) . . . AZ4562 . . . **421**
Lumi Track (black) . . . AZ4557 . . . **28**
Lumi Track (white) . . . AZ4558 . . . **28**
Lumi (white) . . . AZ4556 . . . **420**
Luna 7W Dim (black/black) . . . AZ3397 . . . **343**
Luna 7W Dim (white/black) . . . AZ3396 . . . **343**
Luna 15W Dim (black) . . . AZ2829 . . . **342**
Luna 15W Dim (white/black) . . . AZ2828 . . . **342**

M

Makalu 1 (black) . . . AZ4210 . . . **210**
Makalu 1 (white) . . . AZ4211 . . . **210**
Makalu 2 (black) . . . AZ4212 . . . **210**
Makalu 2 (white) . . . AZ4213 . . . **210**
Makalu 3 (black) . . . AZ4214 . . . **210**
Makalu 3 (white) . . . AZ4215 . . . **210**
Malta R 18 3000K (black) . . . AZ4235 . . . **258**
Malta R 18 3000K (white) . . . AZ4233 . . . **258**
Malta R 18 4000K (black) . . . AZ4236 . . . **258**
Malta R 18 4000K (white) . . . AZ4234 . . . **258**
Malta R 23 3000K (black) . . . AZ4239 . . . **258**
Malta R 23 3000K (white) . . . AZ4237 . . . **258**
Malta R 23 4000K (black) . . . AZ4240 . . . **258**
Malta R 23 4000K (white) . . . AZ4238 . . . **258**
Malta R 30 3000K (black) . . . AZ4243 . . . **258**
Malta R 30 3000K (white) . . . AZ4241 . . . **258**
Malta R 30 4000K (black) . . . AZ4244 . . . **258**
Malta R 30 4000K (white) . . . AZ4242 . . . **258**
Malta R 40 3000K (black) . . . AZ4247 . . . **260**
Malta R 40 3000K (white) . . . AZ4245 . . . **260**
Malta R 40 4000K (black) . . . AZ4248 . . . **260**
Malta R 40 4000K (white) . . . AZ4246 . . . **260**
Malta R 50 3000K (black) . . . AZ4251 . . . **260**
Malta R 50 3000K (white) . . . AZ4249 . . . **260**
Malta R 50 4000K (black) . . . AZ4252 . . . **260**
Malta R 50 4000K (white) . . . AZ4250 . . . **260**
Malta R 60 3000K (black) . . . AZ4255 . . . **260**
Malta R 60 3000K (white) . . . AZ4253 . . . **260**
Malta R 60 4000K (black) . . . AZ4256 . . . **260**
Malta R 60 4000K (white) . . . AZ4254 . . . **260**
Mane 20W (black) . . . AZ4153 . . . **202**
Mane 20W DIMM (black) . . . AZ4325 . . . **202**
Mane 20W DIMM (gold) . . . AZ4326 . . . **202**
Mane 20W DIMM (white) . . . AZ4327 . . . **202**
Mane 20W (gold) . . . AZ4154 . . . **202**
Mane 20W (white) . . . AZ4152 . . . **202**
Mane 30W (black) . . . AZ4156 . . . **203**
Mane 30W DIMM (black) . . . AZ4328 . . . **203**
Mane 30W DIMM (gold) . . . AZ4329 . . . **203**
Mane 30W DIMM (white) . . . AZ4330 . . . **203**
Mane 30W (gold) . . . AZ4157 . . . **203**
Mane 30W (white) . . . AZ4155 . . . **203**
Mane 3000K (black) . . . AZ2844 . . . **201**
Mane 3000K (gold) . . . AZ2846 . . . **201**
Mane 3000K (white) . . . AZ2845 . . . **201**
Mane 4000K (black) . . . AZ4322 . . . **201**
Mane 4000K (gold) . . . AZ4323 . . . **201**
Mane 4000K (white) . . . AZ4324 . . . **201**
Marika (rose gold) . . . AZ2208 . . SH-008-RGO . . . **316**
Mars (aluminium) . . . AZ0895 . . GM1109-ALU . . . **396**
Mars (black/black) . . . AZ2931 . . . **396**
Mars (black / gold) . . . AZ1052 . . GM1109-BK-GO . . **396**
Mars (white) . . . AZ0896 . . GM1109-WH . . . **396**
Mars (white / gold) . . . AZ1090 . . GM1109-WH-GO . . **396**
Mateo M (white matt) . . . AZ1456 . . LC1465-FW-WH . . **252**
Mateo S (white matt) . . . AZ1455 . . LC1464-FW-WH . . **252**
Matera 600 (dark grey) . . . AZ2185 . . MAX—1382-DGR . . **501**
Matera wall (dark grey) . . . AZ2184 . . MAX—1381-DGR . . **501**
Max 1 12V (white/black) . . . AZ1372 .GM4114-12V-WH-BK . **250**
Max 1 230V (white/black) . . . AZ1373 . . . . GM4114-WH-BK **250**
Megara Track 3 Line GU10 (black) . . . AZ4443 . . . **21**
Megara Track 3 Line GU10 (white) . . . AZ4442 . . . **21**
Mikka Track 3 Line (black) . . . AZ4516 . . . **34**
Mikkel (black) . . . AZ4485 . . . **488**
Mikkel Wall (black) . . . AZ4484 . . . **488**
Milet (black) . . . AZ4076 . . . **368**
Milet (white) . . . AZ4075 . . . **368**
Mini Bross (aluminium) . . . AZ1756 . . GM4000-ALU . . . **176**
Mini Bross (black) . . . AZ1710 . . GM4000-BK . . . **176**
Mini Bross (chrome) . . . AZ1757 . . GM4000-CH . . . **176**
Mini Bross (white) . . . AZ1711 . . GM4000-WH . . . **176**
Mini Eloy (aluminium) . . . AZ1754 . . GM4006-ALU . . . **177**
Mini Eloy (black) . . . AZ1712 . . GM4006-BK . . . **177**
Mini Eloy (chrome) . . . AZ1755 . . GM4006-CH . . . **177**
Mini Eloy (white) . . . AZ1713 . . GM4006-WH . . . **177**
Mini Round (black) . . . AZ1781 . . GM4115-BK . . . **196**
Mini Round (chrome) . . . AZ1707 . . GM4115-CH . . . **196**
Mini Round (white) . . . AZ1706 . . GM4115-WH . . . **196**
Mini Simple Connection 3-Line (black) . . AZ2981 . . . **17**
Mini Simple Connection 3-Line (white) . . AZ2982 . . . **17**
Mini Square (black) . . . AZ1382 . . GM4209-BK . . . **197**
Mini Square (white) . . . AZ1381 . . GM4209-WH . . . **197**
Minorka (black/black) . . . AZ4142 . . . **366**
Minorka (black/gold) . . . AZ2802 . . . **366**
Minorka (white/black) . . . AZ1362 . . GM2115-WH-BK . . **366**
Minorka (white/white) . . . AZ2801 . . . **366**
Mira (chrome) . . . AZ1619 . . NC1695-CH . . . **296**
Mira (gold) . . . AZ1464 . . NC1695-GO . . . **296**

OLD&NEW CODES LIST

Momo 8 (black) . . . AZ2279 . . SH2606-BK **253**
Momo 8 (white) . . . AZ2278 . . SH2606-WH. **253**
Momo 12 (black) . . . AZ2281 . . SH2612-BK **253**
Momo 12 (white). . . AZ2280 . . SH2612-WH **253**
Momo 14 (black) . . . AZ2283 . . SH2618-BK **253**
Momo 14 (white). . . AZ2282 . . SH2618-WH **253**
Mona 18W 3000K (black) . . . AZ4545 . . . **229**
Mona 18W 3000K (white) . . . AZ4546 . . . **229**
Mona Spot 12W 3000K (black) . . . AZ4531 . . . **334**
Mona Spot 12W 3000K (black) . . . AZ4537 . . . **228**
Mona Spot 12W 3000K (white) . . . AZ4532 . . . **334**
Mona Spot 12W 3000K (white) . . . AZ4538 . . . **228**
Mona Spot 12W 4000K (black) . . . AZ4533 . . . **334**
Mona Spot 12W 4000K (black) . . . AZ4539 . . . **228**
Mona Spot 12W 4000K (white) . . . AZ4534 . . . **334**
Mona Spot 12W 4000K (white) . . . AZ4540 . . . **228**
Mona Spot 18W 3000K (black) . . . AZ4535 . . . **335**
Mona Spot 18W 3000K (white) . . . AZ4536 . . . **335**
Mona Track 3 Line 12W 3000K (black) . . AZ4542 . . . **35**
Mona Track 3 Line 12W 3000K (white). . AZ4541 . . . **35**
Mona Track 3 Line 12W 4000K (black) . . AZ4543 . . . **35**
Mona Track 3 Line 12W 4000K (white). . AZ4544 . . . **35**
Mona Track 3 Line 18W 3000K (black) . . AZ4547 . . . **35**
Mona Track 3 Line 18W 3000K (white). . AZ4548 . . . **35**
Monza II R 17 3000K (black) . . . AZ3790 . . . **264**
Monza II R 17 4000K (black) . . . AZ3792 . . . **264**
Monza II R 17 4000K (white). . . AZ3793 . . . **264**
Monza II R 30 3000K (black) . . . AZ3794 . . . **264**
Monza II R 30 3000K (white). . . AZ3795 . . . **264**
Monza II R 30 4000K (black) . . . AZ3796 . . . **264**
Monza II R 50 3000K (white). . . AZ3675 . . . **264**
Monza II R 50 4000K (black) . . . AZ3676 . . . **264**
Monza II R 50 4000K (white). . . AZ3677 . . . **264**
Monza II R 60 3000K (black) . . . AZ3678 . . . **265**
Monza II R 60 3000K (white). . . AZ3679 . . . **265**
Monza II R 60 4000K (black) . . . AZ3680 . . . **265**
Monza II R 60 4000K (white). . . AZ3681 . . . **265**
Monza II S 17 3000K (black) . . . AZ3682 . . . **268**
Monza II S 17 4000K (black) . . . AZ3684 . . . **268**
Monza II S 17 4000K (white). . . AZ3685 . . . **268**
Monza II S 30 3000K (black) . . . AZ3686 . . . **268**
Monza II S 30 3000K (white). . . AZ3687 . . . **268**
Monza II S 40 3000K DIMM (black). . . . AZ3690 . . . **268**
Monza II S 40 3000K DIMM (white) . . . AZ3691 . . . **268**
Monza II S 50 3000K (white). . . AZ3695 . . . **269**
Monza II S 50 4000K (white). . . AZ3698 . . . **269**
Monza Pendant accesory (black). . . . AZ3454 . . . **265**
Monza Pendant accesory (black). . . . AZ3454 . . . **271**
Monza Pendant accesory (champaigne). . AZ4830 . . . **271**
Monza Pendant accesory (white). . . . AZ3453 . . . **265**
Monza Pendant accesory (white). . . . AZ3453 . . . **271**
Monza R 8 3000K (black). . . . AZ2255 . . SHR613000-5-BK . **262**
Monza R 8 3000K (white). . . . AZ2253 . . SHR603000-5-WH **262**
Monza R 8 4000K (black). . . . AZ2254 . . SHR614000-5-BK. . **262**
Monza R 8 4000K (white). . . . AZ2252 . . SHR604000-5-WH **262**
Monza R 12 3000K (black) . . . AZ2259 . . SHR633000-10-BK **262**
Monza R 12 3000K (white). . . AZ2257 . . SHR623000-10-WH **262**
Monza R 12 4000K (black) . . . AZ2258 . . SHR634000-10-BK **262**
Monza R 12 4000K (white). . . AZ2256 . . SHR624000-10-WH **262**
Monza R 22 3000K (black) . . . AZ2263 . . SHR653000-20-BK **262**
Monza R 22 3000K (white). . . AZ2261 . . SHR643000-20-WH **262**
Monza R 22 4000K (black) . . . AZ2262 . . SHR654000-20-BK **262**
Monza R 22 4000K (white). . . AZ2260 . . SHR644000-20-WH **262**
Monza R 22 CCT (black). . . AZ4758 . . . **270**
Monza R 22 CCT (champaigne). . . AZ4756 . . . **270**
Monza R 22 CCT (white) . . . AZ4757 . . . **270**
Monza R 30 CCT (black). . . AZ4761 . . . **270**
Monza R 30 CCT (champaigne) . . . AZ4759 . . . **270**
Monza R 30 CCT (white) . . . AZ4760 . . . **270**
Monza R 40 3000K (black) . . . AZ2267 . . SHR673000-50-BK **262**
Monza R 40 3000K (white). . . AZ2265 . . SHR663000-50-WH **262**
Monza R 40 4000K (black) . . . AZ2266 . . SHR674000-50-BK **262**
Monza R 40 4000K (white). . . AZ2264 . . SHR664000-50-WH **262**
Monza R 40 CCT (black) . . . AZ4764 . . . **270**
Monza R 40 CCT (champaigne) . . . AZ4762 . . . **270**
Monza R 40 CCT (white) . . . AZ4763 . . . **270**
Monza R 50 CCT (black). . . AZ4767 . . . **270**
Monza R 50 CCT (champaigne). . . AZ4765 . . . **270**
Monza R 50 CCT (white) . . . AZ4766 . . . **270**
Monza R pendant 40 3000K (black). . . . AZ2277 . . SHPEN3000-50-BK **263**
Monza R pendant 40 4000K (black). . . . AZ2496 . . SHPEN4000-50-BK **263**
Monza R pendant 40 4000K (white) . . . . AZ2570 . . SHPEN4000-50-WH **263**
Monza S 22 CCT (black). . . AZ4770 . . . **272**
Monza S 22 CCT (champaigne). . . AZ4768 . . . **272**
Monza S 22 CCT (white) . . . AZ4769 . . . **272**
Monza S 30 CCT (black). . . AZ4773 . . . **272**
Monza S 30 CCT (champaigne). . . AZ4771 . . . **272**
Monza S 30 CCT (white) . . . AZ4772 . . . **272**
Monza S 40 CCT (black). . . AZ4776 . . . **272**
Monza S 40 CCT (champaigne). . . AZ4774 . . . **272**
Monza S 40 CCT (white)AZ4775. . . . . **272**
Monza Square 22 3000K (black). . . . AZ2271 . . SHS553000-20-BK **266**
Monza Square 22 3000K (white) . . . . AZ2269 . . SHS543000-20-WH **266**
Monza Square 22 4000K (black). . . . AZ2270 . . SHS554000-20-BK **266**
Monza Square 22 4000K (white) . . . . AZ2268 . . SHS544000-20-WH **266**
Monza Square 40 3000K (black). . . . AZ2275 . . SHS573000-50-BK **266**
Monza Square 40 3000K (white) . . . . AZ2273 . . SHS563000-50-WH **266**
Monza Square 40 4000K (black). . . . AZ2274 . . SHS574000-50-BK **266**
Monza Square 40 4000K (white) . . . . AZ2272 . . SHS564000-50-WH **266**
N Nano Round (black) . . . AZ2785 . . . **200**
Nano Round (white) . . . AZ2784 . . . **200**
Nano Square (black) . . . AZ2787 . . . **200**
Nano Square (white) . . . AZ2786 . . . **200**
Nemo (black) . . . AZ3399 . . . **372**
Nemo (chrome). . . AZ3400. . . . **372**
Nemo (gold). . . AZ3401 . . . **372**
Nemo (white) . . . AZ3398 . . . **372**
Neos 1 (black/aluminium) . . . AZ0607 . . FH31431B-BK-ALU **198**
Neos 1 (black/chrome) . . . AZ0708 . . FH31431B-BK-CH . **198**
Neos 1 (white/aluminium). . . AZ0606 . . FH31431B-WH-ALU **198**
Neos 1 (white/chrome) . . . AZ0707 . . FH31431B-WH-CH **198**
Neos 3 (black/chrome) . . . AZ0742 . . FH31433B-BK-CH . **198**
Neo Serie 100 6W CCT (black) . . . AZ5118 . . . **160**
Neo Serie 100 12W CCT (black) . . . AZ5119 . . . **160**
Neo Serie 100 21W CCT (black). . . AZ5120 . . . **160**
Neo Serie 120 8W CCT (black) . . . AZ5121 . . . **163**

Neo Serie 140 9W CCT (black) AZ5126 164
Neo Serie 140 12W CCT (black) AZ5122 164
Neo Serie 140 18W CCT (black) AZ5123 164
Neo Serie 160 12W CCT (black) AZ5124 166
Neo Serie 180 6W CCT (black) AZ5125 167
Neo Serie 200 12W CCT (black) AZ5127 168
Neo Serie 220 9W CCT (black) AZ5128 169
Nikea 1 ES111 (black) AZ4438 237
Nikea 1 ES111 (white) AZ4437 237
Nikea 1 ES111 (white/black) AZ4436 237
Nikea 1 GU10 (black) AZ4432 236
Nikea 1 GU10 (white) AZ4431 236
Nikea 1 GU10 (white/black) AZ4430 236
Nikea 2 ES111 (black) AZ4441 237
Nikea 2 ES111 (white) AZ4440 237
Nikea 2 ES111 (white/black) AZ4439 237
Nikea 2 GU10 (black) AZ4435 236
Nikea 2 GU10 (white) AZ4434 236
Nikea 2 GU10 (white/black) AZ4433 236
Niklas 2 Wall BK (black) AZ4488 487
Niklas Wall (black) AZ4486 487
Niklas Wall Sensor (black) AZ4487 486
Nils 500 (black) AZ4480 499
Nils 800 (black) AZ4481 499
Nils Wall (black) AZ4478 498
Nils Wall Sensor (black) AZ4479 498
Nino 1 (black/aluminium) . . . . . AZ1383 . . FH31431S-BK-ALU 199
Nino 1 (black/chrome) . . . . . AZ0736 . . FH31431S-BK-CH . 199
Nino 1 (white/aluminium) . . . . . AZ0598 . . FH31431S-WH-ALU 199
Nino 1 (white/chrome) . . . . . AZ0735 . . FH31431S-WH-CH 199
Nino 2 (black/aluminium) . . . . . AZ1385 . . FH31432S-BK-ALU 199
Nino 2 (white/aluminium) . . . . . AZ1386 . . FH31432S-WH-ALU 199
Nino 2 (white/chrome) . . . . . AZ0737 . . FH31432S-WH-CH 199
Nogat (black) AZ2943 423
Nogat (white) AZ2944 423
Nova 2 (black/black) AZ2875 380
Nova 2 GIPS (black/black) AZ2935 381
Nova 2 GIPS (white/white) AZ2934 381
Nova 2 (white/black) AZ2877 380
Nova 2 (white/white) AZ2876 380
Nova (black/black) AZ2869 380
Nova GIPS (black/black) AZ2872 381
Nova GIPS (white/white) AZ2873 381
Nova (white/black) AZ2871 380
Nova (white/white) AZ2870 380
O Ojos 1 (black) AZ4197 232
Ojos 1 (white) AZ4196 232
Ojos 2 (black) AZ4199 232
Ojos 2 (white) AZ4198 232
Oka AC 3000K (acrylic) . . . . . AZ2234 . . SHAC-3W3000-WH 331
Oka AC 4000K (acrylic) . . . . . AZ2235 . . SHAC-3W4000-WH 331
Oka AL 3000K (black) AZ4171 331
Oka AL 3000K (white) . . . . . AZ2232 . . SHAL-3W3000-WH 331
Oka AL 4000K (black) AZ4172 331
Oka AL 4000K (white) . . . . . AZ2233 . . SHAL-3W4000-WH 331
Oscar IP44 (black) AZ2692 346
Oscar IP44 (chrome) . . . . . AZ1715 . . GM2117-CH 346
Oscar IP44 (gold) AZ2800 346
Oscar IP44 (white) . . . . . AZ1714 . . GM2117-WH 346
Osvald Wall (black) AZ4489 491
Ove Wall 3000K (dark grey) AZ4508 483
Ove Wall 4000K (dark grey) AZ4509 483
Oz (black) AZ3372 387
Oz (satin nikiel) AZ3374 387
Oz (white) AZ3373 387
P Pablo (aluminium) . . . . . AZ1015 . . GM2107-ALU 350
Pablo (black) AZ4140 350
Pablo (white) . . . . . AZ0817 . . GM2107-WH 350
Paco 1 (aluminium) . . . . . AZ0795 . . GM2103-ALU 360
Paco 1 (black) . . . . . AZ0797 . . GM2103-BK 360
Paco 1 (white) . . . . . AZ0796 . . GM2103-WH 360
Paco 2 (aluminium) . . . . . AZ0798 . . GM2201-ALU 360
Paco 2 (black) . . . . . AZ0800 . . GM2201-BK 360
Paco 2 (white) . . . . . AZ0799 . . GM2201-WH 360
Paco 3 (aluminium) . . . . . AZ0801 . . GM2301-ALU 360
Paco 3 (black) . . . . . AZ0803 . . GM2301-BK 360
Paco 3 (white) . . . . . AZ0802 . . GM2301-WH 360
Panka 18 CCT Switch Sensor (black) AZ5354 254
Panka 18 CCT Switch Sensor (white) . . . AZ5353 254
Panka 23 CCT Switch Dimm (black) AZ5364 256
Panka 23 CCT Switch Dimm (white) AZ5363 256
Panka 23 CCT Switch Sensor (black) . . . AZ5356 254
Panka 23 CCT Switch Sensor (white) . . . AZ5355 254
Panka 23 SQ CCT Switch Sensor (black) . AZ5360 255
Panka 23 SQ CCT Switch Sensor (white) . AZ5359 255
Panka 30 CCT Switch Dimm (black) AZ5366 256
Panka 30 CCT Switch Dimm (black) AZ5372 257
Panka 30 CCT Switch Dimm (white) AZ5365 256
Panka 30 CCT Switch Dimm (white) AZ5371 257
Panka 30 CCT Switch Sensor (black) . . . AZ5358 254
Panka 30 CCT Switch Sensor (white) . . . AZ5357 254
Panka 30 SQ CCT Switch Sensor (black) . AZ5362 255
Panka 30 SQ CCT Switch Sensor (white) . AZ5361 255
Panka 40 CCT Switch Dimm (black) AZ5368 256
Panka 40 CCT Switch Dimm (white) AZ5367 256
Panka 60 CCT Switch Dimm (black) AZ5370 256
Panka 60 CCT Switch Dimm (white) AZ5369 256
Panka SQ 45 CCT Switch Dimm (black) . . AZ5374 257
Panka SQ 45 CCT Switch Dimm (white) . . AZ5373 257
Paola 1 230V (black) AZ4130 238
Paola 1 230V (white) AZ4128 238
Paola 2 230V (black) AZ4134 238
Paola 2 230V (white) AZ4132 238
Papiko IP65 (black) AZ4216 438
Papiko IP65 (white) AZ4217 438
Peder (black) AZ4514 456
Peder (dark grey) AZ4515 456
Pienza DIMM 3000K (grey) AZ2721 275
Pienza DIMM 3000K (white) AZ2719 275
Pienza DIMM 4000K (black) AZ2722 275
Pienza DIMM 4000K (grey) AZ2720 275
Pienza DIMM 4000K (white) AZ2718 275
Pio 2 (black) . . . . . AZ1720 . . GM2208-BK 361
Pio 2 (chrome) . . . . . AZ1749 . . GM2208-CH 361
Pio 2 (white) . . . . . AZ1719 . . GM2208-WH 361
Pio (black) . . . . . AZ1278 . . GM2108-BK 361

OLD&NEW CODES LIST

Pio (chrome) . . . AZ1718 . . GM2108-CH 361
Pio (white) . . . AZ0760 . . GM2108-WH 361
Piramide L (chrome) . . . AZ1463 . . NC1674SQ-CH . . . 300
Piramide XL (chrome) . . . AZ1612 . . NC1673SQ-CH . . . 300
Power 3-Line (black) . . . AZ4274 . . . 14
Power 3-Line (white) . . . AZ4273 . . . 14
Power Adjustable Conn. 3-Line (black) . . AZ4286 . . . 16
Power Adjustable Conn. 3-Line (white) . . AZ4285 . . . 16
Power Gips 3-Line (black) . . . AZ4296 . . . 15
Power Gips 3-Line (white) . . . AZ4295 . . . 15
Quadro 50 LED CCT (black) . . . AZ2759 . . . 280
Quadro 50 LED CCT (silver) . . . AZ2758 . . . 280
Qudro 50 LED CCT (gold) . . . AZ2760 . . . 280
R Raffael (black) . . . AZ3497 . . . 235
Raffael (brushed copper) . . . AZ1626 . . NC2055-BCO . . . 235
Raffael (chrome) . . . AZ1624 . . NC2055-CH . . . 235
Raffael (gold) . . . AZ1625 . . NC2055-GO . . . 235
Raffael (white) . . . AZ1623 . . NC2055-WH . . . 235
Raggio (black) . . . AZ2964 . . . 389
Raggio (satin nickel) . . . AZ2965 . . . 389
Raggio (white) . . . AZ2963 . . . 389
Ramona 1 Switch (black) . . . AZ2565 . . . 416
Ramona 1 Switch (white) . . . AZ2566 . . . 416
Ramona 2 Switch (white) . . . AZ2564 . . . 416
Rasmus (black) . . . AZ4483 . . . 490
Rasmus Wall (black) . . . AZ4482 . . . 490
Raul (aluminium) . . . AZ0892 . . GM1107-ALU . . . 406
Raul (chrome) . . . AZ0868 . . GM1107-CH . . . 406
Raul (white) . . . AZ0891 . . GM1107-WH . . . 406
Remi (black) . . . AZ4143 . . . 365
Remi (white) . . . AZ1363 . . . 365
Remo 1 downlight (aluminium) . . . AZ1729 . . GM2118R-ALU . . . 353
Remo 1 downlight (black) . . . AZ1732 . . GM2118R-BK . . . 353
Remo 1 downlight (chrome) . . . AZ1730 . . GM2118R-CH . . . 353
Remo 1 downlight (white) . . . AZ1731 . . GM2118R-WH . . . 353
Remo (aluminium) . . . AZ0820 . . GM4103-ALU . . . 192
Remo (black) . . . AZ0818 . . GM4103-BK . . . 192
Remo R (aluminium) . . . AZ0821 . . . 353
Remo R (aluminium) . . . AZ0821 . . . 354
Remo R (aluminium) . . . AZ0821 . . GM4103-ALU . . . 192
Remo R (black) . . . AZ0823 . . . 353
Remo R (black) . . . AZ0823 . . . 354
Remo R (black) . . . AZ0823 . . GM4103-BK . . . 192
Remo R (champagne) . . . AZ0825 . . . 353
Remo R (champagne) . . . AZ0825 . . . 354
Remo R (champagne) . . . AZ0825 . . GM4103-CM . . . 192
Remo R (chrome) . . . AZ0855 . . . 353
Remo R (chrome) . . . AZ0855 . . . 354
Remo R (chrome) . . . AZ0855 . . GM4103-CH . . . 192
Remo R (gold) . . . AZ0824 . . . 353
Remo R (gold) . . . AZ0824 . . . 354
Remo R (gold) . . . AZ0824 . . GM4103-GO . . . 192
Remo R (white) . . . AZ0822 . . . 353
Remo R (white) . . . AZ0822 . . . 354
Remo R (white) . . . AZ0822 . . GM4103-WH . . . 192
Remote Control 3 Group . . . AZ4857 . . . 56
Remote Control 4-Group . . . AZ5265 . . . 56
Remo (white) . . . AZ0819 . . GM4103-WH . . . 192
Rezia 1 (black) . . . AZ4343 . . . 450
Rezia 1 (dark grey) . . . AZ4344 . . . 450
Rezia 2 (black) . . . AZ4345 . . . 450
Rezia 2 (dark grey) . . . AZ4346 . . . 450
Rimini 1 (black) . . . AZ4265 . . . 454
Rimini 1 (dark grey) . . . AZ2176 . . . 454
Rimini 1 Square (black) . . . AZ4267 . . . 452
Rimini 1 Square (dark grey) . . . AZ4311 . . . 452
Rimini 1 Square (white) . . . AZ4313 . . . 452
Rimini 1 (white) . . . AZ2175 . . . 454
Rimini 2 (black) . . . AZ4266 . . . 454
Rimini 2 (dark grey) . . . AZ2178 . . . 454
Rimini 2 Square (black) . . . AZ4268 . . . 452
Rimini 2 Square (dark grey) . . . AZ4312 . . . 452
Rimini 2 Square (white) . . . AZ4314 . . . 452
Rimini 2 (white) . . . AZ2177 . . . 454
Roland 2 SQ Wall IP65 (dark grey) . . . AZ5231 . . . 447
Roland 2 SQ Wall IP65 (white) . . . AZ5232 . . . 447
Roland 2 Wall IP65 (dark grey) . . . AZ5227 . . . 446
Roland 2 Wall IP65 (white) . . . AZ5228 . . . 446
Roland SQ Wall IP65 (dark grey) . . . AZ5229 . . . 447
Roland SQ Wall IP65 (white) . . . AZ5230 . . . 447
Roland Wall IP65 (dark grey) . . . AZ5225 . . . 446
Roland Wall IP65 (white) . . . AZ5226 . . . 446
Rolf 1 Wall (black) . . . AZ4475 . . . 494
Rolf 1 Wall (dark grey) . . . AZ4476 . . . 494
Rolf 1 Wall (white) . . . AZ4477 . . . 494
Rolf 2 500 (black) . . . AZ4456 . . . 494
Rolf 2 500 (dark grey) . . . AZ4457 . . . 494
Rolf 2 900 (black) . . . AZ4458 . . . 494
Rolf 2 900 (dark grey) . . . AZ4459 . . . 494
Romolo R IP65 (black) . . . AZ5390 . . . 428
Romolo R IP65 (white) . . . AZ5389 . . . 428
Romolo S IP65 (black) . . . AZ5391 . . . 429
Romolo S IP65 (white) . . . AZ5392 . . . 429
Rotondo (black) . . . AZ4208 . . . 206
Rotondo (bronze) . . . AZ4209 . . . 206
Rotondo (white) . . . AZ4207 . . . 206
S Sane FI 40 (black) . . . AZ2765 . . . 388
Sane FI 40 (nickel) . . . AZ2767 . . . 388
Sane FI 40 (white) . . . AZ2766 . . . 388
Sane FI 60 (antique) . . . AZ2770 . . . 388
Sane FI 60 (black) . . . AZ2768 . . . 388
Sane FI 60 (nickel) . . . AZ2771 . . . 388
Sane FI 60 (white) . . . AZ2769 . . . 388
Santos 3000K (black/black) . . . AZ4181 . . LM-9013-BK . . . 212
Santos 3000K (black/gold) . . . AZ2416 . . LM-9013-BK . . . 212
Santos 3000K (white/gold) . . . AZ2417 . . LM-9013-WH . . . 212
Santos 3000K (white/white) . . . AZ4182 . . LM-9013-WH . . . 212
Santos Exposed Round (black) . . . AZ3509 . . . 226
Santos Exposed Round (white) . . . AZ3508 . . . 226
Santos GU10 (black/black) . . . AZ4201 . . . 212
Santos GU10 (white/white) . . . AZ4200 . . . 212
Santos Square (black) . . . AZ3523 . . . 213
Santos Square Track (black) . . . AZ3525 . . . 43
Santos Square Track (white) . . . AZ3524 . . . 43
Santos Square (white) . . . AZ3522 . . . 213
Santos Track 3 Line 12W 3000K (black/black) . . . . AZ4183 . . . 25

Santos Track 3 Line 12W 3000K (white/white) AZ4184 25
Santos Track 3 Line GU10 (black) AZ4203 24
Santos Track 3 Line GU10 (white) AZ4202 24
Santos Track (black/gold) AZ2924 25
Santos Track (white/gold) AZ2925 25
Sarona (dark grey) AZ2183 477
Savio Round (acryl) AZ2779 370
Savio Square (acryl) AZ2778 370
Scorpio (black chrome) AZ2952 225
Scorpio (chrome) AZ1452 LC1295-M-CH 225
Scorpio (white) AZ1618 LC1295-M-WH 225
Siena 10 3000K (chrome) AZ2214 SH623000-10-CH 227
Siena 10 4000K (chrome) AZ2215 SH624000-10-CH 227
Siena 20 3000K (chrome) AZ2220 SH623000-20-CH 227
Siena 20 4000K (chrome) AZ2221 SH624000-20-CH 227
Simon Round (black chrome) AZ1613 NC1767R-BK 294
Simon Round (chrome) AZ1614 NC1767R-CH 294
Simon Round (white matt) AZ1473 NC1767R-WH 294
Simon Square (black chrome) AZ1615 NC1767SQ-BK 294
Simon Square (white matt) AZ1474 NC1767SQ-WH 294
Siro 1 (aluminium) AZ0767 GM2101-ALU 374
Siro 1 (black/aluminium) AZ0769 GM2101-BK-ALU 374
Siro 1 (black/ (black) AZ2805 374
Siro 1 (white) AZ0768 GM2101-WH 374
Siro 2 (aluminium) AZ0770 GM2200-ALU 374
Siro 2 (black/aluminium) AZ0772 GM2200-BK-ALU 374
Siro 2 (black/ (black) AZ2806 374
Siro 2 (white) AZ0771 GM22000-WH 374
Siro 3 (aluminium) AZ0773 GM2300-ALU 374
Sisto 1 (aluminium) AZ0793 GM2109-ALU 375
Sisto 1 (black/black) AZ2810 375
Sisto 1 (white/black) AZ1446 GM2109-WH 375
Sisto 2 (aluminium) AZ0794 GM2202-ALU 375
Sisto 2 (black/black) AZ2809 375
Sisto 2 (white/black) AZ1447 GM2202-WH 375
Skye 3000K (black) AZ4518 230
Skye 3000K (white) AZ4517 230
Skye pendant 3000K (black) AZ4521 231
Skye pendant 3000K (white) AZ4522 231
Skye Track 3 Line (black) AZ4520 44
Skye Track 3 Line (white) AZ4519 44
Slim 9 Round 3000K (black) AZ2834 329
Slim 9 Round 3000K (chrome) AZ2861 329
Slim 9 Round 3000K (white) AZ2831 329
Slim 9 Round 4000K (black) AZ2835 329
Slim 9 Round 4000K (chrome) AZ2862 329
Slim 9 Round 4000K (white) AZ2832 329
Slim 9 Square (black) AZ2833 326
Slim 9 Square (white) AZ2830 326
Slim 15 Round 3000K (black) AZ2840 329
Slim 15 Round 3000K (chrome) AZ2838 329
Slim 15 Round 3000K (white) AZ2839 329
Slim 15 Round 4000K (black) AZ2843 329
Slim 15 Round 4000K (chrome) AZ2841 329
Slim 15 Round 4000K (white) AZ2442 329
Slim 15 Square (black) AZ2836 326
Slim 15 Square (white) AZ2837 326
Sona 47 CCT (white) AZ2761 281
Sona 55 CCT (white) AZ2763 281
Sorano 500 (black) AZ4444 496
Sorano 500 (dark grey) AZ4358 496
Sorano 700 (black) AZ4445 496
Sorano 700 (dark grey) AZ4359 496
Sorano Wall (black) AZ4446 497
Sorano Wall (dark grey) AZ4357 497
Sovana Pendant 45 CCT (black) AZ3437 286
Sovana Pendant 45 CCT (grey) AZ3438 286
Sovana Pendant 45 CCT (white) AZ3436 286
Sovana Pendant 55 CCT (black) AZ2728 286
Sovana Pendant 55 CCT (grey) AZ2729 286
Sovana Pendant 55 CCT (white) AZ2727 286
Sovana Pendant 80 CCT (black) AZ3449 286
Sovana Pendant 80 CCT (grey) AZ3450 286
Sovana Pendant 80 CCT (white) AZ3448 286
Sovana Top 45 CCT (black) AZ3434 284
Sovana Top 45 CCT (grey) AZ3435 284
Sovana Top 45 CCT (white) AZ3433 284
Sovana Top 55 CCT (black) AZ2726 284
Sovana Top 55 CCT (grey) AZ2725 284
Sovana Top 55 CCT (white) AZ2724 284
Sovana Top 80 CCT (black) AZ3446 284
Sovana Top 80 CCT (grey) AZ3447 284
Sovana Top 80 CCT (white) AZ3445 284
Stan (aluminium) AZ0860 GM2111-ALU 376
Stan (black/black) AZ2811 376
Stan (chrome) AZ2957 376
Stan (white) AZ0861 GM2111-WH 376
Straight Conn. 1-Line (black) AZ4737 4
Straight Conn. 1-Line (white) AZ4736 4
Switch Panel Remote Control 2-Group AZ5209 57
Switch Panel Remote Control 2-Group AZ5210 57
T
Taz (black) AZ3369 386
Taz (satin nikiel) AZ3371 386
Taz (white) AZ3370 386
T Conn. 1-Line (black) AZ4741 4
T Conn. 1-Line (white) AZ4740 4
T Conn. Gips only Right (black) AZ4300 15
T Conn. Gips only Right (white) AZ4299 15
T Conn. Left (black) AZ4276 14
T Conn. Left (white) AZ4275 14
T Conn. Right (black) AZ4278 14
T Conn. Right (white) AZ4277 14
Tito (aluminium) AZ0814 347
Tito (black) AZ4139 347
Tito (white) AZ0815 347
Tivoli 3000K (black) AZ2224 SH643000-10-BK 39
Tivoli 3000K (white) AZ2222 SH633000-10-WH 39
Tivoli 4000K (black) AZ2225 SH644000-10-BK 39
Tivoli 4000K (white) AZ2223 SH634000-10-WH 39
Tonio (white) AZ0870 GM4103-WH 439
Torch (black) AZ2206 GW-609-BK 410
Torch (white) AZ2207 GW-609-WH 410
Toronto 1 3000K (black) AZ4064 234
Toronto 1 3000K (white) AZ4070 234
Toronto 1 Spot 3000K (black) AZ4063 338
Toronto 1 Spot 3000K (white) AZ4071 338

OLD&NEW CODES LIST

Toronto 2 3000K (black) AZ4065 234
Toronto 2 3000K (white) AZ4072 234
Torres ES111 (black) AZ2685 377
Torres ES111 (white) AZ2684 377
Torres GU10 (black) AZ2683 377
Torres GU10 (white) AZ2682 377
Track 1-Line 1,5m (black) AZ4730 2
Track 1-Line 1,5m (white) AZ4731 2
Track 1-Line 1m (black) AZ4729 2
Track 1-Line 1m (white) AZ4728 2
Track 1-Line 2m (black) AZ4733 2
Track 1-Line 2m (white) AZ4732 2
Track 1-Line 3m (black) AZ4735 2
Track 1-Line 3m (white) AZ4734 2
Track 1-Line Electric Adapter (black) Az4749 3
Track 1-Line Electric Adapter (white) . . . AZ4748 3
Track 1-Line Pendant Accessory 1.5m (black) AZ4747 5
Track 1-Line Pendant Accessory 1.5m (white) AZ4746 5
Track 3-Line 1,5m (black) AZ3000 12
Track 3-Line 1,5m (white) AZ2999 12
Track 3-Line 1m (black) AZ2973 12
Track 3-Line 1m cover (black) AZ5522 13
Track 3-Line 1m cover (white) AZ5521 13
Track 3-Line 1m (white) AZ2974 12
Track 3-Line 2m (black) AZ2975 12
Track 3-Line 2m (white) AZ2976 12
Track 3-Line 3m (black) AZ4272 12
Track 3-Line 3m (white) AZ4271 12
Track 3-Line Pendant Accessory 1.5m (black) AZ4797 16
Track 3-Line Pendant Accessory 1.5m (white) AZ4796 16
Track Ceiling Plate + Wire (black) AZ4780 54
Track Ceiling Plate + Wire (black) AZ4780 98
Track Ceiling Plate + Wire (white) AZ4782 54
Track Ceiling Plate + Wire (white) AZ4782 98
Track Gips 3-Line 1m (black) AZ4290 13
Track Gips 3-Line 1m (white) AZ4289 13
Track Gips 3-Line 2m (black) AZ4292 13
Track Gips 3-Line 2m (white) AZ4291 13
Track Gips 3-Line 3m (black) AZ4294 13
Track Gips 3-Line 3m (white) AZ4293 13
Tr. Magn. Driver Meanwell 48V 100W . . AZ4691 53
Tr. Magn. Driver Meanwell 48V 100W . . AZ4691 130
Tr. Magn. Driver Meanwell 48V 100W . . AZ4691 155
Tr. Magn. Driver Meanwell 48V 200W . . AZ4692 53
Tr. Magn. Driver Meanwell 48V 200W . . AZ4692 130
Tr. Magn. Driver Meanwell 48V 200W . . AZ4692 155
Tr. Magn. Driver Meanwell 48V 350W . . AZ4866 53
Tr. Magn. Driver Meanwell 48V 350W . . AZ4866 130
Tr. Magn. Driver Meanwell 48V 350W . . AZ4866 155
Tr. Magn. Magn.etic Neo Conn. For Driver (black) . . . AZ5134 155
Tr. Magn. Neo 0,3m (black) AZ5129 154
Tr. Magn. Neo 0,6m (black) AZ5130 154
Tr. Magn. Neo 1,2m (black) AZ5131 154
Tr. Magn. Neo 2,0m (black) AZ5132 154
Tr. Magn. Neo Con 1 (black) AZ5136 156
Tr. Magn. Neo Con 2 (black) AZ5133 156
Tr. Magn. Neo Cover USB-C 3X (black) . . . AZ5464 156
Tr. Magn. Neo Driver 100W (black) AZ5137 154
Tr. Magn. Neo Driver 200W (black) AZ5138 154
Tr. Magn. Neo Micro Cover 3x (black) . . . AZ5456 156
Tr. Magn. Neo MultiCon X (black) AZ5135 157
Tr. Magn. Set 1 M 4 000K (white) 52M1041WH AZ4801 124
Tr. Magn. Set 1 M 4 h 000K (white) 52M1042WH . . AZ4805 125
Tr. Magn. Set 1 M 3000K (black) 52M1031BK AZ4798 124
Tr. Magn. Set 1 M 3000K (black) 52M1032BK AZ4802 125
Tr. Magn. Set 1 M 3000K (white) 52M1031WH AZ4799 124
Tr. Magn. Set 1 M 3000K (white) 52M1032WH AZ4803 125
Tr. Magn. Set 1 M 4000K (black) 52M1041BK AZ4800 124
Tr. Magn. Set 1 M 4000K (black) 52M1042BK AZ4804 125
Tr. Magn. Set 2 M 3000K (black) 52M2032BK AZ4814 126
Tr. Magn. Set 2 M 3000K (black) 52M2034BK AZ4820 127
Tr. Magn. Set 2 M 3000K (white) 52M2032WH AZ4815 126
Tr. Magn. Set 2 M 3000K (white) 52M2034WH AZ4821 127
Tr. Magn. Set 2 M 4000K (black) 52M2042BK AZ4816 126
Tr. Magn. Set 2 M 4000K (white) 52M2042WH AZ4817 126
Track Set 1-Line 1,5m (black) AZ4725 2
Track Set 1-Line 1,5m (white) AZ4724 2
Track Set 1-Line 1m (black) AZ4723 2
Track Set 1-Line 1m (white) AZ4722 2
Track Set 1-Line 2m (black) AZ4727 2
Track Set 1-Line 2m (white) AZ4726 2
Track Set 1-Line 3m (black) AZ4795 2
Track Set 1-Line 3m (white) AZ4794 2
Track Set 3-Line 1,5m (black) AZ3001 12
Track Set 3-Line 1,5m (white) AZ3002 12
Track Set 3-Line 1m (black) AZ2987 12
Track Set 3-Line 1m (white) AZ2991 12
Track Set 3-Line 2m (black) AZ2992 12
Track Set 3-Line 2m (white) AZ2988 12
U
Ulf 1 Wall Sensor (black) AZ4454 459
Ulf 1 Wall Sensor (dark grey) AZ4455 459
Ulf 2 Wall (black) AZ4473 459
Ulf 2 Wall (dark grey) AZ4474 459
Una 3000K (chrome) AZ2772 345
Una 4000K (chrome) AZ2773 345
V
Vasko (black) . . . . . AZ1489 . . NC1936-BK 215
Vasko (chrome) . . . . . AZ1490 . . NC1936-CH 215
Vasko (white matt) . . . . . AZ1491 . . NC1936-FW-WH . . 215
Vega (anodised gold) . . . . . AZ1746 . . GM1121-AGO 411
Vega (black / gold) . . . . . AZ1709 . . GM1121-BK-GO . . 411
Vega (chrome) . . . . . AZ1758 . . GM1121-CH 411
Vega (white) . . . . . AZ1708 . . GM1121-WH 411
Vektor Round (clear glass) . . . . . AZ1494 . . SC760R-A-CL 314
Vektor Square (clear glass) . . . . . AZ1495 . . SC760SQ-A-CL . . . 315
Velia Round 2 (black) AZ4399 390
Velia Round 2 (brass) AZ4397 390
Velia Round 2 (white) AZ4398 390
Velia Square 2 (black) AZ4401 391
Velia Square 2 (brass) AZ4402 391
Velia Square 2 (white) AZ4403 391
Veneto (black) AZ4348 461
Veneto (dark grey) AZ4349 461
Venta (black) AZ4350 460
Venta (dark grey) AZ4351 460
Venus (aluminium) . . . . . AZ0893 . . GM1110-ALU 397
Venus (white) . . . . . AZ0894 . . GM1110-WH 397

Vera (black) . . . . . AZ3201 . . . . . **418**
Vera (white) . . . . . AZ4417 . . . . . **418**
Verdi 3 (black) . . . . . AZ3531 . . . . . **378**
Verdi (black) . . . . . AZ3527 . . . . . **378**
Verdi (white) . . . . . AZ3526 . . . . . **378**
Veronica (black) . . . . . AZ1548 . . MB459-Z-BK **422**
Veronica (chrome) . . . . . AZ1546 . . MB459-Z-CH **422**
Veronica (white) . . . . . AZ1547 . . MB459-Z-WH **422**
Vidal (aluminium) . . . . . AZ0862 . . GM1104-ALU **407**
Vidal (white) . . . . . AZ0863 . . GW-608-WH **407**
Vigo (black) . . . . . AZ2203 . . GW-608-BK **404**

X

X Conn. Gips 3-Line (black) . . . . . AZ4302 . . . . . **17**
X Conn. Gips 3-Line (white) . . . . . AZ4301 . . . . . **17**
X Conn. Track 3-Line (black) . . . . . AZ4280 . . . . . **16**
X Conn. Track 3-Line (white) . . . . . AZ4279 . . . . . **16**

Z

Zaria A IP65 CCT Switch (white) . . . . . AZ5233 . . . . . **448**
Zaria B IP65 CCT Switch (white) . . . . . AZ5234 . . . . . **448**
Zaria C IP65 CCT Switch (white) . . . . . AZ5235 . . . . . **448**
Zaria D IP65 CCT Switch (white) . . . . . AZ5236 . . . . . **448**
Zita XL (black) . . . . . AZ4150 . . . . . **471**
Zita XL (bright grey) . . . . . AZ2201 . . . . . **471**
Zita XL (dark grey) . . . . . AZ2200 . . . . . **471**
Zita XL (white) . . . . . AZ4151 . . . . . **471**



1 track 1-Line

11 track 3-Line

47 track Alfa Magnetic

93 track Beta Magnetic

123 sets for track Magnetic

129 track Gamma Magnetic

153 track Neo Magnetic

A

B

C

D

E

READING INTRODUCTION

A

B

C

D

E

product name

voltage

The electrical voltage between two points in the electrical circuit.
The unit of voltage is the volt [V]
The most common voltage levels for our lamps are: 230V; 48V; 24V or 12V

protection class

degree of protection for electrical devices against dust, moisture and water

IP66 protection against ingress of dust, protection against powerful water jets or splashing of water from any direction

IP54 protection against the ingress of dust in quantities that would interfere with operation, protection against drops of rain falling at any angle

IP44 protection against solid objects (fine tools and wires to 1 mm), protection against drops falling at any angle, from all sides (rain)

IP20 protection against accidental touch, lack of security moisture

technical specification

see detailed information on technical specification

colour

BK – BLACK
BCH – BLACK CHROME
BGR – BRIGHT GREY
DGR – DARK GREY
WH – WHITE
CH – CHROME
AL – ALUMINIUM
GO – GOLD
AG – ANTIQUE GOLD
BR – BROWN
CO – CONCRETE
COO – COPPER
ST – STEEL
AM – AMBER
OL – OLIVE
CHA – CHAMPAGNE
AST – ANODISED STEEL
ABR – ANODISED BROWN
AGO – ANODISED GOLD
ACO – ANODISED COPPER

173 exposed downlights

293 exclusive downlights

319 downlights

385 indoor wall lamps

427 outdoor wall lamps

511 LED Tubes, LED Grill & Hermetic

515 LED bulbs



product code

Where to find

Product code are written after each color

group energy label

see detailed information on page 521

Energy efficiency exist from A to G see detailed information on page 521

bulb type

1 bulb type

- 2D bulb
- PL-L
- T5
- E14
- E27
- G24
- G9
- AR111
- ES111 230V
- MR16
- GU10
- LED

2 number of bulbs

3 maximum lamp watt (W)

not included in the price of the purchased lamp

4 luminosity in lumen

5 light temperature in Kelvin

Installation

6 installation place

- ceiling surface mounted
- wall surface mounted
- pendant
- floor

7 the shape and size of the inlet opening (dimensions are in centimeters)

- round hole (cm)
- square hole (cm)
- rectangular hole (cm)

8 beam angle

beam angle is given in degrees

(from 1° to 360°)

dimensional drawing

technical drawing view (dimensions are in centimeters)

9 side view

10 top view

11 range of adjustment of the reflector

- reflector tilt
- reflector rotation


END POWER
TRACK
T CONNECTOR
END CAP
L CONNECTOR
STRAIGHT CONNECTOR
END POWER
TRACK
END CAP

1-LINE TRACK

1-LINE

track 1-Line



2 COMPONENTS FOR TRACK 1 LINE
6 EXO TRACK
7 LOLO TRACK
8 KIRKE TRACK
9 JERRY TRACK

TRACK 1-LINE

Components for Track 1 Line







Tracks (1m, 1,5m, 2m, 3m)



- ■ TRACK 1m (BLACK) AZ4729
- □ TRACK 1m (WHITE) AZ4728
- ■ TRACK 1,5m (BLACK) AZ4731
- □ TRACK 1,5m (WHITE) AZ4730
- ■ TRACK 2m (BLACK) AZ4733
- □ TRACK 2m (WHITE) AZ4732
- ■ TRACK 3m (BLACK) AZ4735
- □ TRACK 3m (WHITE) AZ4734

Track Set (1m, 1,5m, 2m, 3m)

with THE END POWER + END CAP (All included)

- ■ SET 1m (BLACK) AZ4723
- □ SET 1m (WHITE) AZ4722
- ■ SET 1,5m (BLACK) AZ4725
- □ SET 1,5m (WHITE) AZ4724
- ■ SET 2m BLACK) AZ4727
- □ SET 2m (WHITE). AZ4726
- ■ SET 3m BLACK) AZ4795
- □ SET 3m (WHITE). AZ4794

Available options for installation place (surface and pendant mounted)



Track 1-Line Electric Adapter



- TRACK 1-LINE ELECTRIC ADAPTER (BLACK) AZ4749
- TRACK 1-LINE ELECTRIC ADAPTER (WHITE) AZ4748



End Power

- END POWER (BLACK) AZ4743
- END POWER (WHITE) AZ4742

TRACK 1-LINE

Components for Track 1 Line

Straight Connector

- ■ STRAIGHT CONNECTOR (BLACK) AZ4737
- □ STRAIGHT CONNECTOR (WHITE) AZ4736

L Connector

- ■ L CONNECTOR (BLACK) AZ4739
- □ L CONNECTOR (WHITE) AZ4738



T Connector

- ■ T CONNECTOR (BLACK) AZ4741
- □ T CONNECTOR (WHITE) AZ4740



End Cap

- ■ END CAP (BLACK) AZ4745
- □ END CAP (WHITE) AZ4744

Track 1-Line Pendant Accessory 1.5m

- TRACK 1-LINE PENDANT ACCESSORY 1.5M (BLACK) AZ4747
- TRACK 1-LINE PENDANT ACCESSORY 1.5M WHITE) AZ4746



Ceiling plate + wire

- CEILING PLATE + WIRE (BLACK) AZ4780
- CEILING PLATE + WIRE (WHITE) AZ4782

TRACK 1 LINE ELECTRIC ADAPTER

- TRACK 1 LINE ELECTRIC ADAPTER (BLACK) AZ4749
- TRACK 1 LINE ELECTRIC ADAPTER (WHITE) AZ4748

EXO TRACK

Track 1 Line

BK

EXO TRACK 1 LINE GU10

bulb not included

voltage: 230V	GU10 1x Max 35W
IP20	
	installation: Track 1 Line

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4660
- WHITE (WH) AZ4661





WH

BK

LOLO TRACK 1 LINE GU10

bulb not included

voltage: 230V	GU10 1x Max. 50W
IP20	
	installation: Track 1 Line

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4654

WHITE (WH) AZ4655





KIRKE TRACK 10W CCT SWITCH

KIRKE TRACK 1 LINE 10W CCT SWITCH

LED integrated

voltage: 230V	LED 10W 800lm
IP20	3000K | 4000K | 6000K CCT
technical specification	installation: Track 1 Line
	beam angle: 40°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4656

WHITE (WH) AZ4657





JERRY TRACK 1 LINE

bulb not included

voltage: 230V	ES111 1x Max 16W
IP20	
technical specification	installation place: Track 1 Line

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4666

WHITE (WH) AZ4667





SYSTEM COMPONENTS NAMES FOR TRACK 3-LINE SYSTEM



3-LINE TRACK

3 - LINE

track 3-Line



12 ACCESORIES FOR TRACK 3 LINE
20 EIGER TRACK
21 MEGARA TRACK
22 LOLO TRACK
23 GULIA TRACK
24 SANTOS TRACK
26 KIRKE TRACK CCT SWITCH
27 GALILEO TRACK
28 LUMI TRACK
28 LUMI FLEX TRACK
30 COSTA ARM TRACK
31 COSTA TRACK
32 JERRY TRACK
33 JANE TRACK
34 MIKKA TRACK
35 MONA TRACK
36 LINNEA TRACK CCT SWITCH
38 EREBUS TRACK
38 EREBUS TUBE
39 TIVOLI TRACK
40 BROSS ARM TRACK
41 EXO TRACK
42 LENS TRACK
43 SANTOS SQUARE TRACK
44 SKYE TRACK
45 LEON TRACK

TRACK 3-LINE

Accesories for Track 3 Line



Example of the connection between track



TRACKS (1m, 1,5m, 2m, 3m)

■	TRACK 1M (BLACK)	AZ2973
□	TRACK 1M (WHITE)	AZ2974
■	TRACK 1,5M (BLACK)	AZ3000
□	TRACK 1,5M (WHITE)	AZ2999
■	TRACK 2M (BLACK)	AZ2975
□	TRACK 2M (WHITE)	AZ2976
■	TRACK 3M (BLACK)	AZ4272
□	TRACK 3M (WHITE)	AZ4271



Track Set (1m, 1,5m, 2m)

with THE END POWER + END CAP (All included)

■	TRACK SET 1M (BLACK)	AZ2987
□	TRACK SET 1M (WHITE)	AZ2991
■	TRACK SET 1,5M (BLACK)	AZ3001
□	TRACK SET 1,5M (WHITE)	AZ3002
■	TRACK SET 2M (BLACK)	AZ2992
□	TRACK SET 2M (WHITE)	AZ2988

Available options for installation place – surface-mounted, flush-mounted and suspended





TRACKS GIPS (1m, 2m, 3m)

- ■ TRACK GIPS 1m (BLACK) AZ4290
- □ TRACK GIPS 1m (WHITE) AZ4289
- ■ TRACK GIPS 2m (BLACK) AZ4292
- □ TRACK GIPS 2m (WHITE) AZ4291
- ■ TRACK GIPS 3m (BLACK) AZ4294
- □ TRACK GIPS 3m (WHITE) AZ4293



Track 3-Line 1m Cover

- ■ TRACK 3-LINE 1M COVER (BLACK) AZ5522
- □ TRACK 3-LINE 1M COVER (WHITE) AZ5521



TRACK 3-LINE

Accesories for Track 3 Line



RIGHT

End Power (Left, Right)

- ■ END POWER RIGHT (BLACK) AZ4116
- □ END POWER RIGHT (WHITE) AZ4117
- ■ END POWER LEFT (BLACK) AZ4284
- □ END POWER LEFT (WHITE) AZ4283



LEFT



Power

- ■ POWER (BLACK) AZ4274
- □ POWER (WHITE) AZ4273



RIGHT

L Connector (Left, Right)

- ■ L CONNECTOR RIGHT (BLACK) AZ2983
- □ L CONNECTOR RIGHT (WHITE) AZ2984
- ■ L CONNECTOR LEFT (BLACK) AZ2985
- □ L CONNECTOR LEFT (WHITE) AZ2986

LEFT



RIGHT

T Connector (Left, Right)

- ■ T CONNECTOR LEFT (BLACK) AZ4276
- □ T CONNECTOR LEFT (WHITE) AZ4275
- ■ T CONNECTOR RIGHT (BLACK) AZ4278
- □ T CONNECTOR RIGHT (WHITE) AZ4277



LEFT



RIGHT

End Power Gips (Left, Right)

- ■ END POWER GIPS RIGHT (BLACK) AZ4304
- □ END POWER GIPS RIGHT (WHITE) AZ4303
- ■ END POWER GIPS LEFT (BLACK) AZ4310
- □ END POWER GIPS LEFT (WHITE) AZ4309

LEFT



Power Gips

- ■ POWER GIPS (BLACK) AZ4296
- □ POWER GIPS (WHITE) AZ4295



RIGHT

L Connector Gips (only Right)

- ■ L CONNECTOR GIPS RIGHT (BLACK) AZ4298
- □ L CONNECTOR GIPS RIGHT (WHITE) AZ4297

LEFT



RIGHT

T Connector Gips (only Right)

- ■ T CONNECTOR GIPS RIGHT (BLACK) AZ4300
- □ T CONNECTOR GIPS RIGHT (WHITE) AZ4299

LEFT

Accesories for Track 3 Line



X Connector

- ■ X CONNECTOR (BLACK) AZ4280
- □ X CONNECTOR (WHITE) AZ4279



Power Adjustable Connector

- ■ POWER ADJUSTABLE CONNECTOR (BLACK) AZ4286
- □ POWER ADJUSTABLE CONNECTOR (WHITE) AZ4285



Track 3-Line Pendant Accessory 1.5m

- ■ TRACK 3LINE PENDANT ACCESSORY 1.5M (BLACK) AZ4797
- □ TRACK 3LINE PENDANT ACCESSORY 1.5M (WHITE) AZ4796

Ceiling Plate + Wire

- ■ CEILING PLATE + WIRE (BLACK) AZ4780
- □ CEILING PLATE + WIRE (WHITE) AZ4782



Flexible Connector

- ■ FLEXIBLE CONNECTOR (BLACK) AZ4282
- □ FLEXIBLE CONNECTOR (WHITE) AZ4281



X Connector Gips

■ X CONNECTOR GIPS (BLACK) AZ4302
□ X CONNECTOR GIPS (WHITE) AZ4301



MINI SIMPLE CONNECTION

■ MINI SIMPLE CONNECTION (BLACK) AZ2981
□ MINI SIMPLE CONNECTION (WHITE) AZ2982



End Cap

■ END CAP (BLACK) AZ4288
□ END CAP (WHITE) AZ4287

TRACK 3 LINE ELECTRIC ADAPTER

■ ELECTRIC (BLACK) AZ3003
□ ELECTRIC (WHITE) AZ3012

DIAGRAM

Track 3 Line

DIAGRAM SHOWING THE CORRECT WAY TO CONNECT ACCESSORIES TO BUSBARS (TRACKLINE)

The orange line indicates polarity of the system (observe earth contact)




AZ 2985
AZ 2985
AZ 2983
AZ 4280
AZ 4274
AZ 4278
AZ 2988

EIGER TRACK

Track 3 Line

new

BK

WH

BK/GO

BK

new

GO

EIGER TRACK 3 LINE GU10

bulb not included

voltage: 230V	GU10 1x Max. 50W
IP20	
	installation: Track 3 Line

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4205
- BLACK / GOLD (BK/GO) AZ4206
- WHITE (WH) AZ4204
- GOLD (GO) AZ5238





MEGARA TRACK 3 LINE GU10

bulb not included

voltage: 230V	GU10 2x Max. 50W
IP20	
	installation: Track 3 Line

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4443

WHITE (WH) AZ4442



LOLO TRACK

BK

LOLO TRACK 3 LINE GU10

	bulb not included
voltage: 230V	GU10 1x Max. 50W
IP20	
	installation: Track 3 Line

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4577
- WHITE (WH) AZ4578





WH

BK

GO *

BK

WH

GO

GULIA TRACK TRACK 3-LINE GU10

bulb not included

voltage: 230V	LED GU10 1x Max. 50W
IP20	
	installation place: Track 3 Line

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4710
- WHITE (WH) AZ4709
- GOLD (GO) AZ4711





SANTOS TRACK



BK

SANTOS TRACK 3 LINE GU10

bulb not included

voltage: 230V	GU10 1x Max. 50W
IP20	
technical specification	installation: Track 3 Line

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4203
- WHITE (WH) AZ4202





BK / BK

WH / WH

SANTOS TRACK 3 LINE 12W 3000K

LED integrated

voltage: 230V	LED 12W 950lm 3000K
IP20	
technical specification	installation place: Track 3 Line
	beam angle: 60°

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) AZ4183
- WHITE / WHITE (WH / WH) AZ4184
- BLACK / GOLD (BK / GO) AZ2924
- WHITE / GOLD (WH / GO) AZ2925





KIRKE TRACK CCT SWITCH

KIRKE TRACK 3 LINE 10W CCT SWITCH

LED integrated

voltage: 230V	LED 10W 800lm
IP20	3000K | 4000K | 5500K CCT
technical specification	installation: Track 3 Line
	beam angle: 40°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4658
- WHITE (WH) AZ4659







WH

GALILEO TRACK 3 LINE 15W 3000K

LED integrated

voltage: 230V	LED 15W 1200lm 3000K
IP20	
technical specification	installation place: Track 3 Line
	beam angle: 12°÷ 35°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4066
- BLACK (BK) AZ4067



12° 35°

ADJUSTABLE BEAM ANGLE TILT 90° ROTATION 360°



WH

BK

LUMI TRACK 3 LINE 3000K

LED integrated

voltage: 230V		LED 5W 500lm 3000K
IP20		
technical specification		installation: Track 3 Line
		adjustable beam angle: 19°÷ 70°

COLOUR / NEW INDEX NO.

- WHITE FINISH SHINING (WH) AZ4558
- BLACK FINISH SHINING (BK) AZ4557



ADJUSTABLE BEAM ANGLE TILT 90° ROTATION 350°



LUMI FLEX TRACK 3 LINE 3000K

LED integrated

voltage: 230V		LED 5W 500lm 3000K
IP20		
technical specification		installation: Track 3 Line
		adjustable beam angle: 19°÷ 70°

COLOUR / NEW INDEX NO.

- WHITE FINISH SHINING (WH) AZ4560
- BLACK FINISH SHINING (BK) AZ4559



ADJUSTABLE BEAM ANGLE ROTATION 360°




70° – 19°
ADJUSTABLE BEAM ANGLE

COSTA ARM TRACK

WH/WH

BK/BK

WH/WH

COSTA ARM TRACK 3 LINE 12W

LED integrated

voltage: 230V	LED 12W 1020lm 3000K LED
IP20	
technical specification	installation place: Track Electric 3 Line
	beam angle: 25°

COLOUR / NEW INDEX NO.

WHITE / WHITE (WH / WH) AZ3487

BLACK / BLACK (BK / BK) AZ3486





COSTA TRACK 3 LINE 12W 3000K / 4000K

LED integrated

voltage: 230V	LED 12W 1100lm 3000K
IP20	LED 12W 1100lm 4000K
technical specification	installation place: Track 3 Line
	beam angle: 25°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4550
- 3000K BLACK (BK) AZ4549
- 4000K WHITE (WH) AZ4552
- 4000K BLACK (BK) AZ4551





JERRY TRACK

new

GO

JERRY TRACK 3 LINE ES111

bulb not included

voltage: 230V	connect 1x ES111 MAX 50W
IP20	
	installation place: track 3 x line

COLOUR / NEW INDEX NO.

- GOLD (GO) AZ5237
- WHITE (WH) AZ2459
- BLACK (BK) AZ2458



new



GO

WH

BK

BK

WH

BK

JANE TRACK 3 LINE GU10

bulb not included

voltage: 230V	connect 1x GU10 MAX 50W
IP20	
	installation place – track 3 x line

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2460
- BLACK (BK) AZ2457





MIKKA TRACK

Track 3 Line

MIKKA TRACK 3 LINE 3000K

LED integrated

voltage: 230V	LED 24W 1700lm 3000K
IP20	
technical specification	installation: Track 3 Line
	beam angle: 120°

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4516**





MONA TRACK 3 LINE 12W 3000K / 4000K

LED integrated

voltage: 230V	LED 12W 1000lm 3000K
IP20	LED 12W 1050lm 4000K
technical specification	installation: Track 3 Line
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4541
- 3000K BLACK (BK) AZ4542
- 4000K WHITE (WH) AZ4544
- 4000K BLACK (BK) AZ4543





MONA TRACK 3 LINE 18W 3000K

LED integrated

voltage: 230V	LED 18W 1500lm 3000K
IP20	
technical specification	installation: Track 3 Line
	beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4548
- BLACK (BK) AZ4547







LINNEA 29 TRACK 3 LINE 12W CCT SWITCH

LED integrated

voltage: 230V	LED 12W 700lm
IP20	3000K | 4000K | 5000K CCT
technical specification	installation: Track 3 Line
	beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4564
- BLACK (BK) AZ4563







LINNEA 57 TRACK 3 LINE 24W CCT SWITCH

LED integrated

voltage: 230V	LED 24W 1400lm
IP20	3000K | 4000K | 5000K CCT
technical specification	installation: Track 3 Line
	beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4566
- BLACK (BK) AZ4565







LINNEA 86 TRACK 3 LINE 36W CCT SWITCH

LED integrated

voltage: 230V	LED 36W 2000lm
IP20	3000K | 4000K | 5000K CCT
technical specification	installation: Track 3 Line
	beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4568
- BLACK (BK) AZ4567







EREBUS TRACK

EREBUS TRACK

bulb not included

voltage: 230V	LED GU10 1xMax 35W
IP20	
	installation place: Track Electric 3 Line

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3390
- BLACK (BK) AZ3391





EREBUS TUBE

TUBE 14

- WHITE (WH) AZ3383
- BLACK (BK) AZ3384
- GOLD (GO) AZ3385



TUBE 21

- WHITE (WH) AZ3386
- BLACK (BK) AZ3387
- GOLD (GO) AZ3388



TIVOLI TRACK 10W 3000K/4000K

LED integrated

voltage: 230V	LED 10W 3000K RA≥90 840lm
IP20	LED 10W 4000K RA≥90 880lm
technical specification	installation: Track 3 Line
	beam angle: 60°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ2222
- 3000K BLACK (BK) AZ2224
- 4000K WHITE (WH) AZ2223
- 4000K BLACK (BK) AZ2225





BROSS ARM TRACK

BROSS ARM TRACK

bulb not included

voltage: 230V	LED GU10 1xMax 35W
IP20	
	installation place: Track Electric 3 Line

COLOUR / NEW INDEX NO.

WHITE (WH) AZ3500

BLACK (BK) AZ3501



AZZARDO PATENT EU





BK

EXO TRACK

bulb not included

voltage: 230V	LED GU10 1xMax 35W
IP20	
	installation place: Track Electric 3 Line

COLOUR / NEW INDEX NO.

BLACK (BK) AZ3199

WHITE (WH) AZ3200





WH

BK

LENS TRACK

BK/BK

LENS TRACK

bulb not included

voltage: 230V	LED GU10 1xMax 35W
IP20	
	installation place: Track Electric 3 Line

COLOUR / NEW INDEX NO.

- WHITE / WHITE (WH/WH) **AZ3510**
- BLACK / BLACK (BK/BK) **AZ3511**
- BLACK / GOLD (BK/GO) **AZ3512**





WH/WH | BK/BK | BK/GO

SANTOS SQUARE TRACK

LED integrated

voltage: 230V	LED 12W 1020lm 3000K
IP20	
technical specification	installation: Track 3 Line
	beam angle: 60°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3524
- BLACK (BK) AZ3525





SKYE TRACK

WH

SKYE TRACK 3 LINE 3000K

LED integrated

voltage: 230V	LED 12W 1300lm 3000K
IP20	
technical specification	installation place: Track 3 Line
	beam angle: 60°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4519
- BLACK (BK) AZ4520





WH

BK

LEON 5 TRACK

LED integrated

voltage: 230V	LED 12W 1020lm 3000K
IP20	
technical specification	installation place: Track Electric 3 Line
	beam angle: 60°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3490
- BLACK (BK) AZ3491







ALFA
TRACK MAGNETIC

ALFA
track Magnetic

48 ACCESORIES FOR ALFA TRACK MAGNETIC
55 BLUETOOTH GATEWAY/REMOTE SMART
56 REMOTE CONTROL BLUETOOTH
58 ALFA MAKITA CCT BLUETOOTH
60 ALFA MAKITA II TRACK MAGNETIC CCT BLUETOOTH
61 ALFA SAGA TRACK MAGNETIC CCT BLUETOOTH
62 ALFA SAGA II TRACK MAGNETIC CCT BLUETOOTH
64 ALFA KIRA TRACK MAGNETIC CCT BLUETOOTH
65 ALFA KIRA II TRACK MAGNETIC CCT BLUETOOTH
66 ALFA KERRY TRACK MAGNETIC CCT BLUETOOTH
67 ALFA KERRY TRACK MAGNETIC CCT BLUETOOTH
68 ALFA CYRUS TRACK MAGNETIC CCT BLUETOOTH
70 ALFA SARI TRACK MAGNETIC CCT BLUETOOTH
71 ALFA SONYA TRACK MAGNETIC CCT BLUETOOTH
72 ALFA MAKITA II TRACK MAGNETIC CCT BLUETOOTH
73 ALFA SAGA TRACK MAGNETIC
74 ALFA SAGA II TRACK MAGNETIC
75 ALFA SAGA TRACK MAGNETIC CORNER
76 ALFA SAGA II TRACK MAGNETIC CORNER
77 ALFA KIRA TRACK MAGNETIC
78 ALFA KIRA II TRACK MAGNETIC
80 ALFA KERRY TRACK MAGNETIC
81 ALFA SARI TRACK MAGNETIC
82 ALFA CYRUS TRACK MAGNETIC
84 ALFA NIKKI TRACK MAGNETIC
85 ALFA NIKO TRACK MAGNETIC
86 ALFA ALDO TRACK MAGNETIC
87 ALFA SKYE TRACK MAGNETIC PENDANT
88 ALFA ELIN TRACK MAGNETIC
89 ALFA ELSA TRACK MAGNETIC
90 ALFA MAYA TRACK MAGNETIC
91 ALFA KORI TRACK MAGNETIC

Example of the connection between track



Insert the MECHANICAL CONNECTOR (B) into the TRACK (A).

Tighten the screw between A and B.

Slide and fasten TRACK (C) to the MECHANICAL CONNECTOR (B).

Put STRAIGHT CONNECTOR ELECTRIC (D) between the two connected tracks (A+C).





ALFA Track Magnetic 27 (1m, 1,5m, 2m, 3m)

WITH END CAP 2x (All included)

- ■ ALFA TRACK MAGNETIC 27 1m (BLACK) AZ4713
- □ ALFA TRACK MAGNETIC 27 1m (WHITE) AZ4712
- ■ ALFA TRACK MAGNETIC 27 1,5m BLACK AZ4715
- □ ALFA TRACK MAGNETIC 27 1,5m (WHITE) AZ4714
- ■ ALFA TRACK MAGNETIC 27 2m (BLACK) AZ4717
- □ ALFA TRACK MAGNETIC 27 2m (WHITE) AZ4716
- ■ ALFA TRACK MAGNETIC 27 3m (BLACK) AZ4719
- □ ALFA TRACK MAGNETIC 27 3m (WHITE) AZ4718

ALFA Track Magnetic 52 (1m, 1,5m, 2m, 3m)

WITH END CAP 2x (All included)

- ■ ALFA TRACK MAGNETIC 52 1m (BLACK) AZ4638
- □ ALFA TRACK MAGNETIC 52 1m (WHITE) AZ4639
- ■ ALFA TRACK MAGNETIC 52 1,5m (BLACK) AZ4640
- □ ALFA TRACK MAGNETIC 52 1,5m (WHITE) AZ4641
- ■ ALFA TRACK MAGNETIC 52 2m (BLACK) AZ4642
- □ ALFA TRACK MAGNETIC 52 2m (WHITE) AZ4643
- ■ ALFA TRACK MAGNETIC 52 3m (BLACK) AZ4644
- □ ALFA TRACK MAGNETIC 52 3m (WHITE) AZ4645

Available options for installation place – surface-mounted, flush-mounted and suspended





ALFA Track Magnetic 52 Gips1 (1m, 1,5m, 2m, 3m)

WITH END CAP 2x (All included)

- ■ ALFA TRACK MAGNETIC 52 GIPS1 1m (BLACK) AZ4863
- □ ALFA TRACK MAGNETIC 52 GIPS1 1m (WHITE) AZ5457
- ■ ALFA TRACK MAGNETIC 52 GIPS1 1,5m (BLACK) AZ4864
- □ ALFA TRACK MAGNETIC 52 GIPS1 1,5m (WHITE) AZ5458
- ■ ALFA TRACK MAGNETIC 52 GIPS1 2m (BLACK) AZ4865
- □ ALFA TRACK MAGNETIC 52 GIPS1 2m (WHITE) AZ5453
- ■ ALFA TRACK MAGNETIC 52 GIPS1 3m (BLACK) AZ5455
- □ ALFA TRACK MAGNETIC 52 GIPS1 3m (WHITE) AZ5454



ALFA Track Magnetic 52 Gips2 (1m, 1,5m, 2m)

WITH END CAP 2x (All included)

- ■ ALFA TRACK MAGNETIC 52 GIPS2 1m (BLACK) AZ4646
- □ ALFA TRACK MAGNETIC 52 GIPS2 1m (WHITE) AZ4647
- ■ ALFA TRACK MAGNETIC 52 GIPS2 1,5m (BLACK) AZ4648
- □ ALFA TRACK MAGNETIC 52 GIPS2 1,5m (WHITE) AZ4649
- ■ ALFA TRACK MAGNETIC 52 GIPS2 2m (BLACK) AZ4650
- □ ALFA TRACK MAGNETIC 52 GIPS2 2m (WHITE) AZ4651

ALFA TRACK MAGNETIC

Accesories for ALFA Track Magnetic



ALFA Track Magnetic 52 Corner90 B

SURFACE CORNER 90° B

- ■ ALFA TRACK MAGNETIC 52 CORNER 90 B (BLACK) AZ4683
- □ ALFA TRACK MAGNETIC 52 CORNER 90 B (WHITE) AZ4684

ALFA Track Magnetic 52 Corner90 A

- ■ ALFA TRACK MAGNETIC 52 CORNER90 A (BLACK) AZ4679
- □ ALFA TRACK MAGNETIC 52 CORNER90 A (WHITE) AZ4680



ALFA Track Magnetic 27 Corner90 B



- ■ ALFA TRACK MAGNETIC 27 CORNER 90 B (BLACK) AZ5001
- □ ALFA TRACK MAGNETIC 27 CORNER 90 B (WHITE) AZ5002

ALFA Track Magnetic 27 Corner90 A



- ■ ALFA TRACK MAGNETIC 27 CORNER 90 A (BLACK) AZ5003
- □ ALFA TRACK MAGNETIC 27 CORNER 90 A (WHITE) AZ5004



ALFA Track Magnetic 52 Gips2 Corner90 B

SURFACE CORNER 90° B

■ ALFA TRACK MAGNETIC 52 GIPS2 CORNER90 B (BLACK) AZ4685

□ ALFA TRACK MAGNETIC 52 GIPS2 CORNER90 B (WHITE) AZ4686

ALFA Track Magnetic 52 Gips2 Corner90 A

SURFACE CORNER 90° A



■ ALFA TRACK MAGNETIC 52 GIPS2 CORNER90 A (BLACK) AZ4681

□ ALFA TRACK MAGNETIC 52 GIPS2 CORNER90 A (WHITE) AZ4682

ALFA Track Magnetic 52 Gips1 Corner90 B

SURFACE CORNER 90° B

■ ALFA TRACK MAGNETIC 52 GIPS1 CORNER90 B (BLACK) AZ5463

□ ALFA TRACK MAGNETIC 52 GIPS1 CORNER90 B (WHITE) AZ5462

ALFA Track Magnetic 52 Gips1 Corner90 A

SURFACE CORNER 90° A

■ ALFA TRACK MAGNETIC 52 GIPS1 CORNER90 A (BLACK) AZ4862

□ ALFA TRACK MAGNETIC 52 GIPS1 CORNER90 A (WHITE) AZ5461

ALFA TRACK MAGNETIC

Accesories for ALFA Track Magnetic



ALFA Track Magnetic Flex Connector Electric



- ALFA TRACK MAGNETIC FLEX CONNECTOR ELECTRIC (BLACK) AZ4687
- ALFA TRACK MAGNETIC FLEX CONNECTOR ELECTRIC (WHITE) AZ4688



ALFA Track Magnetic Straight Connector

- ALFA TRACK MAGNETIC STRAGHT CONNECTOR (BLACK) AZ4677
- ALFA TRACK MAGNETIC STRAGHT CONNECTOR (WHITE) AZ4678



ALFA Track Magnetic Mechanical Connector



- ALFA TRACK MAGNETIC MECHANICAL CONNECTOR (BLACK) AZ4689
- ALFA TRACK MAGNETIC MECHANICAL CONNECTOR (WHITE) AZ4690

ALFA TRACK MAGNETIC DRIVER INSIDE
(60W, 100W, 200W)

- ALFA TRACK MAGNETIC DRIVER INSIDE 60W (BLACK) AZ4669
- ALFA TRACK MAGNETIC DRIVER INSIDE 60W (WHITE) AZ4670
- ALFA TRACK MAGNETIC DRIVER INSIDE 100W (BLACK) AZ4671
- ALFA TRACK MAGNETIC DRIVER INSIDE 100W (WHITE) AZ4672
- ALFA TRACK MAGNETIC DRIVER INSIDE 200W (BLACK) AZ4673
- ALFA TRACK MAGNETIC DRIVER INSIDE 200W (WHITE) AZ4674

TRACK MAGNETIC DRIVER MEANWELL 48V 100W / 200W / 350W

THIS DRIVER IS UNIVERSAL FOR SYSTEMS: ALFA, GAMMA, NEO

TRACK MAGNETIC DRIVER MEANWELL (100W) **AZ4691**
TRACK MAGNETIC DRIVER MEANWELL (200W) **AZ4692**
TRACK MAGNETIC DRIVER MEANWELL (350W) **AZ4866**



ALFA Track Magnetic Driver Electric Connector

■ ALFA TRACK MAGNETIC DRIVER ELECTRIC CONNECTOR (BLACK) **AZ4675**
□ ALFA TRACK MAGNETIC DRIVER ELECTRIC CONNECTOR (WHITE) **AZ4676**

ALFA Track Magnetic 27 Cover

Power Driver Inside

■ ALFA TRACK MAGNETIC 27 COVER (BLACK) **AZ4860**
□ ALFA TRACK MAGNETIC 27 COVER (WHITE) **AZ4861**





ALFA Track Magnetic Suspension Kit 2m

- ■ ALFA TRACK MAGNETIC SUSPENSION KIT 2m (BLACK) AZ4693
- □ ALFA TRACK MAGNETIC SUSPENSION KIT 2m (WHITE) AZ4694



Ceiling Plate + Wire



- ■ TRACK CEILING PLATE + WIRE (BLACK) AZ4780
- □ TRACK CEILING PLATE + WIRE (WHITE) AZ4782



ALFA Track Magnetic 52 Cover 1m



- ■ ALFA TRACK MAGNETIC 52 COVER 1m (BLACK) AZ4652
- □ ALFA TRACK MAGNETIC 52 COVER 1m (WHITE) AZ4653



ALFA Track Magnetic 27 Cover 1m



- ■ ALFA TRACK MAGNETIC 27 COVER 1m (BLACK) AZ5444
- □ ALFA TRACK MAGNETIC 27 COVER 1m (WHITE) AZ5443

BLUETOOTH GATEWAY/REMOTE SMART

The Bluetooth gateway connects to the Internet via the WiFi signal from the router, thanks to which you can remotely control the lamps or devices settings via the AzzardoSMART application. Being at home, you can control the devices using a special AzzardoSMART remote control or from any device (phone, tablet, computer) that has access to the Wifi network.

Bluetooth Gateway Smart
AZ4856



Remote Control 4-Group & RGB & Bluetooth

Operating Schematic

AZ5265



*RGB CHANGE ONLY USED FOR RGB LAMPS
THE CCT LAMP CAN'T BE USE THIS BUTTON FUNCTION

Remote Control 3 Group

Operating Schematic

AZ4857



Switch Panel Remote Control 2-Group Bluetooth Bk

Operating Schematic

AZ5209



Switch Panel Remote Control 2-Group Bluetooth

☐ SWITCH PANEL REMOTE CONTROL 2-GROUP BLUETOOTH (WH) **AZ5210**

DOWNLOAD THE APP

AZzardo® SMART

GET IT ON Google Play

Download on the App Store

STANDARD



AZ5210 **AZ5209** **AZ5265** **AZ4857**

ALFA MAKITA TRACK MAGNETIC CCT BLUETOOTH

BK

ALFA MAKITA TRACK MAGNETIC 7W
CCT BLUETOOTH — LED integrated

voltage: 48V	LED 7W 550lm CCT
IP20	
technical specification	installation: ALFA Track Magnetic – 52 or 27
	beam angle: 40°

COLOUR / NEW INDEX NO.

- SAND BLACK (BK) AZ4836
- WHITE (WH) AZ4837



BK

ALFA MAKITA 2 TRACK MAGNETIC 2X 7W
CCT BLUETOOTH — LED integrated

voltage: 48V	LED 2x 7W 550lm CCT
IP20	
technical specification	installation: ALFA Track Magnetic – 52 or 27
	beam angle: 40°

COLOUR / NEW INDEX NO.

- SAND BLACK (BK) AZ4838
- WHITE (WH) AZ4839





ALFA MAKITA TRACK MAGNETIC 20W
CCT BLUETOOTH

LED integrated

voltage: 48V	LED 20W 1560lm CCT
IP20	
technical specification	installation: ALFA Track Magnetic – 52 or 27
	beam angle: 40°

COLOUR / NEW INDEX NO.

- SAND BLACK (BK) AZ4840
- WHITE (WH) AZ4841





ALFA MAKITA TRACK MAGNETIC 30W
CCT BLUETOOTH

LED integrated

voltage: 48V	LED 30W 2340lm CCT
IP20	
technical specification	installation: ALFA Track Magnetic – 52 or 27
	beam angle: 40°

COLOUR / NEW INDEX NO.

- SAND BLACK (BK) AZ4842
- WHITE (WH) AZ4843





ALFA MAKITA II TRACK MAGNETIC CCT BLUETOOTH

ALFA MAKITA II TRACK MAGNETIC 12W

CCT BLUETOOTH — LED integrated

voltage: 48 V	LED 12W 750lm 3000K - 6000K dimm
IP20	
technical specification	installation place: Alfa Track Magnetic
	beam angle: 40°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5512



TILT 90° ROTATION 350°

ALFA MAKITA II TRACK MAGNETIC 24W

CCT BLUETOOTH — LED integrated

voltage: 48 V	LED 24W 1750lm 3000K - 6000K dimm
IP20	
technical specification	installation place: Alfa Track Magnetic
	beam angle: 40°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5513



TILT 90° ROTATION 350°



ALFA SAGA TRACK MAGNETIC 12W
CCT BLUETOOTH

LED integrated

voltage: 48V	LED 12W 600lm CCT
IP20	
technical specification	installation: ALFA Track Magnetic – 52 or 27
	beam angle: 120°

COLOUR / NEW INDEX NO.

- SAND BLACK (BK) AZ4846
- WHITE (WH) AZ4847



ALFA SAGA TRACK MAGNETIC 20W
CCT BLUETOOTH

LED integrated

voltage: 48V	LED 20W 1100lm CCT
IP20	
technical specification	installation: ALFA Track Magnetic – 52 or 27
	beam angle: 120°

COLOUR / NEW INDEX NO.

- SAND BLACK (BK) AZ4848
- WHITE (WH) AZ4849



ALFA SAGA TRACK MAGNETIC 36W
CCT BLUETOOTH

LED integrated

voltage: 48V	LED 36W 1900lm CCT
IP20	
technical specification	installation: ALFA Track Magnetic – 52 or 27
	beam angle: 120°

COLOUR / NEW INDEX NO.

- SAND BLACK (BK) AZ4850
- WHITE (WH) AZ4851



ALFA SAGA II TRACK MAGNETIC CCT BLUETOOTH



ALFA SAGA II TRACK MAGNETIC 12W
CCT BLUETOOTH — LED integrated

voltage: 48 V	LED 12W 380lm 3000K - 6000K dimm
IP20	
technical specification	installation place: Alfa Track Magnetic
	beam angle: 120°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5505



ALFA SAGA II TRACK MAGNETIC 20W
CCT BLUETOOTH — LED integrated

voltage: 48 V	LED 20W 750lm 3000K - 6000K dimm
IP20	
technical specification	installation place: Alfa Track Magnetic
	beam angle: 120°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5506



ALFA SAGA II TRACK MAGNETIC CORNER A 25W
CCT BLUETOOTH — LED integrated

voltage: 48 V	LED 25W 1300lm
IP20	3000K - 6000K dimm
technical specification	installation place: Alfa Track Magnetic
	beam angle: 120°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5514



ALFA SAGA II TRACK MAGNETIC CORNER B 25W
CCT BLUETOOTH — LED integrated

voltage: 48 V	LED 25W 1300lm
IP20	3000K - 6000K dimm
technical specification	installation place: Alfa Track Magnetic
	beam angle: 120°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5515



ALFA KIRA TRACK MAGNETIC CCT BLUETOOTH



ALFA KIRA TRACK MAGNETIC 12W
CCT BLUETOOTH

LED integrated

voltage: 48V	LED 12W 1150lm
IP20	
technical specification	installation: ALFA Track Magnetic – 52 or 27
	beam angle: 50°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4901





ALFA KIRA TRACK MAGNETIC 20W
CCT BLUETOOTH

LED integrated

voltage: 48V	LED 24W 1450lm
IP20	
technical specification	installation: ALFA Track Magnetic – 52 or 27
	beam angle: 50°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4902





ALFA KIRA TRACK MAGNETIC 30W
CCT BLUETOOTH

LED integrated

voltage: 48V	LED 30W 1750lm
IP20	
technical specification	installation: ALFA Track Magnetic – 52 or 27
	beam angle: 50°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4903



ALFA KIRA II TRACK MAGNETIC 6W
CCT BLUETOOTH

LED integrated

voltage: 48 V	LED 6W 640lm 3000K - 6000K dimm LED
IP20	
technical specification	installation place: Alfa Track Magnetic
	beam angle: 50°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5502





ALFA KIRA II TRACK MAGNETIC 12W
CCT BLUETOOTH

LED integrated

voltage: 48 V	LED 12W 1080lm 3000K - 6000K dimm LED
IP20	
technical specification	installation place: Alfa Track Magnetic
	beam angle: 50°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5503





ALFA KIRA II TRACK MAGNETIC 24W
CCT BLUETOOTH

LED integrated

voltage: 48 V	LED 24W 2060lm 3000K - 6000K dimm LED
IP20	
technical specification	installation place: Alfa Track Magnetic
	beam angle: 50°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5504



ALFA KERRY TRACK MAGNETIC CCT BLUETOOTH

ALFA KERRY TRACK MAGNETIC 5W
CCT BLUETOOTH

LED integrated

voltage: 48V	LED 5W 300lm CCT
IP20	
technical specification	installation: ALFA Track Magnetic – 52 or 27
	beam angle: 40°

COLOUR / NEW INDEX NO.

- SAND BLACK (BK) AZ4852
- WHITE (WH) AZ4853



ALFA KERRY TRACK MAGNETIC 15W
CCT BLUETOOTH

LED integrated

voltage: 48V	LED 15W 1220lm CCT
IP20	
technical specification	installation: ALFA Track Magnetic – 52 or 27
	beam angle: 60°

COLOUR / NEW INDEX NO.

- SAND BLACK (BK) AZ4854
- WHITE (WH) AZ4855



BK

ALFA KERRY TRACK MAGNETIC 7W

CCT BLUTETOOTH

LED integrated

voltage: 48 V	LED 7W 335lm 3000K - 6000K dimm
IP20	
technical specification	installation place: Alfa Track Magnetic
	beam angle: 40°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5516



ALFA CYRUS TRACK MAGNETIC CCT BLUETOOTH

ALFA CYRUS TRACK MAGNETIC 6W
CCT BLUETOOTH — LED integrated

voltage: 48 V	LED 6W 620lm 3000K - 6000K dimm
IP20	
technical specification	installation place: Alfa Track Magnetic
	beam angle: 28°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5507





ALFA CYRUS TRACK MAGNETIC 12W
CCT BLUETOOTH — LED integrated

voltage: 48 V	LED 12W 1060lm 3000K - 6000K dimm
IP20	
technical specification	installation place: Alfa Track Magnetic
	beam angle: 28°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5508





ALFA CYRUS TRACK MAGNETIC 18W
CCT BLUETOOTH — LED integrated

voltage: 48 V	LED 18W 1640lm 3000K - 6000K dimm
IP20	
technical specification	installation place: Alfa Track Magnetic
	beam angle: 28°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5509





ALFA CYRUS TRACK MAGNETIC CCT BLUETOOTH

ALFA SARI TRACK MAGNETIC CCT BLUETOOTH



BK

ALFA SARI TRACK MAGNETIC 6W
CCT BLUETOOTH — LED integrated

voltage: 48 V	LED 6W 100lm 3000K - 6000K dimm
IP20	
technical specification	installation place: Alfa Track Magnetic
	beam angle: 35°

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ5510**





BK

ALFA SARI TRACK MAGNETIC 12W
CCT BLUETOOTH — LED integrated

voltage: 48 V	LED 12W 290lm 3000K - 6000K dimm
IP20	
technical specification	installation place: Alfa Track Magnetic
	beam angle: 35°

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ5511**



ALFA SONYA TRACK MAGNETIC CCT BLUETOOTH

BK

ALFA SONYA TRACK MAGNETIC
CCT BLUETOOTH

LED integrated

voltage: 48V

IP20

technical specification

LED 20W 2100lm CCT

LED

installation: ALFA Track Magnetic – 52 or 27

beam angle: 60°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) AZ4844

WHITE (WH) AZ4845





WH

BK

ALFA MAKITA II TRACK MAGNETIC 12W

3000K / 4000K

LED integrated

voltage: 48 V	LED 12W 750lm 3000K
IP20	LED 12W 750lm 4000K
technical specification	installation place: Alfa Track Magnetic
	beam angle: 40°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5491
- 4000K BLACK (BK) AZ5492



ALFA MAKITA II TRACK MAGNETIC 24W

3000K / 4000K

LED integrated

voltage: 48 V	LED 24W 1750lm 3000K
IP20	LED 24W 1750lm 4000K
technical specification	installation place: Alfa Track Magnetic
	beam angle: 40°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5493
- 4000K BLACK (BK) AZ5494





ALFA SAGA TRACK MAGNETIC 12W

3000K/4000K LED integrated

voltage: 48V	LED 12W 550lm 3000K
IP20	LED 12W 600lm 4000K
technical specification	installation: ALFA Track Magnetic – 52 or 27
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4604
- 3000K BLACK (BK) AZ4603
- 4000K WHITE (WH) AZ4606
- 4000K BLACK (BK) AZ4605



ALFA SAGA TRACK MAGNETIC 24W

3000K/4000K LED integrated

voltage: 48V	LED 24W 1100lm 3000K
IP20	LED 24W 1200lm 4000K
techn ical specification	installation: ALFA Track Magnetic – 52 or 27
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4608
- 3000K BLACK (BK) AZ4607
- 4000K WHITE (WH) AZ4610
- 4000K BLACK (BK) AZ4609



ALFA SAGA TRACK MAGNETIC 36W

3000K/4000K LED integrated

voltage: 48V	LED 36W 1800lm 3000K
IP20	
technical specification	installation: ALFA Track Magnetic – 52 or 27
	beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4612
- BLACK (BK) AZ4611



ALFA SAGA II TRACK MAGNETIC



ALFA SAGA II TRACK MAGNETIC 12W

3000K / 4000K — LED integrated

voltage: 48 V	LED 12W 380lm 3000K
IP20	LED 12W 380lm 4000K
technical specification	installation place: Alfa Track Magnetic
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5475
- 4000K BLACK (BK) AZ5476





ALFA SAGA II TRACK MAGNETIC 20W

3000K / 4000K — LED integrated

voltage: 48 V	LED 20W 750lm 3000K
IP20	LED 20W 750lm 4000K
technical specification	installation place: Alfa Track Magnetic
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5477
- 4000K BLACK (BK) AZ5478





ALFA SAGA II TRACK MAGNETIC 30W

3000K / 4000K — LED integrated

voltage: 48 V	LED 30W 910lm 3000K
IP20	LED 30W 910lm 4000K
technical specification	installation place: Alfa Track Magnetic
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5479
- 4000K BLACK (BK) AZ5480



ALFA SAGA TRACK MAGNETIC CORNER A 24W

3000K/4000K — LED integrated

voltage: 48V	LED 24W 1200lm 3000K
IP20	LED 24W 1300lm 4000K
technical specification	installation: ALFA Track Magnetic – 52 or 27
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4614
- 3000K BLACK (BK) AZ4613
- 4000K WHITE (WH) AZ4616
- 4000K BLACK (BK) AZ4615



ALFA SAGA TRACK MAGNETIC CORNER B 24W

3000K/4000K — LED integrated

voltage: 48V	LED 24W 1200lm 3000K
IP20	LED 24W 1300lm 4000K
technical specification	installation: ALFA Track Magnetic – 52 or 27
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4618
- 3000K BLACK (BK) AZ4617
- 4000K WHITE (WH) AZ4620
- 4000K BLACK (BK) AZ4619





ALFA SAGA II TRACK MAGNETIC CORNER

ALFA SAGA II TRACK MAGNETIC CORNER A 25W

3000K / 4000K — LED integrated

voltage: 48 V	LED 25W 1850lm 3000K
IP20	LED 25W 1850lm 4000K
technical specification	installation place: Alfa Track Magnetic
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5496
- 4000K BLACK (BK) AZ5497



ALFA SAGA II TRACK MAGNETIC CORNER B 25W

3000K / 4000K — LED integrated

voltage: 48 V	LED 25W 1850lm 3000K
IP20	LED 25W 1850lm 4000K
technical specification	installation place: Alfa Track Magnetic
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5498
- 4000K BLACK (BK) AZ5499





ALFA KIRA TRACK MAGNETIC 12W

3000K/4000K LED integrated

voltage: 48V	LED 12W 750lm 3000K
IP20	LED 12W 800lm 4000k
technical specification	installation: ALFA Track Magnetic – 52 or 27
	beam angle: 60°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4596
- 3000K BLACK (BK) AZ4595
- 4000K WHITE (WH) AZ4598
- 4000K BLACK (BK) AZ4597





ALFA KIRA TRACK MAGNETIC 24W

3000K/4000K LED integrated

voltage: 48V	LED 24W 1300lm 3000K
IP20	LED 24W 1400lm 4000K
technical specification	installation: ALFA Track Magnetic – 52 or 27
	beam angle: 60°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4600
- 3000K BLACK (BK) AZ4599
- 4000K WHITE (WH) AZ4602
- 4000K BLACK (BK) AZ4601



ALFA KIRA II TRACK MAGNETIC



ALFA KIRA II TRACK MAGNETIC 6W

3000K / 4000K — LED integrated

voltage: 48V		LED 6W 640lm 3000K
IP20		LED 6W 640lm 4000K
technical specification		installation place: Alfa Track Magnetic
		beam angle: 50°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5469
- 4000K BLACK (BK) AZ5470





ALFA KIRA II TRACK MAGNETIC 12W

3000K / 4000K — LED integrated

voltage: 48V		LED 12W 1080lm 3000K
IP20		LED 12W 1080lm 4000K
technical specification		installation place: Alfa Track Magnetic
		beam angle: 50°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5471
- 4000K BLACK (BK) AZ5472





ALFA KIRA II TRACK MAGNETIC 18W

3000K / 4000K — LED integrated

voltage: 48V		LED 18W 2060lm 3000K
IP20		LED 18W 2060lm 4000K
technical specification		installation place: Alfa Track Magnetic
		beam angle: 50°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5473
- 4000K BLACK (BK) AZ5474



ALFA KERRY TRACK MAGNETIC

BK

ALFA KERRY TRACK MAGNETIC 7W

3000K / 4000K

LED integrated

voltage: 48 V	LED 7W 510lm 3000K
IP20	LED 7W 510lm 4000K
technical specification	installation place: Alfa Track Magnetic
	beam angle: 40°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5500
- 4000K BLACK (BK) AZ5501





ALFA SARI TRACK MAGNETIC 6W

3000K / 4000K — LED integrated

voltage: 48 V	LED 6W 250lm 3000K
IP20	LED 6W 250lm 4000K
technical specification	installation place: Alfa Track Magnetic
	beam angle: 100°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5487
- 4000K BLACK (BK) AZ5488





ALFA SARI TRACK MAGNETIC 12W

3000K / 4000K — LED integrated

voltage: 48 V	LED 12W 470lm 3000K
IP20	LED 12W 470lm 4000K
technical specification	installation place: Alfa Track Magnetic
	beam angle: 100°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5489
- 4000K BLACK (BK) AZ5490



ALFA CYRUS TRACK MAGNETIC

ALFA CYRUS TRACK MAGNETIC 6W

3000K / 4000K — LED integrated

voltage: 48 V	LED 6W 620lm 3000K
IP20	LED 6W 620lm 4000K
technical specification	installation place: Alfa Track Magnetic
	beam angle: 28°

COLOUR / NEW INDEX NO.

- 4000K BLACK (BK) AZ5481
- 3000K BLACK (BK) AZ5482



ALFA CYRUS TRACK MAGNETIC 12W

3000K / 4000K — LED integrated

voltage: 48 V	LED 12W 1060lm 3000K
IP20	LED 12W 1060lm 4000K
technical specification	installation place: Alfa Track Magnetic
	beam angle: 28°

COLOUR / NEW INDEX NO.

- 4000K BLACK (BK) AZ5483
- 3000K BLACK (BK) AZ5484



ALFA CYRUS TRACK MAGNETIC 18W

3000K / 4000K — LED integrated

voltage: 48 V	LED 18W 1640lm 3000K
IP20	LED 18W 1640lm 4000K
technical specification	installation place: Alfa Track Magnetic
	beam angle: 28°

COLOUR / NEW INDEX NO.

- 4000K BLACK (BK) AZ5485
- 3000K BLACK (BK) AZ5486



ALFA NIKKI TRACK MAGNETIC

ALFA NIKKI TRACK MAGNETIC 3W 3000K

LED integrated

voltage: 48V	LED 3W 350lm 3000K LED
IP20	
technical specification	installation: ALFA Track Magnetic – 52 or 27
	beam angle: 40°

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) AZ4589
- GOLD / BLACK (GO/BK) AZ4591
- WHITE / BLACK (WH/BK) AZ4590





ALFA NIKKI 2 TRACK MAGNETIC 3W 3000K

LED integrated

voltage: 48V	LED 2x3W 350lm 3000K LED
IP20	
technical specification	installation: ALFA Track Magnetic – 52 or 27
	beam angle: 40°

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) AZ4592
- GOLD / BLACK (GO/BK) AZ4594
- WHITE / BLACK (WH/BK) AZ4593





ALFA NIKO TRACK MAGNETIC 7W

3000K/4000K LED integrated

voltage: 48V	LED 7W 550lm 3000K
IP20	LED 7W 600lm 4000K
technical specification	iinstallation: ALFA Track Magnetic – 52 or 27
	beam angle: 30°

COLOUR / NEW INDEX NO.

- 3000K GOLD / BLACK (GO/BK) . . . AZ4583
- 3000K BLACK / BLACK (BK/BK). . . AZ4579
- 3000K WHITE / BLACK (WH/BK) . . AZ4580
- 4000K BLACK / BLACK (BK/BK). . . AZ4581
- 4000K WHITE / BLACK (WH/BK) . . AZ4582



TILT 90° ROTATION 360°

ALFA NIKO 2 TRACK MAGNETIC 7W

3000K/4000K LED integrated

voltage: 48V	LED 2x7W 550lm 3000K
IP20	LED 2x7W 600lm 4000K
technical specification	installation: ALFA Track Magnetic – 52 or 27
	beam angle: 30°

COLOUR / NEW INDEX NO.

- 3000K GOLD / BLACK (GO/BK) . . . AZ4588
- 3000K BLACK / BLACK (BK/BK). . . AZ4584
- 3000K WHITE / BLACK (WH/BK) . . AZ4585
- 4000K BLACK / BLACK (BK/BK). . . AZ4586
- 4000K WHITE / BLACK (WH/BK) . . AZ4587



TILT 90° ROTATION 360°

ALFA ALDO TRACK MAGNETIC


BK

ALFA ALDO TRACK MAGNETIC 12W

3000K — LED integrated

voltage: 48V	LED 12W 900lm 3000K
IP20	
technical specification	installation: ALFA Track Magnetic – 52 or 27
	beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4626
- BLACK (BK) AZ4625





WH

ALDO TRACK MAGNETIC 12W

3000K/4000K — LED integrated

voltage: 48V	LED 12W 1300lm 3000K
IP20	LED 12W 1300lm 4000K
technical specification	installation: ALFA Track Magnetic – 52 or 27
	beam angle: 60°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4622
- 3000K BLACK (BK) AZ4621
- 4000K WHITE (WH) AZ4624
- 4000K BLACK (BK) AZ4623





ALFA SKYE TRACK MAGNETIC PENDANT 12W

3000K

LED integrated

voltage: 48V	LED 12W 1200lm 3000K
IP20	
technical specification	installation: ALFA Track Magnetic – 52 or 27
	beam angle: 60°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4637
- BLACK (BK) AZ4636





ALFA ELIN TRACK MAGNETIC

GO *

ALFA ELIN TRACK MAGNETIC 7W

3000K/4000K

LED integrated

voltage: 48V	LED 7W 850lm 3000K
IP20	LED 7W 900lm 4000K
technical specification	installation: ALFA Track Magnetic – 52 or 27
	beam angle: 190°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ4630
- 3000K GOLD (GO). AZ4632
- 4000K BLACK (BK) AZ4631



GO

BK

GO *

ALFA ELSA TRACK MAGNETIC 7W

3000K/4000K

LED integrated

voltage: 48V	LED 7W 700lm 3000K
IP20	LED 7W 750lm 4000K
technical specification	installation Track Magnetic – 52 or 27
	beam angle: 190°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ4633
- 3000K GOLD (GO). AZ4635
- 4000K BLACK (BK) AZ4634



GO

BK

ALFA MAYA TRACK MAGNETIC

ALFA MAYA TRACK MAGNETIC 3W 3000K

LED integrated

voltage: 48V	LED 3W 250lm 3000K
IP20	
technical specification	installation: ALFA Track Magnetic – 52 or 27
	beam angle: 190°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4629



ALFA KORI TRACK MAGNETIC 5W 3000K

LED integrated

voltage: 48V	LED 5W 500lm 3000K
IP20	
technical specification	installation ALFA Track Magnetic – 52 or 27
	beam angle: 40°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4627

GOLD (GO) AZ4628





BETA
TRACK MAGNETIC

BETA
track Magnetic



94 ACCESORIES FOR BETA TRACK MAGNETIC
100 BETA MAKITA 230V TRACK MAGNETIC57
101 BETA SAGA 230V TRACK MAGNETIC57
102 BETA KIRA 230V TRACK MAGNETIC57
104 BETA KERRY 230V TRACK MAGNETIC57
105 BETA SANDERS 230V TRACK MAGNETIC57
106 BETA GARY 230V TRACK MAGNETIC57 GU10
107 BETA BACKER 230V TRACK MAGNETIC57 GU10
108 BETA OPTICA 230V TRACK MAGNETIC57
110 REMOTE CONTROL BLUETOOTH
112 BETA MAKITA 230V TRACK MAGNETIC57 CCT BLUETOOTH
114 BETA MAKITA 230V TRACK MAGNETIC57 RGB-CW CCT BLUETOOTH
115 BETA SAGA 230V TRACK MAGNETIC57 RGB-CW BLUETOOTH
116 BETA SAGA 230V TRACK MAGNETIC57 CCT BLUETOOTH
118 BETA KIRA 230V TRACK MAGNETIC57 CCT BLUETOOTH
119 BETA KERRY 230V TRACK MAGNETIC57 CCT BLUETOOTH
120 BETA SANDERS 230V TRACK MAGNETIC57 CCT BLUETOOTH
121 BETA OPTICA 230V TRACK MAGNETIC57 CCT BLUETOOTH

BETA TRACK MAGNETIC57 230V

Components for BETA Track Magnetic



Insert the MECHANICAL CONNECTOR (B) into the TRACK (A).

Tighten the screw between A and B.

Slide and fasten TRACK (C) to the MECHANICAL CONNECTOR (B).

Put STRAIGHT CONNECTOR ELECTRIC (D) between the two connected tracks (A+C).

Example of the connection between track





BETA TRACK MAGNETIC57 230V
(1M, 2M, 3M)

- ■ BETA TRACK MAGNETIC57 230V 1M (BLACK) AZ5139
- □ BETA TRACK MAGNETIC57 230V 1M (WHITE) AZ5140
- ■ BETA TRACK MAGNETIC57 230V 2M (BLACK) AZ5241
- □ BETA TRACK MAGNETIC57 230V 2M (WHITE) AZ5242
- ■ BETA TRACK MAGNETIC57 230V 3M (BLACK) AZ5143
- □ TRACK MAGNETIC57 230V 3M (WHITE) AZ5144

DESIGN PATENTED BY AZZARDO



BETA TRACK MAGNETIC57 230V GIPS1
(1M, 2M, 3M)

- ■ BETA TRACK MAGNETIC57 230V GIPS1 1M (BLACK) AZ5145
- □ BETA TRACK MAGNETIC57 230V GIPS1 1M (WHITE) AZ5146
- ■ BETA TRACK MAGNETIC57 230V GIPS1 2M (BLACK) AZ5147
- □ BETA TRACK MAGNETIC57 230V GIPS1 2M (WHITE) AZ5148
- ■ BETA TRACK MAGNETIC57 230V GIPS1 3M (BLACK) AZ5149
- □ BETA TRACK MAGNETIC57 230V GIPS1 3M (WHITE) AZ5150

DESIGN PATENTED BY AZZARDO

Available options for installation place – surface-mounted, flush-mounted and suspended





BETA TRACK MAGNETIC57 230V GIPS2
(1M, 2M, 3M)

- BETA TRACK MAGNETIC57 230V GIPS2 1M (BLACK) AZ5170
- BETA TRACK MAGNETIC57 230V GIPS2 2M (BLACK) AZ5171
- BETA TRACK MAGNETIC57 230V GIPS2 3M (BLACK) AZ5172

DESIGN PATENTED BY AZZARDO



BETA TRACK MAGNETIC57 230V
ELECTRICAL CONNECTOR

- BETA TRACK MAGNETIC57 230V CONNECTOR (BLACK) AZ5154



BETA TRACK MAGNETIC57 230V
CORNER90 A

- BETA TRACK MAGNETIC57 230V CORNER90 A (BLACK) AZ5158
- BETA TRACK MAGNETIC57 230V CORNER90 A (WHITE) AZ5159



BETA TRACK MAGNETIC57 230V
CORNER90 B

- BETA TRACK MAGNETIC57 230V INNER CORNER90 B (BLACK) AZ5160
- BETA TRACK MAGNETIC57 230V INNER CORNER90 B (WHITE) AZ5161



BETA TRACK MAGNETIC57 230V
CORNER90 B GIPS1

- BETA TRACK MAGNETIC57 230V CORNER90 B GIPS1 (BLACK) AZ5164
- BETA TRACK MAGNETIC57 230V CORNER90 B GIPS1 (WHITE) AZ5165



BETA TRACK MAGNETIC57 230V
CORNER90 A GIPS1

- BETA TRACK MAGNETIC57 230V CORNER90 A GIPS1 (BLACK) AZ5162
- BETA TRACK MAGNETIC57 230V CORNER90 A GIPS1 (WHITE) AZ5163



BETA TRACK MAGNETIC57 230V
CORNER90 B GIPS2

■ **BETA Track Magnetic57 230V Corner90 B Gips2 (black)** **AZ5174**



BETA TRACK MAGNETIC57 230V
CORNER90 A GIPS2

■ BETA TRACK MAGNETIC57 230V CORNER90 A GIPS2 (BLACK) **AZ5173**



BETA TRACK MAGNETIC57 230V
FLEX CONNECTOR ELECTRIC

■ BETA TRACK MAGNETIC57 230V FLEX CONNECTOR ELECTRIC (BLACK) . . . **AZ5153**



BETA TRACK MAGNETIC57 230V
STRAIGHT CONNECTOR ELECTRIC

■ BETA TRACK MAGNETIC57 230V STRAIGHT CONNECTOR ELECTRIC (BLACK) **AZ5152**



BETA TRACK MAGNETIC57 230V
STRAIGHT CONNECTOR MECHANICAL

■ BETA TRACK MAGNETIC57 230V
STRAIGHT CONNECTOR MECHANICAL (BLACK) AZ5151

BETA TRACK MAGNETIC57 230V
SUSPENSION KIT

■ BETA TRACK MAGNETIC57 230V SUSPENSION KIT (BLACK) AZ5155



Ceiling Plate + Wire

■ TRACK CEILING PLATE + WIRE (BLACK) AZ4780
□ TRACK CEILING PLATE + WIRE (WHITE) AZ4782



BETA TRACK MAGNETIC57 230V
END CAP

■ BETA TRACK MAGNETIC57 230V END CAP (BLACK) AZ5166
□ BETA TRACK MAGNETIC57 230V END CAP (WHITE). AZ5167

BETA TRACK MAGNETIC57 230V



BETA TRACK MAGNETIC57 230V
COVER



- BETA TRACK MAGNETIC57 230V COVER (BLACK) AZ5168
- BETA TRACK MAGNETIC57 230V COVER (WHITE) AZ5169



BETA MAKITA 230V TRACK MAGNETIC57

BK

BETA MAKITA 230V TRACK MAGNETIC 10W

3000K/4000K — LED integrated

voltage: 230V	LED 10W 728lm 3000K dimmable
IP20	LED 10W 816lm 4000K dimmable
technical specification	installation: BETA Track Magnetic 230V
	beam angle: 24°

LED

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5199
- 4000K BLACK (BK) AZ5200



TILT 90° ROTATION 360°

BK

BETA MAKITA 230V TRACK MAGNETIC 20W

3000K/4000K — LED integrated

voltage: 230V	LED 20W 1396lm 3000K dimmable
IP20	LED 20W 1557lm 4000K dimmable
technical specification	installation: BETA Track Magnetic 230V
	beam angle: 24°

LED

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5201
- 4000K BLACK (BK) AZ5202



TILT 90° ROTATION 350°



BETA SAGA 230V TRACK MAGNETIC 9W

3000K/4000K LED integrated

voltage: 230V	LED 9W 495lm 3000K dimmable
IP20	LED 9W 524lm 4000K dimmable
technical specification	installation: BETA Track Magnetic 230V
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5190
- 4000K BLACK (BK) AZ5214



BETA SAGA 230V TRACK MAGNETIC 18W

3000K/4000K LED integrated

voltage: 230V	LED 18W 603lm 3000K dimmable
IP20	LED 18W 1097lm 4000K dimmable
technical specification	installation: BETA Track Magnetic 230V
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5191
- 4000K BLACK (BK) AZ5215





BETA SAGA 230V TRACK MAGNETIC 27W

3000K/4000K LED integrated

voltage: 230V	LED 27W 947lm 3000K dimmable
IP20	LED 27W 1215lm 4000K dimmable
technical specification	installation: BETA Track Magnetic 230V
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5192
- 4000K BLACK (BK) AZ5216



BETA KIRA 230V TRACK MAGNETIC57



BETA KIRA 230V TRACK MAGNETIC 9W

3000K/4000K LED integrated

voltage: 230V	LED 9W 685lm 3000K dimmable
IP20	LED 9W 726lm 4000K dimmable
technical specification	installation: BETA Track Magnetic 230V
	beam angle: 24°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5187
- 4000K BLACK (BK) AZ5211





BETA KIRA 230V TRACK MAGNETIC 18W

3000K/4000K LED integrated

voltage: 230V	LED 18W 1300lm 3000K dimmable
IP20	LED 18W 1346lm 4000K dimmable
technical specification	installation: BETA Track Magnetic 230V
	beam angle: 24°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5188
- 4000K BLACK (BK) AZ5212





BETA KIRA 230V TRACK MAGNETIC 27W

3000K/4000K LED integrated

voltage: 230V	LED 27W 1357lm 3000K dimmable
IP20	LED 27W 1416lm 4000K dimmable
technical specification	installation: BETA Track Magnetic 230V
	beam angle: 24°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5189
- 4000K BLACK (BK) AZ5213



BK

BETA KERRY 230V TRACK MAGNETIC 10W

3000K — LED integrated

voltage: 230V	LED 10W 635lm 3000K
IP20	
technical specification	installation: BETA Track Magnetic 230V
	beam angle: 24°

COLOUR / NEW INDEX NO.

3000K BLACK (BK) AZ5203



BK

BETA KERRY 230V TRACK MAGNETIC 10W

4000K — LED integrated

voltage: 230V	LED 10W 654lm 4000K
IP20	
technical specification	installation: BETA Track Magnetic 230V
	beam angle: 24°

COLOUR / NEW INDEX NO.

4000K BLACK (BK) AZ5204





BK

BETA SANDERS 230V TRACK MAGNETIC 9W

3000K/4000K

LED integrated

voltage: 230V	LED 9W 666lm 3000K dimmable
IP20	LED 9W 700lm 4000K dimmable
technical specification	installation: BETA Track Magnetic 230V
	beam angle: 24°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5193
- 4000K BLACK (BK) AZ5194





BETA GARY 230V TRACK MAGNETIC57 GU10

BK

BETA GARY 230V TRACK MAGNETIC GU10

bulb not included

voltage: 230V	GU10 1x MAX 50W
IP20	
	installation: BETA Track Magnetic 230V

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ5207
- WHITE (WH) AZ5208



WH

BK

WH

BK

BK

BETA BECKER 230V TRACK MAGNETIC GU10

bulb not included

voltage: 230V	GU10 1x MAX 40W
IP20	
	installation: BETA Track Magnetic 230V

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ5465
- WHITE (WH) AZ5466





BK

BETA OPTICA 230V TRACK MAGNETIC 7W

3000K/4000K LED integrated

voltage: 230V	LED 7W 336lm 3000K dimmable
IP20	LED 7W 395lm 4000K dimmable
technical specification	installation: BETA Track Magnetic 230V
	beam angle: 15°÷38°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5195
- 4000K BLACK (BK) AZ5196



BK

BETA OPTICA 230V TRACK MAGNETIC 10W

3000K/4000K LED integrated

voltage: 230V	LED 10W 805lm 3000K dimmable
IP20	LED 10W 847lm 4000K dimmable
technical specification	installation: BETA Track Magnetic 230V
	beam angle: 15°÷38°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5198
- 4000K BLACK (BK) AZ5197





BETA OPTICA 230V TRACK MAGNETIC57

Remote Control 4-Group & RGB & Bluetooth

Operating Schematic

AZ5265



*RGB CHANGE ONLY USED FOR RGB LAMPS
THE CCT LAMP CAN'T BE USE THIS BUTTON FUNCTION

Remote Control 3 Group

Operating Schematic

AZ4857



Switch Panel Remote Control 2-Group Bluetooth Bk

Operating Schematic

AZ5209



Switch Panel Remote Control 2-Group Bluetooth

☐ SWITCH PANEL REMOTE CONTROL 2-GROUP BLUETOOTH (WH) **AZ5210**

DOWNLOAD THE APP

AZzardo SMART

GET IT ON Google Play

Download on the App Store

STANDARD



AZ5210 **AZ5209** **AZ5265** **AZ4857**

BK

BETA MAKITA 230V TRACK MAGNETIC 10W
CCT BLUETOOTH — LED integrated

voltage: 230V	LED 10W 1234lm CCT 3000-6000K
IP20	dimmable
technical specification	installation: BETA Track Magnetic 230V
	beam angle: 24°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5184





BK

BETA MAKITA 230V TRACK MAGNETIC 20W
CCT BLUETOOTH — LED integrated

voltage: 230V	LED 20W 2388lm CCT 3000-6000K
IP20	dimmable
technical specification	installation: BETA Track Magnetic 230V
	beam angle: 24°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5185







BETA MAKITA 230V TRACK MAGNETIC57 CCT BLUETOOTH

BETA MAKITA 230V TRACK MAGN.57 RGB-CW CCT BLUETOOTH

BK

BETA MAKITA 230V TRACK MAGNETIC 10W

RGB-CW CCT BLUETOOTH

LED integrated

voltage: 230V	LED 10W 1234lm RGB-CW CCT
IP20	3000K-6000K dimmable
technical specification	installation: BETA Track Magnetic 230V
	beam angle: 24°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5206





BETA SAGA 230V TRACK MAGNETIC57 RGB-CW BLUETOOTH

BETA SAGA 230V TRACK MAGNETIC 18W

RGB-CW BLUETOOTH — LED integrated

voltage: 230V	LED 18W 1503lm 3000K-6000K
IP20	dimmable
technical specification	installation: BETA Track Magnetic 230V
	beam angle: 120°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5205



BETA SAGA 230V TRACK MAGNETIC57 CCT BLUETOOTH



BETA SAGA 230V TRACK MAGNETIC 9W
CCT BLUETOOTH — LED integrated

voltage: 230V	LED 9W 1503lm CCT 3000K-6000K
IP20	dimmable
technical specification	installation: BETA Track Magnetic 230V
	beam angle: 120°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5178





BETA SAGA 230V TRACK MAGNETIC 18W
CCT BLUETOOTH — LED integrated

voltage: 230V	LED 18W 1503lm CCT 3000-6000K
IP20	dimmable
technical specification	installation: BETA Track Magnetic 230V
	beam angle: 120°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5179





BETA SAGA 230V TRACK MAGNETIC 27W
CCT BLUETOOTH — LED integrated

voltage: 230V	LED 27W 2695lm CCT 3000-6000K
IP20	dimmable
technical specification	installation: BETA Track Magnetic 230V
	beam angle: 120°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5180



BETA SAGA 230V TRACK MAGNETIC57 CCT BLUETOOTH



BETA KIRA 230V TRACK MAGNETIC 9W
CCT BLUETOOTH

LED integrated

voltage: 230V	LED 9W 1033lm CCT 3000-6000K
IP20	dimmable
technical specification	installation: BETA Track Magnetic 230V
	beam angle: 24°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5175





BETA KIRA 230V TRACK MAGNETIC 18W
CCT BLUETOOTH

LED integrated

voltage: 230V	LED 18W 1962lm CCT 3000-6000K
IP20	dimmable
technical specification	installation: BETA Track Magnetic 230V
	beam angle: 24°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5176





BETA KIRA 230V TRACK MAGNETIC 27W
CCT BLUETOOTH

LED integrated

voltage: 230V	LED 27W 3420lm CCT 3000-6000K
IP20	dimmable
technical specification	installation: BETA Track Magnetic 230V
	beam angle: 24°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5177



BETA KERRY 230V TRACK MAGNETIC 10W

CCT BLUETOOTH

LED integrated

voltage: 230V	LED 10W 1046lm CCT 3000-6000K
IP20	dimmable
technical specification	installation: BETA Track Magnetic 230V
	beam angle: 24°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5186



BETA SANDERS 230V TRACK MAGNETIC57 CCT BLUETOOTH

BK

BETA SANDERS 230V TRACK MAGNETIC 9W

CCT BLUETOOTH

LED integrated

voltage: 230V	LED 9W 1010lm CCT 3000-6000K
IP20	dimmable
technical specification	installation: BETA Track Magnetic 230V
	beam angle: 24°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5181



BK

BETA OPTICA 230V TRACK MAGNETIC 7W
CCT BLUETOOTH — LED integrated

voltage: 230V	LED 7W 467lm CCT 3000-6000K
IP20	dimmable
technical specification	installation: BETA Track Magnetic 230V
	beam angle: 15°÷38°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5182



BK

BETA OPTICA 230V TRACK MAGNETIC 10W
CCT BLUETOOTH — LED integrated

voltage: 230V	LED 10W 1143lm CCT 3000-6000K
IP20	dimmable
technical specification	installation: BETA Track Magnetic 230V
	beam angle: 15°÷38°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5183



SETS FOR
TRACK MAGNETIC

SETS FOR Track Magnetic

BETA TRACK MAGNETIC57 KIRA SET



BK (1,5 M – AZ5570)

BETA TRACK MAGNETIC57 230V

1,5M / 2M KIRA 3000K BK SET

LED integrated

voltage: 230V	LED 2x 27W 1357lm 3000K
IP20	
technical specification	installation: BETA Track Magnetic

COLOUR / NEW INDEX NO.

- 1,5M 3000K BLACK (BK) **AZ5570**
- 2M 3000K BLACK (BK) **AZ5572**

Set specification:

AZ5570 =
1/2X AZ5143+2X AZ5189+2X AZ5166+1X AZ5154+1X AZ5168

AZ5572 =
1X AZ5141+1X AZ5189+2X AZ5188+2X AZ5166+1X AZ5154+1X AZ5168



BK (2M – AZ5572)

BETA TRACK MAGNETIC57 SAGA SET



BK (2M – AZ5573)



BK (1,5 M – AZ5571)

BETA TRACK MAGNETIC57 230V

1,5M / 2M SAGA 3000K BK SET

LED integrated

voltage: 230V

IP20

technical specification

LED 2x 27W 603lm 3000K

LED

installation: BETA Track Magnetic

COLOUR / NEW INDEX NO.

- 1,5M 3000K BLACK (BK) AZ5571
- 2M 3000K BLACK (BK) AZ5573

Set specification:

AZ5571 =
1/2X AZ5143+2X AZ5192+2X AZ5166+1X AZ5154+1X AZ5168

AZ5573 =
1X AZ5141+1X AZ5192+2X AZ5191+2X AZ5166+1X AZ5154+1X AZ5168



GAMMA
TRACK MAGNETIC

GAMMA
Track magnetic

130 ACCESORIES FOR GAMMA TRACK MAGNETIC
134 GAMMA KIRA TRACK MAGNETIC
135 GAMMA NIKO TRACK MAGNETIC
136 GAMMA SANGRIA MILKY TRACK MAGNETIC
137 GAMMA SANGRIA POINT TRACK MAGNETIC
138 GAMMA SANGRIA UGR TRACK MAGNETIC
139 GAMMA SAGA TRACK MAGNETIC
140 GAMMA DANKA TRACK MAGNETIC
141 GAMMA DANIEL TRACK MAGNETIC
142 REMOTE CONTROL BLUETOOTH
144 GAMMA KIRA TRACK MAGNETIC CCT BLUETOOTH
145 GAMMA NIKO TRACK MAGNETIC CCT BLUETOOTH
146 GAMMA SANGRIA MILKY TRACK MAGNETIC CCT BLUETOOTH
147 GAMMA SANGRIA POINT TRACK MAGNETIC CCT BLUETOOTH
148 GAMMA SANGRIA UGR TRACK MAGNETIC CCT BLUETOOTH
149 GAMMA SAGA TRACK MAGNETIC CCT BLUETOOTH
150 ADAPTERS FOR GAMMA TRACK MAGNETIC



Example of the connection between track



GAMMA TRACK MAGNETIC (1m, 2m)

- GAMMA TRACK MAGNETIC 1M (BLACK) AZ5312
- GAMMA TRACK MAGNETIC 2M (BLACK) AZ5313

DESIGN PATENTED BY AZZARDO



GAMMA TRACK MAGNETIC
DRIVER CONNECTOR

- GAMMA TRACK MAGNETIC DRIVER CONNECTOR (BLACK) AZ5328

TRACK MAGNETIC DRIVER MEANWELL 48V 100W / 200W / 350W
THIS DRIVER IS UNIVERSAL FOR SYSTEMS: ALFA, GAMMA, NEO

- DRIVER MEANWELL (100W) AZ4691
- DRIVER MEANWELL (200W) AZ4692
- DRIVER MEANWELL (350W) AZ4866

SERIES



Example of the connection between track





GAMMA TRACK MAGNETIC DRIVER INSIDE 100W, 200W

- GAMMA TRACK MAGNETIC DRIVER INSIDE 100W (BLACK) AZ5330
- GAMMA TRACK MAGNETIC DRIVER INSIDE 200W (BLACK) AZ5332

GAMMA TRACK MAGNETIC DRIVER ROUNDED INSIDE 100W

- GAMMA TRACK MAGNETIC DRIVER ROUNDED INSIDE 100W (BLACK) AZ5578
- GAMMA TRACK MAGNETIC DRIVER ROUNDED INSIDE 100W (BLACK) AZ5579

Accesories for GAMMA Track Magnetic



GAMMA TRACK MAGNETIC ADAPTER SMALL

GAMMA TRACK MAGNETIC ADAPTER SMALL (BLACK) AZ5310

DESIGN PATENTED BY AZZARDO



GAMMA TRACK MAGNETIC ADAPTER BIG

GAMMA TRACK MAGNETIC ADAPTER BIG (BLACK) AZ5311

DESIGN PATENTED BY AZZARDO



GAMMA TRACK MAGNETIC T CONNECTOR

GAMMA TRACK MAGNETIC T CONNECTOR (BLACK) AZ5316

DESIGN PATENTED BY AZZARDO



GAMMA TRACK MAGNETIC X CONNECTOR

GAMMA TRACK MAGNETIC X CONNECTOR (BLACK) AZ5318

DESIGN PATENTED BY AZZARDO



GAMMA TRACK MAGNETIC STRAIGHT CONNECTOR

■ GAMMA TRACK MAGNETIC STRAIGHT CONNECTOR (BLACK) AZ5320

DESIGN PATENTED BY AZZARDO



GAMMA TRACK MAGNETIC INNER CORNER90

■ GAMMA TRACK MAGNETIC INNER CORNER90 (BLACK) AZ5322

DESIGN PATENTED BY AZZARDO



GAMMA TRACK MAGNETIC L CONNECTOR

■ GAMMA TRACK MAGNETIC L CONNECTOR (BLACK) AZ5324

DESIGN PATENTED BY AZZARDO

GAMMA TRACK MAGNETIC ROUND CORNER90

■ GAMMA TRACK MAGNETIC ROUND CORNER90 (BLACK) AZ5326

DESIGN PATENTED BY AZZARDO

GAMMA KIRA TRACK MAGNETIC 12W

3000K/4000K LED integrated

voltage: 48 V		LED 18W 1080 lm 3000K
IP20		LED 18W 1140 lm 4000K
technical specification		installation: GAMMA Track Magnetic
		beam angle: 24°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5290
- 4000K BLACK (BK) AZ5291





GAMMA KIRA TRACK MAGNETIC 24W

3000K/4000K LED integrated

voltage: 48 V		LED 24W 1440 lm 3000K
IP20		LED 24W 1500 lm 4000K
technical specification		installation: GAMMA Track Magnetic
		beam angle: 24°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5296
- 4000K BLACK (BK) AZ5297



GAMMA KIRA TRACK MAGNETIC 18W

3000K/4000K LED integrated

voltage: 48 V		LED 18W 1080 lm 3000K
IP20		LED 18W 1140 lm 4000K
technical specification		installation: GAMMA Track Magnetic
		beam angle: 24°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5293
- 4000K BLACK (BK) AZ5294



GAMMA NIKO TRACK MAGNETIC 7W

3000K/4000K LED integrated

voltage: 48 V	LED 7W 420 lm 3000K
IP20	LED 7W 480 lm 4000K
technical specification	installation: GAMMA Track Magnetic
	beam angle: 24°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5284
- 4000K BLACK (BK) AZ5285





GAMMA NIKO TRACK MAGNETIC 12W

3000K/4000K LED integrated

voltage: 48 V	LED 12W 720 lm 3000K
IP20	LED 12W 780 lm 4000K
technical specification	installation: GAMMA Track Magnetic
	beam angle: 24°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5287
- 4000K BLACK (BK) AZ5288





GAMMA SANGRIA MILKY TRACK MAGNETIC

BK

GAMMA SANGRIA MILKY TRACK MAGN. 6W 3000K/4000K

LED integrated

voltage: 48 V	LED 6W 360lm 3000K
IP20	LED 6W 420lm 4000K
technical specification	installation: GAMMA Track Magnetic
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5266
- 4000K BLACK (BK) AZ5267



BK

GAMMA SANGRIA MILKY TRACK MAGN. 12W 3000K/4000K

LED integrated

voltage: 48 V	LED 12W 720lm 3000K
IP20	LED 12W 720lm 4000K
technical specification	installation: GAMMA Track Magnetic
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5269
- 4000K BLACK (BK) AZ5270



BK

GAMMA SANGRIA POINT TRACK MAGN. 6W

3000K/4000K LED integrated

voltage: 48 V	LED 6W 360lm 3000K
IP20	LED 6W 420lm 4000K
technical specification	installation: GAMMA Track Magnetic
	beam angle: 24°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5272
- 4000K BLACK (BK) AZ5273



BK

GAMMA SANGRIA POINT TRACK MAGN. 12W 3000K/4000K

LED integrated

voltage: 48 V	LED 12W 1345lm 3000K
IP20	LED 12W 1345lm 4000K
technical specification	installation: GAMMA Track Magnetic
	beam angle: 24°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5275
- 4000K BLACK (BK) AZ5276



GAMMA SANGRIA UGR TRACK MAGNETIC

BK

GAMMA SANGRIA UGR TRACK MAGN.

6W 3000K/4000K LED integrated

voltage: 48 V	LED 6W 360lm 3000K
IP20	LED 6W 420lm 4000K
technical specification	installation: GAMMA Track Magnetic
	beam angle: 60°

LED

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5278**
- 4000K BLACK (BK) **AZ5279**



BK

GAMMA SANGRIA UGR TRACK MAGN.

12W 3000K/4000K LED integrated

voltage: 48 V	LED 12W 215lm 3000K
IP20	LED 12W 215lm 4000K
technical specification	installation: GAMMA Track Magnetic
	beam angle: 60°

LED

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5281**
- 4000K BLACK (BK) **AZ5282**





GAMMA SAGA TRACK MAGNETIC 10W

3000K/4000K LED integrated

voltage: 48V	LED 10W 600lm 3000K
IP20	LED 10W 660lm 4000K
technical specification	installation: GAMMA Track Magnetic
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5298
- 4000K BLACK (BK) AZ5299





GAMMA SAGA TRACK MAGNETIC 20W

3000K/4000K LED integrated

voltage: 48V	LED 20W 1200lm 3000K
IP20	LED 20W 1260lm 4000K
technical specification	installation: GAMMA Track Magnetic
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5301
- 4000K BLACK (BK) AZ5302





GAMMA SAGA TRACK MAGNETIC 30W

3000K/4000K LED integrated

voltage: 48V	LED 30W 1800lm 3000K
IP20	LED 30W 1860lm 4000K
technical specification	installation: GAMMA Track Magnetic
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5304
- 4000K BLACK (BK) AZ5305



GAMMA DANKA TRACK MAGNETIC

GAMMA DANKA TRACK MAGNETIC 8W

3000K/4000K

LED integrated

voltage: 48V	LED 8W 630lm 3000K
IP20	LED 8W 660lm 4000K
technical specification	installation: GAMMA Track Magnetic
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5306
- 4000K BLACK (BK) AZ5307

GAMMA DANIEL TRACK MAGNETIC 8W

3000K/4000K

LED integrated

voltage: 48V	LED 8W 440lm 3000K
IP20	LED 8W 460lm 4000K
technical specification	installation: GAMMA Track Magnetic
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ5308
- 4000K BLACK (BK) AZ5309



Remote Control 4-Group & RGB & Bluetooth

Operating Schematic

AZ5265



*RGB CHANGE ONLY USED FOR RGB LAMPS
THE CCT LAMP CAN'T BE USE THIS BUTTON FUNCTION

Remote Control 3 Group

Operating Schematic

AZ4857



Switch Panel Remote Control 2-Group Bluetooth Bk

Operating Schematic

AZ5209



Switch Panel Remote Control 2-Group Bluetooth

☐ SWITCH PANEL REMOTE CONTROL 2-GROUP BLUETOOTH (WH) **AZ5210**

DOWNLOAD THE APP

AZzardo® SMART

GET IT ON Google Play

Download on the App Store

STANDARD





AZ5210 **AZ5209** **AZ5265** **AZ4857**

GAMMA KIRA TRACK MAGNETIC CCT BLUETOOTH

GAMMA KIRA TRACK MAGNETIC 12W

CCT BLUETOOTH — LED integrated

voltage: 48V	LED 12W 880 lm CCT 2700-6000K
IP20	dimmable
technical specification	installation: GAMMA Track Magnetic
	beam angle: 24°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5292



GAMMA KIRA TRACK MAGNETIC 18W

CCT BLUETOOTH — LED integrated

voltage: 48V	LED 12W 840 lm CCT 2700-6000K
IP20	dimmable
technical specification	installation: GAMMA Track Magnetic
	beam angle: 24°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5295



GAMMA NIKO TRACK MAGNETIC CCT BLUETOOTH

GAMMA NIKO TRACK MAGNETIC 7W
CCT BLUETOOTH — LED integrated

voltage: 48 V	LED 7W 480 lm CCT 2700-6000K
IP20	dimmable
technical specification	installation: GAMMA Track Magnetic
	beam angle: 24°

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ5286**



TILT 90° ROTATION 350°

GAMMA NIKO TRACK MAGNETIC 12W
CCT BLUETOOTH — LED integrated

voltage: 48 V	LED 12W 780lm CCT 2700-6000K
IP20	dimmable
technical specification	installation: GAMMA Track Magnetic
	beam angle: 24°

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ5289**



TILT 90° ROTATION 350°

BK

GAMMA SANGRIA MILKY TRACK MAGN. 6W CCT BLUETOOTH

LED integrated

voltage: 48 V	LED 6W 370 lm CCT 2700-6000K
IP20	dimmable
technical specification	installation: GAMMA Track Magnetic
	beam angle: 100°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5268



BK

GAMMA SANGRIA MILKY TRACK MAGN. 12W CCT BLUETOOTH

LED integrated

voltage: 48 V	LED 12W 720lm CCT 2700-6000K
IP20	dimmable
technical specification	installation: GAMMA Track Magnetic
	beam angle: 100°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5271



GAMMA SANGRIA POINT TRACK MAGN. 6W CCT BLUETOOTH

LED integrated

voltage: 48 V	LED 6W 555 lm CCT 2700-6000K dimmable
IP20	installation: GAMMA Track Magnetic
technical specification	beam angle: 37°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5274



GAMMA SANGRIA POINT TRACK MAGN. 12W CCT BLUETOOTH

LED integrated

voltage: 48 V	LED 12W 1345lm CCT 2700-6000K dimmable
IP20	installation: GAMMA Track Magnetic
technical specification	beam angle: 37°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5277



GAMMA SANGRIA UGR TRACK MAGNETIC CCT BLUETOOTH

GAMMA SANGRIA UGR TRACK MAGN. 6W

CCT BLUETOOTH — LED integrated

voltage: 48 V	LED 6W 75 lm CCT 2700-6000K dimmable
IP20	installation: GAMMA Track Magnetic
technical specification	beam angle: 60°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5280



GAMMA SANGRIA UGR TRACK MAGN. 12W

CCT BLUETOOTH — LED integrated

voltage: 48 V	LED 12W 215 lm CCT 2700-6000K dimmable
IP20	installation: GAMMA Track Magnetic
technical specification	beam angle: 60°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5283





GAMMA SAGA TRACK MAGNETIC 10W
CCT BLUETOOTH

LED integrated

voltage: 48 V	LED 10W 1060lm CCT 2700-6000K dimmable
IP20	installation: GAMMA Track Magnetic
technical specification	beam angle: 120°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5300





GAMMA SAGA TRACK MAGNETIC 20W
CCT BLUETOOTH

LED integrated

voltage: 48 V	LED 20W 1860lm CCT 2700-6000K dimmable
IP20	installation: GAMMA Track Magnetic
technical specification	beam angle: 120°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5303



GAMMA SANGRIA UGR TRACK MAGNETIC CCT BLUETOOTH



ONLY LAMP

ADAPTER SMALL + LAMP


ONLY LAMP

ADAPTER SMALL + LAMP


ONLY LAMP

ADAPTER SMALL + LAMP



ONLY LAMP

ADAPTER BIG + LAMP

ONLY LAMP

ADAPTER BIG + LAMP

ONLY LAMP

ADAPTER BIG + LAMP



NEO TRACK MAGNETIC

NEO
track Magnetic



154 COMPONENTS FOR NEO TRACK MAGNETIC
158 REMOTE CONTROL BLUETOOTH
160 NEO SERIE 100 TRACK MAGNETIC CCT BLUETOOTH
162 NEO SERIE 120 TRACK MAGNETIC CCT BLUETOOTH
164 NEO SERIE 140 TRACK MAGNETIC CCT BLUETOOTH
166 NEO SERIE 160 TRACK MAGNETIC CCT BLUETOOTH
167 NEO SERIE 180 TRACK MAGNETIC CCT BLUETOOTH
168 NEO SERIE 200 TRACK MAGNETIC CCT BLUETOOTH
169 NEO SERIE 220 TRACK MAGNETIC CCT BLUETOOTH

NEO TRACK MAGNETIC

Components for NEO Track Magnetic



NEO TRACK MAGNETIC
(30, 60, 120, 200)

- TRACK MAGNETIC NEO 0,3M (BLACK) AZ5129
- TRACK MAGNETIC NEO 0,6M (BLACK) AZ5130
- TRACK MAGNETIC NEO 1,2M (BLACK) AZ5131
- TRACK MAGNETIC NEO 2,0M (BLACK) AZ5132

NEO TRACK MAGNETIC DRIVER 100W / 200W

- TRACK MAGNETIC NEO DRIVER 100W (BLACK). AZ5137
- TRACK MAGNETIC NEO DRIVER 200W (BLACK). AZ5138

Available options for installation place (surface and pendant mounted)

SERIES





TRACK MAGNETIC DRIVER MEANWELL 48V 100W / 200W / 350W

THIS DRIVER IS UNIVERSAL FOR SYSTEMS: ALFA, GAMMA, NEO

DRIVER MEANWELL (100W) AZ4691
DRIVER MEANWELL (200W) AZ4692
DRIVER MEANWELL (350W) AZ4866





NEO TRACK MAGNETIC CONNECTOR FOR DRIVER

■ TRACK MAGNETIC NEO CONNECTOR FOR DRIVER (BLACK) AZ5134

Accesories for NEO Track Magnetic



NEO TRACK MAGNETIC CON 1

TRACK MAGNETIC NEO CON 1 (BLACK) AZ5136



NEO TRACK MAGNETIC CON 2

NEO TRACK MAGNETIC CON 2 (BLACK) AZ5133



NEO TRACK MAGNETIC COVER USB-C 3X

TRACK MAGNETIC COVER USB-C 3X (BLACK) AZ5464

NEO TRACK MAGNETIC MICRO COVER 3X

TRACK MAGNETIC NEO MICRO COVER 3X (BLACK). AZ5456

NEO TRACK MAGNETIC MULTICON X

■ TRACK MAGNETIC NEO MULTICON X (BLACK) AZ5135







Remote Control 4-Group & RGB & Bluetooth

Operating Schematic

AZ5265



*RGB CHANGE ONLY USED FOR RGB LAMPS
THE CCT LAMP CAN'T BE USE THIS BUTTON FUNCTION

Remote Control 3 Group

Operating Schematic

AZ4857



Switch Panel Remote Control 2-Group Bluetooth Bk

Operating Schematic

AZ5209



Switch Panel Remote Control 2-Group Bluetooth

☐ SWITCH PANEL REMOTE CONTROL 2-GROUP BLUETOOTH (WH) **AZ5210**

DOWNLOAD THE APP

AZzardo SMART

GET IT ON Google Play

Download on the App Store

STANDARD



NEO SERIE 100 TRACK MAGNETIC CCT BLUETOOTH



BK

NEO SERIE 100 6W CCT BLUETOOTH

LED integrated

voltage: 48V	LED 6W 384lm CCT 3000K – 6400K
IP20	>90 CRI dimmable
technical specification	installation: NEO Track Magnetic
	beam angle: 120°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5118



BK

NEO SERIE 100 12W CCT BLUETOOTH

LED integrated

voltage: 48V	LED 12W 768lm CCT 3000K – 6400K
IP20	>90 CRI dimmable
technical specification	installation: NEO Track Magnetic
	beam angle: 120°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5119





BK

NEO SERIE 100 21W CCT BLUETOOTH

LED integrated

voltage: 48V	LED 21W 1344lm CCT 3000K – 6400K
IP20	>90 CRI dimmable
technical specification	installation: NEO Track Magnetic
	beam angle: 120°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5120



NEO SERIE 100 TRACK MAGNETIC CCT BLUETOOTH

NEO SERIE 120 TRACK MAGNETIC CCT BLUETOOTH

NEO SERIE 120 TRACK MAGNETIC CCT BLUETOOTH

BK

NEO SERIE 120 8W CCT BLUETOOTH

LED integrated

voltage: 48V	LED 8W 326lm CCT 3000K – 6970K
IP20	>90 CRI dimmable
technical specification	installation: NEO Track Magnetic
	beam angle: 33°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5121



NEO SERIE 140 TRACK MAGNETIC CCT BLUETOOTH

BK

NEO SERIE 140 9W CCT BLUETOOTH

LED integrated

voltage: 48V	LED 9W 367lm CCT 3000K – 6700K
IP20	>90 CRI dimmable
technical specification	installation: NEO Track Magnetic
	beam angle: 36°

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ5126**



BK

NEO SERIE 140 18W CCT BLUETOOTH

LED integrated

voltage: 48V	LED 18W 1313lm CCT 3000K - 6700K
IP20	>90 CRI dimmable
technical specification	installation: NEO Track Magnetic
	beam angle: 37°

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ5123**





BK

NEO SERIE 140 12W CCT BLUETOOTH

LED integrated

voltage: 48V	LED 12W 717lm CCT 3000K – 6700K
IP20	>90 CRI dimmable
technical specification	installation: NEO Track Magnetic
	beam angle: 35°

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ5122**



NEO SERIE 140 TRACK MAGNETIC CCT BLUETOOTH

NEO SERIE 160 TRACK MAGNETIC CCT BLUETOOTH

BK

NEO SERIE 160 12W CCT BLUETOOTH

LED integrated

voltage: 48V	LED 12W 850lm CCT 3000K - 6880K
IP20	>90 CRI dimmable
technical specification	installation: NEO Track Magnetic
	beam angle: 36°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5124



NEO SERIE 180 TRACK MAGNETIC CCT BLUETOOTH

NEO SERIE 180 6W CCT BLUETOOTH

LED integrated

voltage: 48V	LED 6W 397lm CCT 3000K - 5600K
IP20	>90 CRI dimmable
technical specification	installation: NEO Track Magnetic
	beam angle: 147°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5125



NEO SERIE 200 TRACK MAGNETIC CCT BLUETOOTH

BK

NEO SERIE 200 12W CCT BLUETOOTH

LED integrated

voltage: 48V	LED 12W 850lm CCT 3000K - 6600K
IP20	>90 CRI dimmable
technical specification	installation: NEO Track Magnetic
	beam angle: 41°

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ5127**





NEO SERIE 220 TRACK MAGNETIC CCT BLUETOOTH

BK

NEO SERIE 220 9W CCT BLUETOOTH

LED integrated

voltage: 48V	LED 9W 310lm CCT 3000K - 6400K
IP20	>90 CRI dimmable
technical specification	installation: NEO Track Magnetic
	beam angle: 106°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5128



AZzardo®

TECHNOLINE

www.azzardolighting.com

EXPOSED
DOWNLIGHTS

EXPOSED downlights

243 ALEX
242 ALIX
245 ALIX 230V
174 ARO IP54
205 BILL
194 BORIS
204 BOSTON
184 BRANT
185 BRANT IP44
186 BRANT SQUARE
187 BRANT SQUARE IP44
178 BROSS
180 BROSS ARM
278 COLLODI 48 CCT
282 CORTONA
182 COSTA
183 COSTA ARM
195 DARIO
224 DIADO
247 ECO ALEX 230V
246 ECO ALIX
244 ECO ALIX NEW 230V
175 EIGER IP54
188 ELOY
216 EREBUS ANGLE
216 EREBUS BASE
216 EREBUS PENDANT
216 EREBUS TUBE
218 EXO
274 FALCO 12
220 FLAVIO
222 GALENA
288 GALILEO 1 PENDANT
190 HUGO
190 HUGO R
248 JERRY 12V
249 JERRY 230V
276 JUNONA
207 LENS
209 LENS 2 SQUARE
208 LENS SQUARE
223 LEON
290 LINNEA PENDANT CCT SWITH
214 LINO
210 MAKALU
258 MALTA R
201 MANE 10W
202 MANE 20W / 30W
252 MATEO
250 MAX 12V / MAX 230V
176 MINI BROSS
177 MINI ELOY
196 MINI ROUND
197 MINI SQUARE
253 MOMO
228 MONA 12W
229 MONA 18W
264 MONZA II R TOP
268 MONZA II S
270 MONZA R CCT
263 MONZA R PENDANT
262 MONZA R TOP
266 MONZA S
272 MONZA S CCT
200 NANO
198 NEOS
236 NIKEA
199 NINO
232 OJOS
238 PAOLA 230V
275 PIENZA DIMM
280 QUADRO 50 CCT LED
235 RAFFAEL
192 REMO
192 REMO R
206 ROTONDO
212 SANTOS
226 SANTOS EXPOSED
213 SANTOS SQUARE
225 SCORPIO
227 SIENA
230 SKYE
231 SKYE PENDANT
281 SONA CCT
286 SOVANA PENDANT CCT
284 SOVANA TOP CCT
234 TORONTO
215 VASKO
221 VISION



ARO IP54

new



GO

ARO IP54

bulb not included

voltage: 230V	GU10 x 1xMAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- GOLD (GO) AZ5240
- CHROME (CH) AZ1360
- WHITE (WH) AZ2559
- BLACK (BK) AZ2558



new

GO CH BK WH

new

GO

EIGER IP54

bulb not included

voltage: 230V	GU10 x 1xMAX 50W
IP54	
	instalation place

COLOUR / NEW INDEX NO.

- GOLD (GO) AZ5239
- BLACK (BK) AZ4260
- BLACK / GOLD (BK/GO) AZ4261
- WHITE (WH) AZ4259



RECOMMENDED FOR DROPPED CEILING

new

GO | BK

BK / GO | WH

MINI BROSS

MINI BROSS

bulb not included

voltage: 230V	LED connect GU10 1x Max.50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ1756
- BLACK (BK) AZ1710
- WHITE (WH) AZ1711
- CHROME (CH) AZ1757



WH

MINI ELOY

bulb not included

voltage: 230V	LED connect GU10 1x Max. 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ1754
- BLACK (BK) AZ1712
- WHITE (WH) AZ1713
- CHROME (CH) AZ1755





ALU

BK

WH

CH

BROSS

BK / GO

BROSS 1

bulb not included

voltage: 230V	LED connect GU10 1x Max.50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0780
- BLACK / ALUMINIUM (BK/ALU) . . . AZ0779
- WHITE (WH) AZ0858
- WHITE / ALUMINIUM (WH / ALU) . . AZ0781
- CHROME (CH) AZ0857
- WHITE / BLACK (WH/BK) AZ1436
- BLACK / BLACK (BK/BK) AZ2135
- BLACK / GOLD (BK/GO) AZ2955



TILT 45° ROTATION 350°

BK / ALU

BROSS 2

bulb not included

voltage: 230V	LED connect GU10 2x Max.50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0783
- BLACK / ALUMINIUM (BK/ALU) . . . AZ0782
- WHITE (WH) AZ0859
- WHITE / ALUMINIUM (WH / ALU) . . AZ0784
- CHROME (CH) AZ0941
- WHITE / BLACK (WH/BK) AZ1753
- BLACK / BLACK (BK/BK) AZ2136
- BRIGHT GREY (BGR) AZ1787
- BLACK / GOLD (BK/GO) AZ2956



TILT 45° ROTATION 350°

BK / GO | BK / ALU | CH

BK / BK | WH | WH / BK

ALU | WH / ALU | BGR

BROSS ARM

bulb not included

voltage: 230V	LED GU10 1xMax 35W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ3498**
- ■ BLACK (BK) **AZ3499**



AZZARDO PATENT EU

TILT 90° ROTATION 360°

BROSS ARM 2

bulb not included

voltage: 230V	LED GU10 2xMax 35W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ3502**
- ■ BLACK (BK) **AZ3503**



AZZARDO PATENT EU

TILT 90° ROTATION 360°

BROSS ARM

WH

BK

WH

BK

COSTA

COSTA 3000K / 4000K

LED integrated

voltage: 230V		LED 12W 1000lm 3000K
IP20		LED 12W 1100lm 4000K
technical specification		installation place
		beam angle: 24°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ2856
- 3000K BLACK (BK) AZ2857
- 4000K WHITE (WH) AZ4554
- 4000K BLACK (BK) AZ4553





COSTA SPOT

LED integrated

voltage: 230V		LED 12W 1020lm 3000K
IP20		
technical specification		installation place / inlet opening ø 8,9cm
		beam angle: 24°

COLOUR / NEW INDEX NO.

- WHITE/WHITE (WH/WH) AZ2705
- BLACK/BLACK (BK/BK) AZ2706





BK / BK

COSTA ARM

LED integrated

voltage: 230V		LED 12W 1020lm 3000K
IP20		
technical specification		installation place
		beam angle: 24°

COLOUR / NEW INDEX NO.

- WHITE/WHITE (WH/WH) AZ2703
- BLACK/BLACK (BK/BK) AZ2702



TILT 90° ROTATION 350°

WH / WH

BK / BK

WARRANTY 5 YEARS INTEGRATED LED

BRANT

BRANT

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ2819
- WHITE (WH) AZ2818
- BLACK / CHROME (BK / CH) AZ2929



TILT 20°

BRANT 2

bulb not included

voltage: 230V	connect GU10 2x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ2821
- WHITE (WH) AZ2820
- BLACK / CHROME (BK / CH) AZ2930



TILT 20°

CH

BRANT IP44

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP44	
	installation place

COLOUR / NEW INDEX NO.

CHROME (CH). AZ2691

WHITE (WH). AZ2690



CH-

BRANT 2 IP44

bulb not included

voltage: 230V	connect GU10 2x Max 50W
IP44	
	installation place

COLOUR / NEW INDEX NO.

CHROME (CH). AZ2817

WHITE (WH). AZ2816



BRANT SQUARE

BK

BRANT SQUARE

	bulb not included
voltage: 230V	LED connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2824
- BLACK (BK) AZ2825



TILT 20°

WH

BRANT 2 SQUARE

	bulb not included
voltage: 230V	LED connect GU10 2x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2826
- BLACK (BK) AZ2827



TILT 20°

BK

BRANT SQUARE IP44

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W
IP44	
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2822
- BLACK (BK) AZ2878



WH

BRANT 2 SQUARE IP44

bulb not included

voltage: 230V	LED connect GU10 2x Max 50W
IP44	
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2823
- BLACK (BK) AZ2879



ELOY

BK / BK


BK / ALU

WH / BK

ALU

CH

WH / ALU

WH

BK / ALU

ELOY

bulb not included

voltage: 230V	LED connect GU10 1x Max.50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0991
- BLACK / ALUMINIUM (BK / ALU). . . AZ0930
- WHITE (WH). AZ0929
- WHITE / ALUMINIUM (WH / ALU) . . AZ0872
- CHROME (CH). AZ0873
- BLACK / BLACK (BK / BK). AZ2137
- WHITE / BLACK (WH / BK) AZ1439



TILT 45° ROTATION 350°

BK / BK

BK / ALU

ALU

WH / ALU


WH

BK / ALU

ELOY 2

bulb not included

voltage: 230V	LED connect GU10 2x Max.50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ1352
- BLACK / ALUMINIUM (BK / ALU). . . AZ1355
- WHITE (WH). AZ1353
- WHITE / ALUMINIUM (WH / ALU) . . AZ1354
- BLACK / BLACK (BK / BK). AZ2138



TILT 45° ROTATION 350°

BK + HUGO R **ALU**

HUGO

bulb not included

voltage: 230V	LED connect GU10 1x Max.50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0828**
- BLACK (BK) **AZ0826**
- WHITE (WH) **AZ0827**





HUGO R

bulb not included

voltage: 230V	LED connect GU10 1x Max.50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0829**
- BLACK (BK) **AZ0832**
- WHITE (WH) **AZ0830**
- GOLD (GO) **AZ0831**
- CHAMPAGNE (CHA) **AZ0833**
- CHROME (CH) **AZ0856**





BK + HUGO R **CH** | **WH** + HUGO R **CH** | **ALU** + HUGO R **CH**

BK + HUGO R **ALU** | **WH** + HUGO R **ALU** | **ALU** + HUGO R **ALU**

BK + HUGO R **WH** | **WH** + HUGO R **WH** | **ALU** + HUGO R **WH**

BK + HUGO R **BK** | **WH** + HUGO R **BK** | **ALU** + HUGO R **BK**

BK + HUGO R **GO** | **WH** + HUGO R **GO** | **ALU** + HUGO R **GO**

BK + HUGO R **CHA** | **WH** + HUGO R **CHA** | **ALU** + HUGO R **CHA**

ALU + REMO R **ALU**

REMO

bulb not included

voltage: 230V	LED connect GU10 1x Max. 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0820**
- BLACK (BK) **AZ0818**
- WHITE (WH) **AZ0819**



REMO R

bulb not included

voltage: 230V	LED connect GU10 1x Max. 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0821**
- BLACK (BK) **AZ0823**
- WHITE (WH) **AZ0822**
- GOLD (GO) **AZ0824**
- CHAMPAGNE (CHA) **AZ0825**
- CHROME (CH) **AZ0855**



BK + REMO R **CH** | **WH** + REMO R **CH** | **ALU** + REMO R **CH**

BK + REMO R **ALU** | **WH** + REMO R **ALU** | **ALU** + REMO R **ALU**

BK + REMO R **WH** | **WH** + REMO R **WH** | **ALU** + REMO R **WH**

BK + REMO R **BK** | **WH** + REMO R **BK** | **ALU** + REMO R **BK**

BK + REMO R **GO** | **WH** + REMO R **GO** | **ALU** + REMO R **GO**

BK + REMO R **CHA** | **WH** + REMO R **CHA** | **ALU** + REMO R **CHA**

BORIS

WH

ALU



BK

WH

BORIS

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ1053
- WHITE (WH) AZ1054
- BLACK (BK) AZ1110



ALU

DARIO

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ1055
- WHITE (WH) AZ1056
- BLACK (BK) AZ1111



ALU

BK

WH

MINI ROUND

MINI ROUND

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ1706
- BLACK (BK) AZ1781
- CHROME (CH) AZ1707



WH

MINI SQUARE

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

WHITE (WH) AZ1381

BLACK (BK) AZ1382



WH

BK

NEOS 1

bulb not included

voltage: 230V	LED connect GU10 1x Max.50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK / CHROME (BK / CH) **AZ0708**
- BLACK / ALUMINIUM (BK / ALU). . . **AZ0607**
- WHITE / CHROME (WH / CH) **AZ0707**
- WHITE / ALUMINIUM (WH / ALU) . . **AZ0606**



NEOS 3

bulb not included

voltage: 230V	LED connect GU10 3x Max.50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK / CHROME (BK / CH) **AZ0742**



NINO 1

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK / CHROME (BK / CH) **AZ0736**
- BLACK / ALUMINIUM (BK / ALU). . . **AZ1383**
- WHITE / CHROME (WH / CH) **AZ0735**
- WHITE / ALUMINIUM (WH / ALU) . . **AZ0598**



NINO 2

bulb not included

voltage: 230V	connect GU10 2x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK / ALUMINIUM (BK / ALU). . . **AZ1385**
- WHITE / CHROME (WH / CH) **AZ0737**
- WHITE / ALUMINIUM (WH / ALU) . . **AZ1386**



BK

NANO SQUARE

LED integrated

voltage: 230V	LED 5W 420lm 3000K
IP20	
technical specification	installation place
	beam angle: 26°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2786
- BLACK (BK) AZ2787



WH

NANO ROUND

LED integrated

voltage: 230V	LED 5W 420lm 3000K
IP20	
technical specification	installation place
	beam angle: 26°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2784
- BLACK (BK) AZ2785



MANE 10W 3000K

LED integrated

voltage: 230V	LED 10W 800lm 3000K
IP20	
technical specification	installation place
	beam angle: 23°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ2844
- WHITE (WH) AZ2845
- GOLD (GO) AZ2846



MANE 10W 4000K

LED integrated

voltage: 230V	LED 10W 830lm 4000K
IP20	
technical specification	installation place
	beam angle: 23°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4322
- WHITE (WH) AZ4324
- GOLD (GO) AZ4323



MANE 20W

LED integrated

voltage: 230V	LED 20W 1600lm 3000K
IP20	
technical specification	installation place
	beam angle: 23°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4153
- WHITE (WH) AZ4152
- GOLD (GO) AZ4154



MANE 20W DIMM

LED integrated

voltage: 230V	LED 20W DIMM 1600lm 3000K
IP20	
technical specification	installation place
	beam angle: 23°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4325
- WHITE (WH) AZ4327
- GOLD (GO) AZ4326



MANE 30W

LED integrated

voltage: 230V	LED 30W 2400lm 3000K LED
IP20	
technical specification	installation place
	beam angle: 23°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4156
- WHITE (WH) AZ4155
- GOLD (GO) AZ4157



MANE 30W DIMM

LED integrated

voltage: 230V	LED 30W DIMM 2400lm 3000K LED
IP20	
technical specification	installation place
	beam angle: 23°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4328
- WHITE (WH) AZ4330
- GOLD (GO) AZ4329



BK


GO

WH

BOSTON 10W TUBE

BOSTON 10W TUBE

LED integrated

voltage: 230V	LED 10W 685lm 3000K
IP20	
technical specification	installation place
	beam angle: 21°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3469
- BLACK (BK) AZ3468



BILL 10W

LED integrated

voltage: 230V		LED 10W 850lm 4000K
IP20		
technical specification		installation place
		beam angle: 60°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3375
- BLACK (BK) AZ3376



ROTONDO

ROTONDO

bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4207
- BLACK (BK) AZ4208
- BRONZE (BZ) AZ4209



TILT 45°

BK

WH

BZ

WH/WH | BK/BK | BK/GO

BK/GO

LENS ROUND

bulb not included

voltage: 230V	LED GU10 1xMax 35W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE / WHITE (WH/WH) **AZ3516**
- BLACK / BLACK (BK/BK) **AZ3517**
- BLACK / GOLD (BK/GO) **AZ3518**



LENS SQUARE



WH/WH

LENS SQUARE

bulb not included

voltage: 230V	LED GU10 1xMax 35W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE / WHITE (WH/WH) **AZ3513**
- BLACK / BLACK (BK/BK) **AZ3514**
- BLACK / GOLD (BK/GO) **AZ3515**



DESIGN PATENTED BY AZZARDO



WH/WH

BK/BK

BK/GO

LENS 2 SQUARE

bulb not included

voltage: 230V	LED GU10 2xMax 35W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE / WHITE (WH/WH) **AZ3519**
- BLACK / BLACK (BK/BK) **AZ3520**
- BLACK / GOLD (BK/GO) **AZ3521**



DESIGN PATENTED BY AZZARDO

MAKALU

MAKALU 1

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4210
- WHITE (WH) AZ4211



TILT 90° ROTATION 360°

MAKALU 2

bulb not included

voltage: 230V	connect GU10 2x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4212
- WHITE (WH) AZ4213



TILT 90° ROTATION 360°

MAKALU 3

bulb not included

voltage: 230V	connect GU10 3x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4214
- WHITE (WH) AZ4215



TILT 90° ROTATION 360°

SANTOS

SANTOS 3000K

LED integrated

voltage: 230V	LED 12W 1135lm 3000K
IP20	
technical specification	installation place
	beam angle: 23,5°

COLOUR / NEW INDEX NO.

- WHITE / GOLD (WH/GO) AZ2417
- BLACK / GOLD (BK/GO) AZ2416
- WHITE / WHITE (WH/WH) AZ4182
- BLACK / BLACK (BK/BK) AZ4181



TILT 90° ROTATION 350°

SANTOS GU10

bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) AZ4201
- WHITE / WHITE (WH/WH) AZ4200



TILT 90° ROTATION 360°

WARRANTY 5 YEARS INTEGRATED LED



WH

SANTOS SQUARE

LED integrated

voltage: 230V		LED 12W 825lm 3000K LED
IP20		
technical specification		installation place
		beam angle: 26°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3522
- BLACK (BK) AZ3523







BK

WH

LINO

CH

CH

BK-CHROME

WH-MATT

LINO

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) AZ1479
- BLACK (BK) AZ1477
- CHROME (CH) AZ1478







CH

VASKO

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) AZ1491
- BLACK (BK) AZ1489
- CHROME (CH) AZ1490



CH

BK-CHROME

WH-MATT

EREBUS

Bases

BASES TYPE

SIMPLE BASE

- ☐ ALUMINIUM (ALU) AZ3389

+

Tubes

size 14 or 21



TUBE 14 / TUBE 21

- ☐ 14 WHITE (WH) AZ3383
- ■ 14 BLACK (BK) AZ3384
- ◨ 14 GOLD (GO) AZ3385
- ☐ 21 WHITE (WH) AZ3386
- ■ 21 BLACK (BK) AZ3387
- ◨ 21 GOLD (GO) AZ3388

=

Result

BASE + TUBE

SIMPLE BASE + TUBE 14 / 21

SIMPLE BASE (ALU) . . . AZ3389

- \+ TUBE 14 (WH) AZ3383
- \+ TUBE 14 (BK) AZ3384
- \+ TUBE 14 (GO) AZ3385
- \+ TUBE 21 (WH) AZ3386
- \+ TUBE 21 (BK) AZ3387
- \+ TUBE 21 (GO) AZ3388



BASE PENDANT

- ☐ WHITE (WH) AZ3392
- ■ BLACK (BK) AZ3393

+



TUBE 14 / TUBE 21

- ☐ 14 WHITE (WH) AZ3383
- ■ 14 BLACK (BK) AZ3384
- ◨ 14 GOLD (GO) AZ3385
- ☐ 21 WHITE (WH) AZ3386
- ■ 21 BLACK (BK) AZ3387
- ◨ 21 GOLD (GO) AZ3388

=



PENDANT BASE + TUBE

PENDANT BASE (WH) . . AZ3392

- \+ TUBE 14 (WH) AZ3383
- \+ TUBE 14 (BK) AZ3384
- \+ TUBE 14 (GO) AZ3385
- \+ TUBE 21 (WH) AZ3386
- \+ TUBE 21 (BK) AZ3387
- \+ TUBE 21 (GO) AZ3388

PENDANT BASE (BK). . . AZ3393

- \+ TUBE 14 (WH) AZ3383
- \+ TUBE 14 (BK) AZ3384
- \+ TUBE 14 (GO) AZ3385
- \+ TUBE 21 (WH) AZ3386
- \+ TUBE 21 (BK) AZ3387
- \+ TUBE 21 (GO) AZ3388

BASE ANGLE

- ☐ WHITE (WH) AZ3394
- ■ BLACK (BK) AZ3395

+



TUBE 14 / TUBE 21

- ☐ 14 WHITE (WH) AZ3383
- ■ 14 BLACK (BK) AZ3384
- ◨ 14 GOLD (GO) AZ3385
- ☐ 21 WHITE (WH) AZ3386
- ■ 21 BLACK (BK) AZ3387
- ◨ 21 GOLD (GO) AZ3388

=



ANGLE BASE + TUBE

ANGLE BASE (WH) AZ3394

- \+ TUBE 14 (WH) AZ3383
- \+ TUBE 14 (BK) AZ3384
- \+ TUBE 14 (GO) AZ3385
- \+ TUBE 21 (WH) AZ3386
- \+ TUBE 21 (BK) AZ3387
- \+ TUBE 21 (GO) AZ3388

ANGLE BASE (BK). AZ3395

- \+ TUBE 14 (WH) AZ3383
- \+ TUBE 14 (BK) AZ3384
- \+ TUBE 14 (GO) AZ3385
- \+ TUBE 21 (WH) AZ3386
- \+ TUBE 21 (BK) AZ3387
- \+ TUBE 21 (GO) AZ3388



TRACK

- ☐ WHITE (WH) AZ3390
- ■ BLACK (BK) AZ3391

+



TUBE 14 / TUBE 21

- ☐ 14 WHITE (WH) AZ3383
- ■ 14 BLACK (BK) AZ3384
- ◨ 14 GOLD (GO) AZ3385
- ☐ 21 WHITE (WH) AZ3386
- ■ 21 BLACK (BK) AZ3387
- ◨ 21 GOLD (GO) AZ3388

=



TRACK + TUBE

TRACK (WH) AZ3390

- \+ TUBE 14 (WH) AZ3383
- \+ TUBE 14 (BK) AZ3384
- \+ TUBE 14 (GO) AZ3385
- \+ TUBE 21 (WH) AZ3386
- \+ TUBE 21 (BK) AZ3387
- \+ TUBE 21 (GO) AZ3388

TRACK (BK) AZ3391

- \+ TUBE 14 (WH) AZ3383
- \+ TUBE 14 (BK) AZ3384
- \+ TUBE 14 (GO) AZ3385
- \+ TUBE 21 (WH) AZ3386
- \+ TUBE 21 (BK) AZ3387
- \+ TUBE 21 (GO) AZ3388

EXO

EXO 1

bulb not included

voltage: 230V	LED connect GU10 1x Max 35W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ3193
- WHITE (WH) AZ3194



EXO 2

bulb not included

voltage: 230V	LED connect GU10 2x Max 35W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ3195
- WHITE (WH) AZ3196







EXO 3

bulb not included

voltage: 230V	LED connect GU10 3x Max 35W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ3197
- WHITE (WH) AZ3198





FLAVIO

WH / BK

FLAVIO

bulb not included

voltage: 230V	LED connect GU10 1x Max. 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

WHITE / BLACK (WH / BK) **AZ0791**



TILT 90°

WH / BK

FLAVIO 2

bulb not included

voltage: 230V	LED connect GU10 2x Max. 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

WHITE / BLACK (WH / BK) **AZ0792**



TILT 90°

BK *

BK

VISION

bulb not included

voltage: 230V	LED connect GU10 2x Max. 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ1745





WH-MATT *

WH-MATT

GALENA

LED integrated

voltage: 230V	LED 11W 3000K RA>80
IP20	1000 lm
technical specification	installation place
	beam angle: 112°

COLOUR / NEW INDEX NO.

☐ MATT WHITE (WH) AZ1457







LEON 5

LED integrated

voltage: 230V		LED 12W 910lm 3000K
IP20		
technical specification		installation place
		beam angle: 24,5°

COLOUR / NEW INDEX NO.

WHITE (WH) AZ3488

BLACK (BK) AZ3489





CH

CH

DIADO

LED integrated

voltage: 230V	LED 5W 3000K RA>80
IP20	407 lm
technical specification	installation place
	beam angle: 18°

COLOUR / NEW INDEX NO.

CHROME (CH). AZ1453





BK

CH

WH

BK

SCORPIO

LED integrated

voltage: 230V	LED 10W 3000K RA>80
IP20	980 lm
technical specification	installation place
	beam angle: 45°

COLOUR / NEW INDEX NO.

- CHROME (CH) AZ1452
- WHITE (WH) AZ1618
- BLACK CHROME (BCH) AZ2952





SANTOS EXPOSED

WH

BK

WH

SANTOS EXPOSED ROUND

LED integrated

voltage: 230V		LED 12W 645lm 3000K
IP20		
technical specification		installation place
		beam angle: 23°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3508
- BLACK (BK) AZ3509



SIENA 10W 3000K/4000K

LED integrated

voltage: 230V		LED 10W 3000K RA≥90 840lm
IP20		LED 10W 4000K RA≥90 880lm
technical specification		installation place
		beam angle: 17°

COLOUR / NEW INDEX NO.

- 3000K CHROME (CH) AZ2214
- 4000K CHROME (CH) AZ2215



TILT 90° ROTATION 350°

SIENA 20W 3000K/4000K

LED integrated

voltage: 230V		LED 20W 3000K RA≥90 1680lm
IP20		LED 20W 4000K RA≥90 1760lm
technical specification		installation place
		beam angle: 32°

COLOUR / NEW INDEX NO.

- 3000K CHROME (CH) AZ2220
- 4000K CHROME (CH) AZ2221



TILT 90° ROTATION 350°

MONA 12W


BK

WH

BK

MONA SPOT 12W 3000K / 4000K

LED integrated

voltage: 230V	LED 12W 1000lm 3000/4000K
IP20	
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4538
- 3000K BLACK (BK) AZ4537
- 4000K WHITE (WH) AZ4540
- 4000K BLACK (BK) AZ4539





MONA 18W 3000K

LED integrated

voltage: 230V	LED 18W 1500lm 3000K
IP20	
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4546
- 3000K BLACK (BK) AZ4545





SKYE

BK

WH

BK

SKYE 3000K

LED integrated

voltage: 230V		LED 12W 950lm 3000K
IP20		
technical specification		installation place
		beam angle: 60°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4517
- BLACK (BK) AZ4518





BK

SKYE PENDANT 3000K

LED integrated

voltage: 230V		LED 12W 950lm 3000K
IP20		
technical specification		installation place
		beam angle: 60°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4522
- BLACK (BK) AZ4521





WH

BK

OJOS 1

LED integrated

voltage: 230V	LED 9W 700lm 3000K
IP20	
technical specification	installation place
	beam angle: 24°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4196
- BLACK (BK) AZ4197



OJOS 2

LED integrated

voltage: 230V	LED 2x9W 700lm 3000K
IP20	
technical specification	installation place
	beam angle: 24°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4198
- BLACK (BK) AZ4199





TORONTO

TORONTO 1 3000K

LED integrated

voltage: 230V	LED 10W 700lm 3000K
IP20	
technical specification	installation place
	beam angle: 21°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4070
- BLACK (BK) AZ4064





TORONTO 2 3000K

LED integrated

voltage: 230V	LED 2x10W 700lm 3000K
IP20	
technical specification	installation place
	beam angle: 21°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4072
- BLACK (BK) AZ4065





RAFFAEL

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- CHROME (CH) AZ1624
- WHITE (WH) AZ1623
- GOLD (GO) AZ1625
- BRUSHED COPPER (BCO) AZ1626
- BLACK (BK) AZ3497



NIKEA GU10

NIKEA 1 GU10

bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) **AZ4430**
- WHITE (WH) **AZ4431**
- BLACK (BK) **AZ4432**



TILT 45° ROTATION 350°

NIKEA 2 GU10

bulb not included

voltage: 230V	GU10 2x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) **AZ4433**
- WHITE (WH) **AZ4434**
- BLACK (BK) **AZ4435**



TILT 45° ROTATION 350°

NIKEA 1 ES111

bulb not included

voltage: 230V	ES111 1x Max 16W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) **AZ4436**
- WHITE (WH) **AZ4437**
- BLACK (BK) **AZ4438**





NIKEA 2 ES111

bulb not included

voltage: 230V	ES111 2x Max 16W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) **AZ4439**
- WHITE (WH) **AZ4440**
- BLACK (BK) **AZ4441**





PAOLA 1 230V

bulb not included

voltage: 230V	connect 1x ES111 Max 16W or
IP20	ADAP111 + GU10 Max 50W
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4128
- BLACK (BK) AZ4130



TILT 40°

PAOLA 2 230V

bulb not included

voltage: 230V	connect 2x ES111 Max 16W or
IP20	ADAP111 + GU10 Max 50W
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4132
- BLACK (BK) AZ4134



TILT 40°

PAULO 230V BULBS GU10 SYSTEM

Paulo 230V	+	PAR–16	+	Bulb	=	Result
LAMP BODY		ADAP111		GU10		
 PAULO 1	+		+		=	LAMP BODY + PAR-16 + BULB
 PAULO 2	+					
 PAULO 3	+					
 PAULO 4	+					
				Bulb GU10 7W dimmable	=	**Paulo 230V GU10 7W dimmable**
				Bulb GU10 7W no dimmable	=	**Paulo 230V GU10 7W no dimmable**

Paulo 230V	+	Bulb	=	Result
LAMP BODY		ES111		LAMP BODY + BULB =
 PAULO 1	+			
 PAULO 2	+			
 PAULO 3	+			
 PAULO 4	+			
		ES111 CH 12W dimmable 3000K	=	**Paulo 230V ES111 12W dimmable 3000K**
		ES111 CH 12W dimmable 4000K	=	**Paulo 230V ES111 12W dimmable 4000K**
		ES111 CH 12W no dimmable 3000K	=	**Paulo 230V ES111 12W no dimmable 3000K**
		ES111 CH 12W no dimmable 4000K	=	**Paulo 230V ES111 12W no dimmable 4000K**
		ES111 WH 15W dimmable 3000K	=	**Paulo 230v ES111 15W dimmable 3000K**
		ES111 WH 15W dimmable 4000K	=	**Paulo 230V ES111 15W dimmable 4000K**
		ES111 BK 15W dimmable 3000K	=	**Paulo 230V ES111 15W dimmable 3000K**
		ES111 BK 15W dimmable 4000K	=	**Paulo 230V ES111 15W dimmable 4000K**

Paulo 12V	+	Bulb	=	Result
LAMP BODY		QR111		LAMP BODY + BULB =
 PAULO 1	+			
 PAULO 2	+			
 PAULO 3	+			
 PAULO 4	+			
		Bulb QR111 BK 17W no dimmable 3000K	=	**Paulo 12V QR111 BK 17W no dimmable 3000K**
		Bulb QR111 BK 17W no dimmable 4000K	=	**Paulo 12V QR111 BK 17W no dimmable 4000K**
		Bulb QR111 WH 17W no dimmable 3000K	=	**Paulo 12V QR111 WH 17W no dimmable 3000K**
		Bulb QR111 WH 17W no dimmable 4000K	=	**Paulo 12V QR111 WH 17W no dimmable 4000K**
		Bulb QR111 CH 12W no dimmable 3000K	=	**Paulo 12V QR111 CH 17W no dimmable 3000K**
		Bulb QR111 CH 12W no dimmable 4000K	=	**Paulo 12V QR111 CH 17W no dimmable 4000K**

ALIX

BK

WH

BK

ALIX

bulb not included

voltage: 12V	connect 1x QR111 MAX 50W
IP20	dimer driver 12V – included
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ1356
- BLACK (BK) AZ1357



WH

ALEX

bulb not included

voltage: 12V	connect 1x QR111 MAX 50W
IP20	dimer driver 12V – included
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ1359
- BLACK (BK) AZ1358





WH

BK

ECO ALIX NEW 230V

BK

ECO ALIX NEW 230V

bulb not included

voltage: 230V	LED ES111 1x Max 35W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3492
- BLACK (BK) AZ3493
- BLACK CHROME (BK) AZ3494
- CHROME (CH) AZ3495
- ANTIQUE GOLD (AG) AZ3496





ALIX 230V

bulb not included

voltage: 230V	LED connect 1x ES111 MAX 50W
IP20	ADAP111 + GU10 Max 50W
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3541
- BLACK (BK) AZ3540





ECO ALIX

WH

ECO ALIX V2.

bulb not included

voltage: 230V	ES111 1x Max. 16W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4320
- BLACK (BK) AZ4319



WH

BK

BK

ECO ALEX V.2

bulb not included

voltage: 230V	ES111 1 x MAX 16W
IP20	
	installation place

COLOUR / NEW INDEX NO.

WHITE (WH) AZ4318

BLACK (BK) AZ4317



WH

BK

JERRY 1 12V

bulb not included

voltage: 12V	connect 1x QR111 MAX 50W
IP20	dimer driver 12V – included
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ1364
- BLACK (BK) AZ1365
- CHROME (CH) AZ1752



TILT 90° ROTATION 330°

JERRY 2 12V

bulb not included

voltage: 12V	connect 2x QR111 MAX 50W
IP20	dimer driver 12V – included
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ1369
- BLACK (BK) AZ1368
- CHROME (CH) AZ1751



TILT 90° ROTATION 330°

JERRY 3 12V

bulb not included

voltage: 12V	connect 3x QR111 MAX 50W
IP20	dimer driver 12V – included
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ1723
- BLACK (BK) AZ1724



TILT 90° ROTATION 330°

WH

JERRY 1 230V

bulb not included

voltage: 230V	connect 1x ES111 MAX 50W
IP20	or ADAP111 + GU10 Max 40W
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ1366
- BLACK (BK) AZ1367



TILT 90° ROTATION 330°

BK

JERRY 2 230V

bulb not included

voltage: 230V	connect 2x ES111 MAX 50W
IP20	or ADAP111 + GU10 Max 40W
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ1371
- BLACK (BK) AZ1370



TILT 90° ROTATION 330°

WH

JERRY 3 230V

bulb not included

voltage: 230V	connect 3x ES111 MAX 50W
IP20	or ADAP111 + GU10 Max 40W
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ1885
- BLACK (BK) AZ1886



TILT 90° ROTATION 330°

WH | BK | WH + LED ES 111 BK

WH | BK | BK + 2 x LED ES 111 WH

WH | BK

MAX 12V / MAX 230V

WH/BK

MAX 1 12V

bulb not included

voltage: 12V	connect 1x QR111 MAX 50W
IP20	dimer driver 12V – included
	installation place

COLOUR / NEW INDEX NO.

WHITE / BLACK (WH / BK) **AZ1372**



WH/BK

MAX 1 230V

bulb not included

voltage: 230V	connect 1x ES111 MAX 50W
IP20	or ADAP111 + GU10 Max 40W
	installation place

COLOUR / NEW INDEX NO.

WHITE / BLACK (WH / BK) **AZ1373**



WH

MATEO S

LED integrated

voltage: 230V		LED 7W 3000K RA>80 520lm
IP20		installation place
technical specification		beam angle: 110°

COLOUR / NEW INDEX NO.

MATT WHITE (WH) AZ1455



WH

MATEO M

LED integrated

voltage: 230V		LED 9W 3000K RA>80 710 lm
IP20		installation place
technical specification		beam angle: 112°

COLOUR / NEW INDEX NO.

MATT WHITE (WH) AZ1456



WARRANTY 5 YEARS INTEGRATED LED

MOMO 8 3000K

LED integrated

voltage: 230V		LED 6W 3000K RA≥90 500lm LED
IP20		
technical specification		installation place
		beam angle: 88°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2278
- BLACK (BK) AZ2279





MOMO 12 3000K

LED integrated

voltage: 230V		LED 12W 3000K RA≥90 1000lm LED
IP20		
technical specification		installation place
		beam angle: 89°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2280
- BLACK (BK) AZ2281





MOMO 14 3000K

LED integrated

voltage: 230V		LED 18W 3000K RA≥90 1500lm LED
IP20		
technical specification		installation place
		beam angle: 90°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2282
- BLACK (BK) AZ2283





WARRANTY 5 YEARS INTEGRATED LED

COLOUR RENDERING INDEX Ra 90

PANKA CCT SWITCH SENSOR



PANKA 18 CCT SWITCH SENSOR

LED integrated

voltage: 230V	LED 12W 780lm
IP40	2800K/4000K/6000K
technical specification	Instalation place:
	beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ5353
- BLACK (BK) AZ5354

PANKA 23 CCT SWITCH SENSOR

LED integrated

voltage: 230V	LED 18W 1170lm
IP40	2800K/4000K/6000K
technical specification	Instalation place:
	beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ5355
- BLACK (BK) AZ5356



PANKA 30 CCT SWITCH SENSOR

LED integrated

voltage: 230V	LED 24W 1560lm
IP40	2800K/4000K/6000K
technical specification	Instalation place:
	beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ5357
- BLACK (BK) AZ5358





PANKA SQ 23 CCT SWITCH SENSOR

LED integrated

voltage: 230V		LED 18W 1170lm
IP40		2800K/4000K/6000K
technical specification		Instalation place:
		beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ5359
- BLACK (BK) AZ5360





PANKA SQ 30 CCT SWITCH SENSOR

LED integrated

voltage: 230V		LED 24W 1560lm
IP40		2800K/4000K/6000K
technical specification		Instalation place:
		beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ5361
- BLACK (BK) AZ5362



MINIATURE MICROWAVE MOTION SENSOR



The default operating distance of the sensor is up to 5m. Lighting time up to 60sec

PANKA CCT SWITCH DIMM

WH

PANKA 23 CCT SWITCH DIMM

LED integrated

voltage: 230V	LED 18W 1170lm
IP40	2800K/4000K/6000K dimm
technical specification	Instalation place:
	beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) AZ5363
- ■ BLACK (BK) AZ5364





WH

PANKA 30 CCT SWITCH DIMM

LED integrated

voltage: 230V	LED 24W 1560lm
IP40	2800K/4000K/6000K dimm
technical specification	Instalation place:
	beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) AZ5365
- ■ BLACK (BK) AZ5366



BK

PANKA 40 CCT SWITCH DIMM

LED integrated

voltage: 230V	LED 32W 2080lm
IP40	2800K/4000K/6000K dimm
technical specification	Instalation place:
	beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) AZ5367
- ■ BLACK (BK) AZ5368





BK

PANKA 60 CCT SWITCH DIMM

LED integrated

voltage: 230V	LED 45W 2925lm
IP40	2800K/4000K/6000K dimm
technical specification	Instalation place:
	beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) AZ5369
- ■ BLACK (BK) AZ5370





PANKA SQ 30 CCT SWITCH DIMM

LED integrated

voltage: 230V	LED 24W 1560lm
IP40	2800K/4000K/6000K dimm
technical specification	Instalation place:
	beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ5371
- BLACK (BK) AZ5372



PANKA SQ 45 CCT SWITCH DIMM

LED integrated

voltage: 230V	LED 45W 2925lm
IP40	2800K/4000K/6000K dimm
technical specification	Instalation place:
	beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ5373
- BLACK (BK) AZ5374



MALTA R 18 3000K / 4000K

LED integrated

voltage: 230V		LED 12W 1100lm 3000K
IP20		LED 12W 1150lm 4000K
technical specification		installation place
		beam angle: 115°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4233
- 3000K BLACK (BK) AZ4235
- 4000K WHITE (WH) AZ4234
- 4000K BLACK (BK) AZ4236



MALTA R 23 3000K / 4000K

LED integrated

voltage: 230V		LED 18W 1600lm 3000K
IP20		LED 18W 1650lm 4000K
technical specification		installation place
		beam angle: 115°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4237
- 3000K BLACK (BK) AZ4239
- 4000K WHITE (WH) AZ4238
- 4000K BLACK (BK) AZ4240

MALTA R 30 3000K / 4000K

LED integrated

voltage: 230V		LED 24W 2200lm 3000K
IP20		LED 24W 2200lm 4000K
technical specification		installation place
		beam angle: 115°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4241
- 3000K BLACK (BK) AZ4243
- 4000K WHITE (WH) AZ4242
- 4000K BLACK (BK) AZ4244





MALTA R 40 3000K / 4000K

LED integrated

voltage: 230V		LED 32W 2700lm 3000K
IP20		LED 32W 2750lm 4000K
technical specification		installation place
		beam angle: 115°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) AZ4245
- ■ 3000K BLACK (BK) AZ4247
- ☐ 4000K WHITE (WH) AZ4246
- ■ 4000K BLACK (BK) AZ4248





MALTA R 50 3000K / 4000K

LED integrated

voltage: 230V		LED 42W 3200lm 3000K
IP20		LED 42W 3400lm 4000K
technical specification		installation place
		beam angle: 115°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) AZ4249
- ■ 3000K BLACK (BK) AZ4251
- ☐ 4000K WHITE (WH) AZ4250
- ■ 4000K BLACK (BK) AZ4252



MALTA R 60 3000K / 4000K

LED integrated

voltage: 230V		LED 48W 4100lm 3000K
IP20		LED 48W 4400lm 4000K
technical specification		installation place
		beam angle: 115°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) AZ4253
- ■ 3000K BLACK (BK) AZ4255
- ☐ 4000K WHITE (WH) AZ4254
- ■ 4000K BLACK (BK) AZ4256



MONZA R 8 3000K/ 4000K

LED integrated

voltage: 230V		LED 5W 3000K RA≥90 420lm
IP20		LED 5W 4000K RA≥90 590lm
technical specification		installation place
		beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) AZ2253
- ■ 3000K BLACK (BK) AZ2255
- ☐ 4000K WHITE (WH) AZ2252
- ■ 4000K BLACK (BK) AZ2254

MONZA R 12 3000K/ 4000K

LED integrated

voltage: 230V		LED 10W 3000K RA≥90 840lm
IP20		LED 10W 4000K RA≥90 1020lm
technical specification		installation place
		beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) AZ2257
- ■ 3000K BLACK (BK) AZ2259
- ☐ 4000K WHITE (WH) AZ2256
- ■ 4000K BLACK (BK) AZ2258



MONZA R 22 3000K/ 4000K

LED integrated

voltage: 230V		LED 20W 3000K RA≥90 1680lm
IP20		LED 20W 4000K RA≥90 1760lm
technical specification		installation place
		beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) AZ2261
- ■ 3000K BLACK (BK) AZ2263
- ☐ 4000K WHITE (WH) AZ2260
- ■ 4000K BLACK (BK) AZ2262



MONZA R 40 3000K/ 4000K

LED integrated

voltage: 230V		LED 50W 3000K RA≥90 4200lm
IP20		LED 50W 4000K RA≥90 4400lm
technical specification		installation place
		beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) AZ2265
- ■ 3000K BLACK (BK) AZ2267
- ☐ 4000K WHITE (WH) AZ2264
- ■ 4000K BLACK (BK) AZ2266



MONZA R PENDANT 40

LED integrated

voltage: 230V	LED 50W 3000K RA≥90 4200lm
IP20	LED 50W 4000K RA≥90 4400lm
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ2277
- 4000K WHITE (WH) AZ2570
- 4000K BLACK (BK) AZ2496



MONZA II R 17 3000K/ 4000K

LED integrated

voltage: 230V	LED 18W 1890lm 3000K
IP20	LED 18W 1890lm 4000K
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ3790
- 4000K WHITE (WH) AZ3793
- 4000K BLACK (BK) AZ3792



MONZA II R 30 3000K/ 4000K

LED integrated

voltage: 230V	LED 36W 3500lm 3000K
IP20	LED 36W 3500lm 4000K
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ3795
- 3000K BLACK (BK) AZ3794
- 4000K BLACK (BK) AZ3796



MONZA II R 50 3000K/ 4000K

LED integrated

voltage: 230V	LED 74W 6120lm 3000K
IP20	LED 74W 6120lm 4000K
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ3675
- 4000K WHITE (WH) AZ3677
- 4000K BLACK (BK) AZ3676





MONZA II R 60 3000K/ 4000K

LED integrated

voltage: 230V		LED 90W 7520lm 3000K
IP20		LED 90W 7520lm 4000K
technical specification		installation place
		beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) AZ3679
- ■ 3000K BLACK (BK) AZ3678
- ☐ 4000K WHITE (WH) AZ3681
- ■ 4000K BLACK (BK) AZ3680



MONZA PENDANT ACCESORIES**

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) AZ3453
- ■ BLACK (BK) AZ3454

** – ONLY FOR SIZE 30CM, 40CM, 50CM, 60CM



MONZA S 22 3000K/ 4000K

LED integrated

voltage: 230V		LED 20W 3000K RA≥90 1680lm
IP20		LED 20W 4000K RA≥90 1760lm
technical specification		installation place
		beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ2269
- 3000K BLACK (BK) AZ2271
- 4000K WHITE (WH) AZ2268
- 4000K BLACK (BK) AZ2270





MONZA S 40 V3000K/ 4000K

LED integrated

voltage: 230V		LED 50W 3000K RA≥90 4200lm
IP20		LED 50W 4000K RA≥90 4400lm
technical specification		installation place
		beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ2273
- 3000K BLACK (BK) AZ2275
- 4000K WHITE (WH) AZ2272
- 4000K BLACK (BK) AZ2274



COLOUR RENDERING INDEX ≥ 90 SIZE RA

WARRANTY 5 YEARS INTEGRATED LED

MONZA II SQUARE



MONZA II S 17 3000K/ 4000K

LED integrated

voltage: 230V		LED 18W 1890lm 3000K
IP20		LED 18W 1940lm 4000K
technical specification		installation place
		beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ3682
- 4000K WHITE (WH) AZ3685
- 4000K BLACK (BK) AZ3684





MONZA II S 30 3000K/ 4000K

LED integrated

voltage: 230V		LED 36W 3500lm 3000K
IP20		LED 36W 3550lm 4000K
technical specification		installation place
		beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ3687
- 3000K BLACK (BK) AZ3686





MONZA II S 40 3000K/ 4000K

LED integrated

voltage: 230V		LED 46W 4508lm 3000K
IP20		LED 46W 4508lm 4000K
technical specification		installation place
		beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ3691
- 3000K BLACK (BK) AZ3690





MONZA II S 50 3000K/ 4000K

LED integrated

voltage: 230V	LED 74W 6120lm 3000K
IP20	LED 74W 6120lm 4000K
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) AZ3695
- ☐ 4000K WHITE (WH) AZ3698



MONZA R 22 CCT + REMOTE CONTROL DIMM

LED integrated

voltage: 230V	LED 20W 1400lm CCT DIMM LED
IP20	
technical specification	installation place
	beam angle: 110°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4758
- WHITE (WH) AZ4757
- CHAMPAIGNE (CHA) AZ4756



MONZA R 30 CCT + REMOTE CONTROL DIMM

LED integrated

voltage: 230V	LED 30W 2100lm CCT DIMM LED
IP20	
technical specification	installation place
	beam angle: 110°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4761
- WHITE (WH) AZ4760
- CHAMPAIGNE (CHA) AZ4759



MONZA R 40 CCT + REMOTE CONTROL DIMM

LED integrated

voltage: 230V	LED 50W 3500lm CCT DIMM LED
IP20	
technical specification	installation place
	beam angle: 110°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4764
- WHITE (WH) AZ4763
- CHAMPAIGNE (CHA) AZ4762



MONZA R 50 CCT + REMOTE CONTROL DIMM

LED integrated

voltage: 230V	LED 80W 5500lm CCT DIMM LED
IP20	
technical specification	installation place
	beam angle: 110°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4767
- WHITE (WH) AZ4766
- CHAMPAIGNE (CHA) AZ4765



MONZA R CCT + REMOTE CONTROLE

MONZA PENDANT ACCESORIES**

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3453
- BLACK (BK) AZ3454
- CHAMPAIGNE (CHA) AZ4830

Time of confirmation of settings from the remote control is 10s

** – ONLY FOR SIZE 30CM, 40CM, 50CM, 60CM



MONZA S 22 CCT + REMOTE CONTROL DIMM

LED integrated

voltage: 230V	LED 20W 1400lm CCT DIMM LED
IP20 technical specification	installation place
	beam angle: 110°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4770
- WHITE (WH) AZ4769
- CHAMPAIGNE (CHA) AZ4768



MONZA S 30 CCT + REMOTE CONTROL DIMM

LED integrated

voltage: 230V	LED 30W 2100lm CCT DIMM LED
IP20 technical specification	installation place
	beam angle: 110°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4773
- WHITE (WH) AZ4772
- CHAMPAIGNE (CHA) AZ4771





MONZA S 40 CCT + REMOTE CONTROL DIMM

LED integrated

voltage: 230V	LED 50W 3500lm CCT DIMM LED
IP20 technical specification	installation place
	beam angle: 110°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4776
- WHITE (WH) AZ4775
- CHAMPAIGNE (CHA) AZ4774



Time of confirmation of settings from the remote control is 10s



FALCO 12 3000K

LED integrated

voltage: 230V		LED 12W 1020lm 3000K
IP20		
technical specification		installation place
		beam angle: 114°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2780
- BLACK (BK) AZ2782





FALCO 12 4000K

LED integrated

voltage: 230V		LED 12W 1020lm 4000K
IP20		
technical specification		installation place
		beam angle: 114°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2781
- BLACK (BK) AZ2783



WH

PIENZA DIMM 3000K

LED integrated

voltage: 230V	LED 24W 1800lm 3000K dimm
IP20	
technical specification	installation place
	beam angle: 107°

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) AZ2719
- ☐ GREY (GR) AZ2721



GR

PIENZA DIMM 4000K

LED integrated

voltage: 230V	LED 24W 1900lm 4000K dimm
IP20	
technical specification	installation place
	beam angle: 107°

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) AZ2718
- ☐ GREY (GR) AZ2720
- ■ BLACK (BK) AZ2722



WH GR BK

CH

JUNONA 28 3000K/4000K

LED integrated

voltage: 230V	LED 10W 800lm 3000/4000K LED
IP20	
technical specification	installation place
	beam angle: 115°

COLOUR / NEW INDEX NO.

- CHROME (CH-4000K) AZ2746
- CHROME (CH-3000K) AZ2747



CH

JUNONA 33 3000K/4000K

LED integrated

voltage: 230V	LED 18W 1250lm 3000/4000K LED
IP20	
technical specification	installation place
	beam angle: 115°

COLOUR / NEW INDEX NO.

- CHROME (CH-4000K) AZ2748
- CHROME (CH-3000K) AZ2749



CH

JUNONA 38 3000K/4000K

LED integrated

voltage: 230V	LED 24W 1660lm 3000/4000K LED
IP20	
technical specification	installation place
	beam angle: 115°

COLOUR / NEW INDEX NO.

- CHROME (CH-4000K) AZ2750
- CHROME (CH-3000K) AZ2751



COLLODI 48 CCT + REMOTE CONTROLE

GR

BE GR

COLLODI 48 CCT + REMOTE CONTROLE

LED integrated

voltage: 230V	CCT LED 50W 3400lm
IP20	2700 ÷ 6500K
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

- BEIGE (BE) AZ2716
- GREY (GR) AZ2717



LED DIM POWER

COLLODI 48 CCT + REMOTE CONTROLE

GO

QUADRO 50 CCT LED (2700 ÷ 6500K)

LED integrated

voltage: 230V	LED 60W 5600lm
IP20	2700K~6500K dimm
technical specification	installation place
	beam angle: 111°

COLOUR / NEW INDEX NO.

- SILVER (SL) AZ2758
- BLACK (BK) AZ2759
- GOLD (GO) AZ2760



SL BK GO



WH

SONA 47 CCT LED (2700 ÷ 6500K)

LED integrated

voltage: 230V	LED 45W 3600lm
IP20	2700 ÷ 6500K dimm
technical specification	installation place
	beam angle: 123°

COLOUR / NEW INDEX NO.

☐ WHITE (WH) AZ2761





WH

SONA 55 CCT LED (2700 ÷ 6500K)

LED integrated

voltage: 230V	LED 45W 3600lm
IP20	2700 ÷ 6500K dimm
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

☐ WHITE (WH) AZ2763



CORTONA 41 3000K

LED integrated

voltage: 230V	LED 24W 1840lm 3000K
IP20	
technical specification	installation place
	beam angle: 116°

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) AZ2732
- ☐ GREY (GR) AZ2735
- ■ BLACK (BK) AZ2737



CORTONA 41 4000K

LED integrated

voltage: 230V	LED 24W 1860lm 4000K
IP20	
technical specification	installation place
	beam angle: 116°

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) AZ2730
- ☐ GREY (GR) AZ2733
- ■ BLACK (BK) AZ2736





CORTONA 55 3000K

LED integrated

voltage: 230V	LED 50 3600lm 3000K
IP20	
technical specification	installation place
	beam angle: 114°

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) AZ2741
- ☐ GREY (GR) AZ2743
- ■ BLACK (BK) AZ2745



CORTONA 55 4000K

LED integrated

voltage: 230V	LED 50W 3620lm 4000K
IP20	
technical specification	installation place
	beam angle: 114°

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) AZ2739
- ☐ GREY (GR) AZ2742
- ■ BLACK (BK) AZ2744



A G

CORTONA 3000K/4000K

WH

GR

BK

WH

GR

BK



GR

SOVANA TOP 45 CCT LED

LED integrated

voltage: 230V	LED 40W 2200lm
IP20	2700 ÷ 6500K dimm
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) AZ3433
- ☐ GREY (GR) AZ3435
- ■ BLACK (BK) AZ3434



WH

SOVANA TOP 55 CCT LED

LED integrated

voltage: 230V	LED 50W 2750lm
IP20	3000 ÷ 6500K dimm
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) AZ2724
- ☐ GREY (GR) AZ2725
- ■ BLACK (BK) AZ2726



BK

SOVANA TOP 80 CCT LED

LED integrated

voltage: 230V	LED 80W 4000lm
IP20	2700 ÷ 6500K dimm
technical specification	installation place
	beam angle: 130°

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) AZ3445
- ☐ GREY (GR) AZ3447
- ■ BLACK (BK) AZ3446





WH GR BK



SOVANA PENDANT CCT + REMOTE CONTROLE

SOVANA PENDANT 45 CCT LED

LED integrated

voltage: 230V	LED 40W 2200lm
IP20	2700 ÷ 6500K dimm
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3436
- GREY (GR) AZ3438
- BLACK (BK) AZ3437



SOVANA PENDANT 55 CCT LED

LED integrated

voltage: 230V	LED 50W 2750lm
IP20	2700 ÷ 6500K dimm
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2727
- GREY (GR) AZ2729
- BLACK (BK) AZ2728



SOVANA PENDANT 80 CCT LED

LED integrated

voltage: 230V	LED 80W 4000lm
IP20	2700 ÷ 6500K dimm
technical specification	installation place
	beam angle: 130°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3448
- GREY (GR) AZ3450
- BLACK (BK) AZ3449





SOVANA PENDANT CCT + REMOTE CONTROLE

GALILEO 1 PENDANT



GALILEO 1 PENDANT 3000K

LED integrated

voltage: 230V	LED 15W 750lm 3000K
IP20	
technical specification	installation place
	adjustable beam angle: 12°÷ 35°

COLOUR / NEW INDEX NO.

WHITE (WH) AZ4068

BLACK (BK) AZ4069



12° 35°
ADJUSTABLE BEAM ANGLE

ADJUSTABLE BEAM ANGLE
12°
35°

LINNEA PENDANT CCT SWITCH

LINNEA 112 PENDANT CCT SWITCH

LED integrated

voltage: 230V	LED 48W 2700lm
IP20	3000K/4000K/5500K
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4570
- BLACK (BK) AZ4569



LINNEA 140 PENDANT CCT SWITCH

LED integrated

voltage: 230V	LED 54W 3100lm
IP20	3000K/4000K/5500K
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4572
- BLACK (BK) AZ4571





EXCLUSIVE
DOWNLIGHTS

EXCLUSIVE
downlights

304 ADAMO DIAMOND
302 ADAMO MIDST
303 ADAMO RING
307 BIAGIO
301 CLETO
297 CLOE
310 ESTER ROUND
312 ESTER SQUARE
298 EVA
308 LORENZA
309 LORENZO
306 LUCIANO
316 MARIKA
296 MIRA
300 PIRAMIDE
294 SIMON
314 VEKTOR ROUND
315 VEKTOR SQUARE

WH-MATT

SIMON ROUND

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inletetet opening Ø 6cm

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) AZ1473
- CHROME (CH). AZ1614
- BLACK CHROME (BCH) AZ1613



WH-MATT

WH-MATT

BK-CHROME



BK-CHROME

CH

WH-MATT

SIMON SQUARE

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inletetet opening Ø 6cm

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) AZ1474
- BLACK CHROME (BCH) AZ1615



MIRA



GO

MIRA

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inletetet opening Ø 7cm

COLOUR / NEW INDEX NO.

GOLD (GO) AZ1464

CHROME (CH). AZ1619



CH

CH

CLOE

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inletetet opening Ø 6,5cm

COLOUR / NEW INDEX NO.

CHROME (CH). AZ1466



CH

CH

GO

EVA ROUND

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inletetet opening Ø 6,5cm

COLOUR / NEW INDEX NO.

GOLD (GO) AZ1459

CHROME (CH). AZ1458



CH

CH

EVA SQUARE

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inletetet opening Ø 6,5cm

COLOUR / NEW INDEX NO.

CHROME (CH). AZ1460



PIRAMIDE



CH

PIRAMIDE L

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inletetet opening Ø 7,0 cm

COLOUR / NEW INDEX NO.

CHROME (CH). AZ1463





CH

PIRAMIDE XL

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inletetet opening Ø 7,0 cm

COLOUR / NEW INDEX NO.

CHROME (CH). AZ1612



CH


CH

GO

CLETO

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inletetet opening Ø 7,0 cm

COLOUR / NEW INDEX NO.

CHROME (CH) AZ1621

GOLD (GO) AZ1622



ADAMO MIDST

BK MATT

WH | CH | BK-CHROME

GO | BK-MATT

ADAMO MIDST

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inletetet opening Ø 7,5cm

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) AZ1483
- CHROME (CH). AZ1481
- BLACK CHROME (BCH) AZ1480
- BLACK MATT (BK). AZ2562
- GOLD (GO) AZ1482



WH-MATT / CH | CH / CH | SBK / CH | GO / BK | BK-CHROME / CH | WH-MATT / GO

WH-MATT / BK | CH / BK | SBK / BK | GO / WH | BK-CHROME / WH | SBK / BK-CHROME

WH-MATT / WH | CH / WH | SBK / WH | GO / GO | BK-CHROME / GO | SBK / GO

BK-CHROME / BK-MATT / CH / GO / WH-MATT

ADAMO RING

	accessory for Adamo Midst and Adamo Diamond
IP20	
aluminium	installation place

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) AZ1487
- CHROME (CH) AZ1485
- BLACK CHROME (BCH) AZ1484
- BLACK MATT (BK) AZ2567
- GOLD (GO) AZ1486



ADAMO MIDST DIAMOND CH

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inletetet opening Ø 7,5 cm

COLOUR / NEW INDEX NO.

CHROME (CH). AZ2734



ADAMO MIDST DIAMOND BCH

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inletetet opening Ø 7,5 cm

COLOUR / NEW INDEX NO.

BLACK CHROME (BCH) AZ2731



ADAMO MIDST DIAMOND WH

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inletetet opening Ø 7,5cm

COLOUR / NEW INDEX NO.

WHITE (WH). AZ2738



ADAMO MIDST DIAMOND GO

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inletetet opening Ø 7,5cm

COLOUR / NEW INDEX NO.

GOLD (GO) AZ2740



LUCIANO



CH

CH

WH

CH

LUCIANO SQUARE

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inletetet opening Ø 7 cm

COLOUR / NEW INDEX NO.

CHROME (CH) AZ1471

WHITE (WH) AZ1472





CH

LUCIANO ROUND

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inletetet opening Ø 7 cm

COLOUR / NEW INDEX NO.

CHROME (CH) AZ1470

WHITE (WH) AZ1549



CH

BIAGIO

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inletetet opening Ø 6,5cm

COLOUR / NEW INDEX NO.

GOLD (GO) AZ1493

CHROME (CH). AZ1492



GO

LORENZA

BK


CH

WH

BK

LORENZA

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inletetet opening Ø 7 cm

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) AZ1476
- CHROME (CH) AZ1475
- BLACK (BK) AZ4174




BK

CH

WH

BK

LORENZO

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inletetet opening Ø 7 cm

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) AZ1496
- CHROME (CH) AZ1617
- BLACK (BK) AZ4173



ESTER ROUND

ESTER ROUND 1

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inletetet opening Ø 6,5 cm

COLOUR / NEW INDEX NO.

- CHROME (CH) AZ1449
- GOLD (GO) AZ1450
- BLACK (BK) AZ4175





ESTER ROUND 2

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inletetet opening Ø 6,5 cm

COLOUR / NEW INDEX NO.

- CHROME (CH) AZ1451
- GOLD (GO) AZ2467
- BLACK (BK) AZ4176



ESTER ROUND

ESTER SQUARE

ESTER SQUARE 1

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening 5,8 x 5,8 cm

COLOUR / NEW INDEX NO.

- CHROME (CH) AZ4410
- GOLD (GO) AZ4412
- BLACK (BK) AZ4411





ESTER SQUARE 2

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening 5,8 x 5,8 cm

COLOUR / NEW INDEX NO.

- CHROME (CH) AZ4413
- GOLD (GO) AZ4415
- BLACK (BK) AZ4414



ESTER SQUARE

VEKTOR ROUND

CLEAR GLASS

VEKTOR ROUND

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inletetet opening Ø 6,5 cm

COLOUR / NEW INDEX NO.

CLEAR GLASS AZ1494



CLEAR GLASS

VEKTOR SQUARE

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inletetet opening Ø 6,5 cm

COLOUR / NEW INDEX NO.

CLEAR GLASS AZ1495



MARIKA

MARIKA

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inletetet opening Ø 8 cm

COLOUR / NEW INDEX NO.

ROSE GOLD (RG) AZ2208





DOWNLIGHTS

DOWNlights

320 AIDA ROUND
321 AIDA SQUARE
339 BOSTON 10W ROUND
356 CARLO
362 CARO ROUND
363 CARO SQUARE
352 CESAR
340 COSTA SPOT
357 EDITTA
348 EMILIO IP54
373 ERIKA
349 EZIO IP54
332 FILL ROUND
333 FILL SQUARE
336 FRIDA
322 GALATA IP44
371 GELO
383 HERA GIPS ROUND
382 HERA GIPS SQUARE
355 HUGO 2 DOWNLIGHT
354 HUGO DOWNLIGHT
364 IBIZA
351 IKA IP65
369 ITAKA
358 IVO
359 IVO SQUARE
323 KASTORIA IP44
325 LAMIR 17 DIMM
324 LAMIR R IP44
341 LINA
330 LINDA
344 LINZ
343 LUNA 7W
342 LUNA 15W
368 MILET
366 MINORKA
334 MONA SPOT 12W
335 MONA SPOT 18W
372 NEMO
380 NOVA
381 NOVA GIPS
331 OKA
346 OSCAR IP44
350 PABLO IP54
360 PACO
361 PIO
365 REMI
353 REMO 1 DOWNLIGHT
370 SAVIO
374 SIRO
375 SISTO
328 SLIM ROUND
326 SLIM SQUARE
376 STAN
347 TITO IP54
338 TORONTO 15W SPOT
377 TORRES
345 UNA
378 VERDI

AIDA ROUND



AIDA ROUND 10W 3000K

LED integrated

voltage: 230V		LED 10W 700lm 3000K LED
IP20		
technical specification		installation place ■ inlet opening 9,2cm
		beam angle: 100°

COLOUR / NEW INDEX NO.

- □ WHITE (WH) AZ4218
- ■ BLACK (BK) AZ4220



AIDA ROUND 16W 3000K

LED integrated

voltage: 230V		LED 16W 1300lm 3000K LED
IP20		
technical specification		installation place ■ inlet opening 13cm
		beam angle: 100°

COLOUR / NEW INDEX NO.

- □ WHITE (WH) AZ4222
- ■ BLACK (BK) AZ4224





AIDA SQUARE 10W 3000K

LED integrated

voltage: 230V	LED 9W 700lm 3000K
IP20	
technical specification	instalation place inlet opening 9,2x9,2cm
	beam angle: 100°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4226
- BLACK (BK) AZ4227





AIDA SQUARE 16W 3000K

LED integrated

voltage: 230V	LED 16W 1300lm 3000K
IP20	
technical specification	instalation place inlet opening 13x13cm
	beam angle: 100°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4228
- BLACK (BK) AZ4229



GALATA IP44

GALATA R IP44 3000K / 4000K

LED integrated

voltage: 230V	LED 9W 700lm 3000K
IP44	LED 9W 700lm 4000K
technical specification	installation place ■ inlet opening ◡ 6,3cm
	beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) AZ4380
- ■ 3000K BLACK (BK) AZ4379
- ☐ 4000K WHITE (WH) AZ4382
- ■ 4000K BLACK (BK) AZ4381



KASTORIA IP44

LED integrated

voltage: 230V		LED 7W 550lm 3000K LED
IP44		
technical specification		installation place ■ inlet opening ◡ 4,5cm
		beam angle: 120°

COLOUR / NEW INDEX NO.

- CHROME (CH) AZ4391
- BLACK (BK) AZ4389
- GOLD (GO) AZ4390



LAMIR R 9 DIMM IP44 3000K / 4000K

LED integrated

voltage: 230V	LED 9W 700lm 3000K
IP44	LED 9W 700lm 4000K
technical specification	installation place ▪ inlet opening ◐ 6,8cm
	beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) AZ4384
- ☐ 4000K WHITE (WH) AZ4383



LAMIR R 12 DIMM IP44 3000K / 4000K

LED integrated

voltage: 230V	LED 16W 1300lm 3000K
IP44	LED 16W 1300lm 4000K
technical specification	installation place ▪ adjust. inlet: ◐ 7,50÷9,6cm
	beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) AZ4385
- ☐ 4000K WHITE (WH) AZ4386



Adjusting the position of the wings in relation to the diameter of the hole, the range of the size of the hole from (inlet opening)



Lamir R9 – no adjustable wings

Lamir R12 (adjustable the position of the wings) – 7,5÷9,6cm

Lamir R17 and S17 (adjustable the position of the wings) – 7,4÷15,1cm

LAMIR S 17 DIMM IP44 3000K / 4000K + REMOTE CONTROL

LED integrated

voltage: 230V	LED 22W DIMM 1800lm 3000K DIMM
IP44	LED 22W DIMM 1800lm 4000K DIMM
technical specification	installationplace adjust.inlet: 7,4÷15,1cm
	beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) AZ4388
- ☐ 4000K WHITE (WH) AZ4393



LAMIR R 17 DIMM IP44 3000K / 4000K + REMOTE CONTROL

LED integrated

voltage: 230V	LED 22W DIMM 1800lm 3000K
IP44	LED 22W DIMM 1800lm 4000K
technical specification	installation place adjust. inlet: 7,4÷15,1cm
	beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) AZ4387
- ☐ 4000K WHITE (WH) AZ4392



SLIM 9 SQUARE IP44 3000K

LED integrated

voltage: 230V	LED 6W 500lm 3000K RA>90 LED
IP44	
technical specification	installation place inlet opening Ø 7,7cm
	beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2830
- BLACK (BK) AZ2833



SLIM 15 SQUARE IP44 3000K

LED integrated

voltage: 230V	LED 12W 1000lm 3000K RA>90 LED
IP44	
technical specification	installation place inlet opening Ø 12,5cm
	beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2837
- BLACK (BK) AZ2836



WARRANTY
5
YEARS
INTEGRATED
LED
COLOUR RENDERING INDEX
90
SIZE
RA

SLIM ROUND IP44

CH

BK

WH

CH

BK

WH

BK

SLIM 9 ROUND IP44 3000K

LED integrated

voltage: 230V	LED 6W 500lm 3000K RA>90 LED
IP44	
technical specification	installation place inlet opening Ø 7,4cm
	beam angle: 120°

COLOUR / NEW INDEX NO.

- CHROME (CH) AZ2861
- BLACK (BK) AZ2834
- WHITE (WH) AZ2831



WH

SLIM 9 ROUND IP44 4000K

LED integrated

voltage: 230V	LED 6W 500lm 4000K RA>90 LED
IP44	
technical specification	installation place inlet opening Ø 7,4cm
	beam angle: 120°

COLOUR / NEW INDEX NO.

- CHROME (CH) AZ2862
- BLACK (BK) AZ2835
- WHITE (WH) AZ2832



BK

SLIM 15 ROUND IP44 3000K

LED integrated

voltage: 230V	LED 12W 1000lm 3000K RA>90 LED
IP44	
technical specification	installation place inlet opening Ø 12,5cm
	beam angle: 120°

COLOUR / NEW INDEX NO.

- CHROME (CH) AZ2838
- BLACK (BK) AZ2840
- WHITE (WH) AZ2839



CH

SLIM 15 ROUND IP44 4000K

LED integrated

voltage: 230V	LED 12W 1000lm 4000K RA>90 LED
IP44	
technical specification	installation place inlet opening Ø 12,5cm
	beam angle: 120°

COLOUR / NEW INDEX NO.

- CHROME (CH) AZ2841
- BLACK (BK) AZ2843
- WHITE (WH) AZ2842



LINDA 23 3000K

LED integrated

voltage: 230V	LED 18W 3000K RA>90 1500lm
IP20	
technical specification	installation place inlet opening ø21cm
	beam angle: 120°

COLOUR / NEW INDEX NO.

3000K CHROME (CH) **AZ2246**



LINDA 30 3000K/4000K

LED integrated

voltage: 230V	LED 24W 3000K RA>90 2010lm
IP20	LED 24W 4000K RA>90 2100lm
technical specification	installation place inlet opening ø28cm
	beam angle: 120°

COLOUR / NEW INDEX NO.

3000K CHROME (CH) **AZ2250**

4000K CHROME (CH) **AZ2251**



WARRANTY 5 YEARS INTEGRATED LED

COLOUR RENDERING INDEX 90 SIZE RA

OKA AL 3000K / 4000K

LED integrated

voltage: 230V	LED 3W 3000K RA>90 250lm LED 3W 4000K RA>90 260lm	LED
IP20	installation place ■ inlet opening ◐ ø 3,5cm	
technical specification	beam angle: 66°	

COLOUR / NEW INDEX NO.

- ☐ WHITE 3000K (WH) AZ2232
- ☐ WHITE 4000K (WH) AZ2233
- ■ BLACK 3000K (BK) AZ4171
- ■ BLACK 4000K (BK) AZ4172





OKA AC 3000K / 4000K

LED integrated

voltage: 230V	LED 3W 3000K RA>90 250lm LED 3W 4000K RA>90 260lm	LED
IP20	installation place ■ inlet opening ◐ ø 3,6cm	
technical specification	beam angle: 66°	

COLOUR / NEW INDEX NO.

- ☐ ACRYLIC 3000K (AC) AZ2234
- ☐ ACRYLIC 4000K (AC) AZ2235



BK

FILL R 5W 3000K / 4000K

LED integrated

voltage: 230V	LED 5W 425lm 3000K
IP20	LED 5W 425lm 4000K
technical specification	installation place inlet opening Ø 4cm
	beam angle: 60°

usb charger including

COLOUR / NEW INDEX NO.

- BLACK 3000K (BK) AZ3381
- BLACK 4000K (BK) AZ3382



BK



WH BK

FILL S 5W 3000K / 4000K

LED integrated

voltage: 230V		LED 5W 425lm 3000K
IP20		LED 5W 425lm 4000K
technical specification		installation place / inlet opening Ø 4cm
		beam angle: 60°

COLOUR / NEW INDEX NO.

- WHITE 3000K (WH) AZ3377
- BLACK 3000K (BK) AZ3379
- WHITE 4000K (WH) AZ3378
- BLACK 4000K (BK) AZ3380



MONA SPOT 12W

MONA SPOT 12W 3000K / 4000K

voltage: 230V	LED 12W 800lm 3000K
IP20	LED 12W 1000lm 4000K
technical specification	installation place ▪ inlet opening Ø 7,5cm
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4532
- 3000K BLACK (BK) AZ4531
- 4000K WHITE (WH) AZ4534
- 4000K BLACK (BK) AZ4533





MONA SPOT 18W 3000K

voltage: 230V		LED 18W 1300lm 3000K
IP20		
technical specification		installation place ▢ inlet opening Ø 9,5cm
		beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) AZ4536
- ■ 3000K BLACK (BK) AZ4535





FRIDA 7W 3000K / 4000K

LED integrated

voltage: 230V	LED 7W 500lm 3000K
IP54	LED 7W 550lm 4000K
technical specification	installation place ▪ inlet opening ◡ Ø 7-8cm
	beam angle: 24°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) AZ4525
- ■ 3000K BLACK (BK) AZ4523
- ☐ 4000K WHITE (WH) AZ4526
- ■ 4000K BLACK (BK) AZ4524



FRIDA 12W 3000K / 4000K

LED integrated

voltage: 230V	LED 12W 1100lm 3000K
IP54	LED 12W 1100lm 4000K
technical specification	installation place ▪ inlet opening ◡ Ø 7-8cm
	beam angle: 24°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) AZ4529
- ■ 3000K BLACK (BK) AZ4527
- ☐ 4000K WHITE (WH) AZ4530
- ■ 4000K BLACK (BK) AZ4528





TORONTO 15W SPOT

BK

BK

WH

TORONTO 1 SPOT 3000K

LED integrated

voltage: 230V	LED 15W 1020lm 3000K LED
IP20	
technical specification	installation place inlet opening Ø 16,2cm
	beam angle: 21°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4071
- BLACK (BK) AZ4063





WH

BOSTON 10W ROUND

LED integrated

voltage: 230V	LED 10W 685lm 3000K
IP20	
technical specification	installat. place sufit inlet opening Ø9,6cm
	beam angle: 21°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3471
- BLACK (BK) AZ3470



COSTA SPOT

BK / BK

WH

BK

COSTA SPOT

LED integrated

voltage: 230V	LED 12W 1020lm 3000K LED
IP20	
technical specification	installation place · inlet opening Ø 9cm
	beam angle: 24°

COLOUR / NEW INDEX NO.

- WHITE/WHITE (WH/WH) **AZ2705**
- BLACK/BLACK (BK/BK) **AZ2706**



BK

LINA

LED integrated

voltage: 230V		LED 2W 170lm 3000K LED
IP20		
technical specification		installation place inlet opening Ø 4,6cm
		beam angle: 19°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ2708





LUNA 15W

BK

LUNA 15W DIM

LED integrated

voltage: 230V	LED 15W 1270lm
IP20	3000K RA>90 dimm
technical specification	installation place inlet opening Ø 8,5cm
	beam angle: 22°

COLOUR / NEW INDEX NO.

WHITE / BLACK (WH / BK) AZ2828

BLACK / BLACK (BK / BK). AZ2829





WH / BK

LUNA 7W

LED integrated

voltage: 230V	LED 7W 595lm 3000K	LED
IP20	installation place	inlet opening Ø 7cm
technical specification	beam angle: 28°	

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) AZ3396
- BLACK / BLACK (BK / BK). AZ3397



WH / BK

BK / BK

WARRANTY 5 YEARS INTEGRATED LED

LINZ IP44

LED integrated

voltage: 230V	LED 5W 420lm 3000/4000K LED
IP44	
technical specification	installation place inlet opening Ø 5,8cm
	beam angle: 180°

COLOUR / NEW INDEX NO.

- ACRYL (ACR) (3000K) AZ2774
- ACRYL (ACR) (4000K) AZ2775



UNA IP44

LED integrated

voltage: 230V	LED 7W 590lm 3000/4000K LED
IP44	
technical specification	installation place inlet opening Ø 6,2cm
	beam angle: 180°

COLOUR / NEW INDEX NO.

CHROME (CH) (3000K) AZ2772

CHROME (CH) (4000K) AZ2773



OSCAR IP44

OSCAR IP44

bulb not includ

voltage: 230V	connect GU10 1x 7W only LED
IP44	
	installation place
	inlet opening Ø6,5cm

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ1714
- CHROME (CH) AZ1715
- BLACK (BK) AZ2692
- GOLD (GO) AZ2800



BK

WH

ALU

BK

TITO

bulb not includ

voltage: 230V	connect GU10 1x 7W only LED
IP54	
	installation place
	inlet opening Ø6cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0814
- WHITE (WH) AZ0815
- BLACK (BK) AZ4139



CH

EMILIO

bulb not includ

voltage: 230V	connect GU10 1x 7W only LED
IP54	
	installation place
	inlet opening Ø 5,7cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0810
- BLACK (BK) AZ0809
- WHITE (WH) AZ0871
- CHROME (CH) AZ0808



BK

WH

ALU

CH

WH



ALU BK CH WH

EZIO

bulb not includ

voltage: 230V	connect GU10 1x 7W only LED
IP54	
	installation place
	inlet opening Ø5,7cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0811
- BLACK (BK) AZ0812
- WHITE (WH) AZ0813
- CHROME (CH) AZ1051



PABLO IP54


ALU

WH

BK

ALU

PABLO

	bulb not includ	
voltage: 230V	connect GU10 1x 7W only LED	
IP54		
	installation place	
	inlet opening	Ø 6cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ1015
- WHITE (WH) AZ0817
- BLACK 4000K (AC) AZ4140



IKA SQUARE IP65

bulb not includ

voltage: 230V	connect GU10 1x Max. 50W
IP65	
	installation place
	inlet opening Ø 5,9cm

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2864
- BLACK (BK) AZ4230
- DARK GREY (DGR) AZ4231



IKA ROUND IP65

bulb not includ

voltage: 230V	connect GU10 1x Max. 50W
IP65	
	installation place
	inlet opening Ø5,9cm

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2865
- BLACK (BK) AZ3017
- DARK GREY (DGR) AZ4232



CESAR

CH

CH

CH

CESAR

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening 9x9cm

COLOUR / NEW INDEX NO.

CHROME (CH). AZ1152






BK + REMO R **BK**

BK + REMO R **WH**

BK + REMO R **GO**

BK + REMO R **CHA**

BK + REMO R **CH**

BK + REMO R **ALU**

WH + REMO R **BK**

WH + REMO R **WH**

WH + REMO R **GO**

WH + REMO R **CHA**

WH + REMO R **CH**

WH + REMO R **ALU**

ALU + REMO R **BK**

ALU + REMO R **WH**

ALU + REMO R **GO**

ALU + REMO R **CHA**

ALU + REMO R **CH**

ALU + REMO R **ALU**

CH + REMO R **BK**

CH + REMO R **WH**

CH + REMO R **GO**

CH + REMO R **CHA**

CH + REMO R **CH**

CH + REMO R **ALU**

ALU / WH

REMO 1 DOWNLIGHT

bulb not includ

voltage: 230V	connect GU10 1x Max.50W
IP20	
	installation place
	inlet opening Ø 10cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ1729**
- BLACK (BK) **AZ1732**
- WHITE (WH) **AZ1731**
- CHROME (CH) **AZ1730**



REMO R

bulb not includ

voltage: 0V	accessory for Remo 1 Downlight and
IP20	Hugo 1 Downlight and Hugo 2 Downlight
Aluminium	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0821**
- BLACK (BK) **AZ0823**
- WHITE (WH) **AZ0822**
- GOLD (GO) **AZ0824**
- CHAMPAGNE (CHA) **AZ0825**
- CHROME (CH) **AZ0855**



HUGO 1 DOWNLIGHT

WH / BK

HUGO 1 DOWNLIGHT

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 10,5cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ1733
- BLACK (BK) AZ1736
- WHITE (WH) AZ1735
- CHROME (CH) AZ1734



REMO R

voltage: 0V	accessory for Remo 1 Downlight and Hugo 1
IP20	Downlight and Hugo 2 Downlight
Aluminium	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0821
- BLACK (BK) AZ0823
- WHITE (WH) AZ0822
- GOLD (GO) AZ0824
- CHAMPAGNE (CHA) AZ0825
- CHROME (CH) AZ0855



BK + REMO R BK | BK + REMO R WH | BK + REMO R GO
BK + REMO R CHA | BK + REMO R CH | BK + REMO R ALU
WH + REMO R BK | WH + REMO R WH | WH + REMO R GO
WH + REMO R CHA | WH + REMO R CH | WH + REMO R ALU
ALU + REMO R BK | ALU + REMO R WH | ALU + REMO R GO
ALU + REMO R CHA | ALU + REMO R CH | ALU + REMO R ALU
CH + REMO R BK | CH + REMO R WH | CH + REMO R GO
CH + REMO R CHA | CH + REMO R CH | CH + REMO R ALU

WH / BK

HUGO 2 DOWNLIGHT

bulb not includ

voltage: 230V	connect GU10 2x Max 50W
IP20	
	installation place
	inlet opening 10,5x22,5cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ1737
- BLACK (BK) AZ1740
- WHITE (WH) AZ1739
- CHROME (CH) AZ1738



BK + REMO R **BK** | **BK** + REMO R **WH** | **ALU** + REMO R **GO**

BK + REMO R **CHA** | **BK** + REMO R **CH** | **ALU** + REMO R **ALU**

WH + REMO R **BK** | **WH** + REMO R **WH** | **WH** + REMO R **GO**

WH + REMO R **CHA** | **WH** + REMO R **CHA** | **WH** + REMO R **ALU**

ALU + REMO R **BK** | **ALU** + REMO R **WH** | **ALU** + REMO R **GO**

ALU + REMO R **CHA** | **ALU** + REMO R **CH** | **ALU** + REMO R **ALU**

CH + REMO R **WH** | **CH** + REMO R **BK** | **CH** + REMO R **GO**

CH + REMO R **CHA** | **CH** + REMO R **CH** | **CH** + REMO R **ALU**

BK

CARLO

bulb not includ

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 8cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0804
- WHITE (WH) AZ0805
- BLACK (BK) AZ4141





WH

ALU

BK

BK

EDITTA

bulb not includ

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 8cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0806
- WHITE (WH) AZ0807
- BLACK (BK) AZ4144





WH

ALU

BK

ALU

IVO

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø6,4cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0758**
- BLACK (BK) **AZ1716**
- WHITE (WH) **AZ0759**
- CHROME (CH) **AZ1717**



WH

ALU

BK

CH

IVO SQUARE

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø6,4cm

COLOUR / NEW INDEX NO.

CHROME (CH) AZ1788

WHITE (WH) AZ1825



IVO 2 SQUARE

bulb not includ

voltage: 230V	connect GU10 2x Max 50W
IP20	
	installation place
	inlet opening 6,5x14,5cm

COLOUR / NEW INDEX NO.

CHROME (CH) AZ1789

WHITE (WH) AZ1826



PACO

PACO 1

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening 8x8cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0795
- BLACK (BK) AZ0797
- WHITE (WH) AZ0796



TILT 45°

PACO 2

bulb not includ

voltage: 230V	connect GU10 2x Max 50W
IP20	
	installation place
	inlet opening 8x16cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0798
- BLACK (BK) AZ0800
- WHITE (WH) AZ0799



TILT 45°

PACO 3

bulb not includ

voltage: 230V	connect GU10 3x Max 50W
IP20	
	installation place
	inlet opening 8x24cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0801
- BLACK (BK) AZ0803
- WHITE (WH) AZ0802



TILT 45°





PIO

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening 6,3x6,3cm

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ0760
- BLACK (BK) AZ1278
- CHROME (CH) AZ1718



PIO 2

bulb not includ

voltage: 230V	connect GU10 2x Max 50W
IP20	
	installation place
	inlet opening 7x14,6cm

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ1719
- BLACK (BK) AZ1720
- CHROME (CH) AZ1749



CARO ROUND

new

GO

CARO R

bulb not included

voltage: 230V	GU10 x 1x MAX 50W
IP20	
	installation place
	inlet opening Ø7,8cm

COLOUR / NEW INDEX NO.

- GOLD (GO) AZ5424
- ALUMINIUM (ALU) AZ2432
- BLACK (BK) AZ2431
- WHITE (WH) AZ2430



TILT 45°

new

GO

new

GO

new

GO

WH

ALU

BK

WH

ALU

BK



WH

ALU

BK

WH

ALU

BK

WH

ALU

BK

new



GO

CARO S

bulb not included

voltage: 230V	GU10 x 1x MAX 50W
IP20	
	installation place
	inlet opening Ø8cm

COLOUR / NEW INDEX NO.

- GOLD (GO) AZ5425
- ALUMINIUM (ALU) AZ2435
- BLACK (BK) AZ2434
- WHITE (WH) AZ2433



TILT 45°

new

GO

CARO 2S

bulb not included

voltage: 230V	GU10 x 2x MAX 50W
IP20	
	installation place
	inlet opening 8x15,8cm

COLOUR / NEW INDEX NO.

- GOLD (GO) AZ5426
- ALUMINIUM (ALU) AZ2438
- BLACK (BK) AZ2437
- WHITE (WH) AZ2436



TILT 45°

BK

CARO 3S

bulb not includ

voltage: 230V	connect GU10 3x Max 50W
IP20	
	installation place
	inlet opening 8x23,5cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ2441
- BLACK (BK) AZ2440
- WHITE (WH) AZ2439



TILT 45°

WH

CARO 4S

bulb not includ

voltage: 230V	connect GU10 4x Max 50W
IP20	
	installation place
	inlet opening 16x16cm

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2442



TILT 45°

WH /BK

IBIZA

	bulb not includ
voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 10cm

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) AZ1361
- BLACK / GOLD (BK / GO) AZ2804
- WHITE / WHITE (WH / WH) AZ2803
- BLACK / BLACK (BK / BK). AZ3532





WH / BK

BK / GO

WH / WH

BK / BK

WH

REMI

bulb not includ

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 8,5cm

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ1363
- BLACK (BK) AZ4143





BK

WH

MINORKA

BK / BK

WH / BK



BK / GO

WH / WH

BK / BK

MINORKA

bulb not includ

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place
	inlet opening 9,5x9,5cm

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) AZ1362
- BLACK / GOLD (BK/GO) AZ2802
- WHITE / WHITE (WH/WH) AZ2801
- BLACK / BLACK (BK/BK) AZ4142







connecting element included

MILET

MILET

bulb not includ

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place
	inlet opening 7,2 x 7,2cm

COLOUR / NEW INDEX NO.

WHITE (WH) AZ4075

BLACK (BK) AZ4076



BK

ITAKA

bulb not includ

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 7,5cm

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4073
- BLACK (BK) AZ4074



BK

WH

SAVIO

ACR

SAVIO ROUND

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø5,8cm

COLOUR / NEW INDEX NO.

ACRYL (ACR) AZ2779



ACR

SAVIO SQUARE

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø5,8cm

COLOUR / NEW INDEX NO.

ACRYL (ACR) AZ2778



WH

GELO

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø6,6cm

COLOUR / NEW INDEX NO.

☐ WHITE FROST (WH) AZ3539



NEMO

BK

WH BK CH GO

NEMO

	bulb not includ	
voltage: 230V	connect GU10 1x Max 50W	
IP20		
	installation place	
	inlet opening	Ø6,8cm

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3398
- BLACK (BK) AZ3399
- CHROME (CH) AZ3400
- GOLD (GO) AZ3401





ERIKA

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø5,4cm

COLOUR / NEW INDEX NO.

CHROME (CH). AZ2777



SIRO

BK / BK

SIRO 1

bulb not includ

voltage: 230V	connect 1x ES111 MAX 50W or ADAP111
IP20	connect GU10 1x Max 40W
	installation place
	inlet opening 15cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0767
- BLACK / ALUMINIUM (BK / ALU). . . AZ0769
- WHITE (WH). AZ0768
- BLACK / BLACK (BK / BK). AZ2805





BK / BK

SIRO 2

bulb not includ

voltage: 230V	connect 2x ES111 MAX 50W or ADAP111
IP20	connect GU10 2x Max 40W
	installation place
	inlet opening 31x15cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0770
- BLACK / ALUMINIUM (BK / ALU). . . AZ0772
- WHITE (WH). AZ0771
- BLACK / BLACK (BK / BK). AZ2806





ALU

SIRO 3

bulb not includ

voltage: 230V	connect 3x ES111 MAX 50W or ADAP111
IP20	connect GU10 3x Max 40W
	installation place
	inlet opening 48x15cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0773



BK / ALU

SISTO 1

bulb not includ

voltage: 230V	1x ES111 MAX 50W or ADAP111
IP20	connect GU10 1x Max 40W
	installation place
	inlet opening 16X16cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0793
- WHITE / BLACK (WH/BK) AZ1446
- BLACK / BLACK (BK/BK) AZ2810





BK / BK

SISTO 2

bulb not includ

voltage: 230V	connect 2x ES111 MAX 50W or ADAP111
IP20	connect GU10 2x Max 40W
	installation place
	inlet opening 30,5x16cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0794
- WHITE / BLACK (WH/BK) AZ1447
- BLACK/BLACK (BK/BK) AZ2809





ALU /ALU

STAN

	bulb not includ	
voltage: 230V	connect 1x ES111 MAX 50W or ADAP111	
IP20	connect GU10 1x Max 40W	
	installation place	
	inlet opening	Ø 14,5cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0860
- WHITE (WH) AZ0861
- BLACK / BLACK (BK / BK) AZ2811
- CHROME (CH) AZ2957





WH

ALU

BK / BK

CH

TORRES GU10

voltage: 230V	connect GU10 1x Max 40W
IP20	
	installation place
	inlet opening Ø 8,2cm

COLOUR / NEW INDEX NO.

☐ WHITE (WH) AZ2682

■ BLACK (BK) AZ2683



TORRES ES111

voltage: 230V	connect 1x ES111 MAX 50W or ADAP111
IP20	
	installation place
	inlet opening Ø 14,5cm

COLOUR / NEW INDEX NO.

☐ WHITE (WH) AZ2684

■ BLACK (BK) AZ2685





VERDI

bulb not includ

voltage: 230V	1x ES111 MAX 50W or ADAP111	
IP20	connect GU10 1x Max 40W	
	installation place	
	inlet opening	17x17cm

COLOUR / NEW INDEX NO.

WHITE (WH) AZ3526

BLACK (BK) AZ3527





VERDI 3

bulb not includ

voltage: 230V	connect 3x ES111 MAX 50W or ADAP111	
IP20	connect GU10 3x Max 40W	
	installation place	
	inlet opening	45x17cm

COLOUR / NEW INDEX NO.

BLACK (BK) AZ3531



NOVA

BK / BK

NOVA 1

	bulb not includ	
voltage: 230V	1x ES111 MAX 50W or ADAP111	
IP20	connect GU10 1x Max 40W	
	installation place	
	inlet opening	15x15cm

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK /BK) **AZ2869**
- WHITE / WHITE (WH /WH) **AZ2870**
- WHITE / BLACK (WH /BK) **AZ2871**



TILT 45°

BK / BK

NOVA 2

	bulb not includ	
voltage: 230V	connect 2x ES111 MAX 50W or ADAP111	
IP20	connect GU10 2x Max 40W	
	installation place	
	inlet opening	30,5x15cm

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK /BK) **AZ2875**
- WHITE / WHITE (WH /WH) **AZ2876**
- WHITE / BLACK (WH /BK) **AZ2877**



TILT 45°



BK/BK

BK/BK

WH/WH

WH/WH

WH/BK

WH/BK



WH / WH

NOVA GIPS

bulb not includ

voltage: 230V	1x ES111 MAX 50W or ADAP111	
IP20	connect GU10 1x Max 40W	
	installation place	
	inlet opening	15,2x15,2cm

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) **AZ2872**
- WHITE / WHITE (WH/WH) **AZ2873**



TILT 45°

BK / BK

NOVA 2 GIPS

bulb not includ

voltage: 230V	connect 2x ES111 MAX 50W or ADAP111	
IP20	connect GU10 2x Max 40W	
	installation place	
	inlet opening	30.5x15.2cm

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK /BK) **AZ2935**
- WHITE / WHITE (WH /WH) **AZ2934**



TILT 45 °

BK/BK

WH/WH

BK/BK

WH/WH

HERA GIPS SQUARE

HERA GIPS SQUARE S WH

bulb not includ

voltage: 230V	connect GU10 1x Max 40W
IP20	
	instaion place
	inlet opening 10x10cm

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ3466**





HERA GIPS SQUARE M WH

bulb not includ

voltage: 230V	connect GU10 1x Max 40W
IP20	
	installation place
	inlet opening 12x12cm

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ3467**

glass diffuser only included with AZ3467



Recommended plasterboard profile: 12mm

WH

HERA GIPS ROUND M

bulb not includ

voltage: 230V	connect GU10 1x Max 40W
IP20	
	installation place
	inlet opening 13cm

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ3465**



WH

HERA GIPS ROUND S

bulb not includ

voltage: 230V	connect GU10 1x Max 40W
IP20	
	installation place
	inlet opening Ø 10cm

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ3464**



INDOOR WALL
LAMPS

INDOOR
wall lamps

408 ANCONA
415 ANGUS
412 ARCHO
402 AVON
392 BLAS
403 CLOVER
419 FARO
394 FELIX
398 GAMBINO
414 GINNO
393 LAMBDA
405 LATONA
399 LETICIA
400 LETICIA 2
401 LETICIA 2 LED
420 LUMI
421 LUMI FLEX
396 MARS
423 NOGAT
387 OZ
389 RAGGIO
416 RAMONA
406 RAUL
388 SANE
386 TAZ
410 TORCH
411 VEGA
390 VELIA ROUND
391 VELIA SQUARE
397 VENUS
418 VERA
422 VERONICA
407 VIDAL
404 VIGO

TAZ


SN

BK

WH


SN

TAZ

LED integrated

voltage: 230V	LED 1W 85lm 4000K LED
IP20	
technical specification	installation place inlet opening Ø 4,8cm
	beam angle: 360°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ3369
- WHITE (WH) AZ3370
- SATIN NICKEL (SN) AZ3371



MOUNTING BOX INCLUDED



OZ

LED integrated

voltage: 230V	LED 1W 85lm 4000K
IP20	
technical specification	installation place inlet opening Ø 4,8cm
	beam angle: 360°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ3372
- WHITE (WH) AZ3373
- SATIN NICKEL (SN) AZ3374



MOUNTING BOX INCLUDED

SANE Ø 40

LED integrated

voltage: 230V	LED 1W 85lm 3000K
IP20	Transformer 230V – included
technical specification	installation place: inlet opening Ø 4,8cm
	beam angle: 180°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ2765
- WHITE (WH) AZ2766
- NICKEL (NI) AZ2767



MOUNTING BOX INCLUDED



SANE Ø 60

LED integrated

voltage: 230V	LED 2W 170lm 3000K
IP20	Transformer 230V – included
technical specification	installation place: inlet opening Ø 5cm
	beam angle: 180°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ2768
- WHITE (WH) AZ2769
- ANTIQUE BRUSH (ANB) AZ2770
- NICKEL (NI) AZ2771



MOUNTING BOX INCLUDED

RAGGIO

LED integrated

voltage: 230V	LED 3W 240lm 3000K
IP54	Transformer 230V – included
technical specification	installation place: inlet opening 8.8x4cm
	beam angle: 15°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2963
- BLACK (BK) AZ2964
- SATIN NICKEL (SN) AZ2965



VELIA ROUND

BS

BK

WH

BS

VELIA ROUND 2

bulb not includ

voltage: 230V	GU10 2x Max 50W
IP20	
	instalation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4398
- BLACK (BK) AZ4399
- BRASS (BS) AZ4397



VELIA SQUARE


BK

BK WH BS

VELIA SQUARE 2

bulb not includ

voltage: 230V	GU10 2x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4403
- BLACK (BK) AZ4401
- BRASS (BS) AZ4402



BLAS



BLAS

bulb not includ

voltage: 230V	connect G9 1x Max 40W
IP20	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ3069





LAMBDA

LED integrated

voltage: 230V		LED 10W 850lm 3000K
IP20		
technical specification		installation place
		beam angle: 90°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ3346
- WHITE (WH) AZ3345



FELIX LED

FELIX S

LED integrated

voltage: 230V		LED 6W 500lm 3000K
IP20		
technical specification		installation place
		beam angle: 2x90°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2456
- GOLD (GO) AZ2425





FELIX M

LED integrated

voltage: 230V		LED 6W 500lm 3000K
IP20		
technical specification		installation place
		beam angle: 2x110°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2426



FELIX L

LED integrated

voltage: 230V		LED 12W 1008lm 3000K
IP20		
technical specification		installation place
		beam angle: 2x110°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2427



MARS

BK / BK



ALU | WH | WH / GO



BK / GO | BK / BK

MARS

bulb not includ

voltage: 230V	connect G9 1x Max.40W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0895
- WHITE (WH) AZ0896
- WHITE / GOLD (WH/GO) AZ1090
- BLACK / GOLD (BK/GO) AZ1052
- BLACK / BLACK (BK / BK) AZ2931





VENUS

bulb not includ

voltage: 230V	connect G9 1x Max.40W
IP20	
	instaion place

COLOUR / NEW INDEX NO.

- ☐ ALUMINIUM (ALU) AZ0893
- ☐ WHITE (WH) AZ0894



GAMBINO LED IP54



FOUR ADJUSTABLE LIGHT ANGLE



BGR

GAMBINO

LED integrated

voltage: 230V	LED 2x3W 480 lm 3000K
IP54	
technical specification	installation place
	beam angle: adjustable max 90°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ0950
- BRIGHT GREY (BGR) AZ0958
- DARK GREY (DGR) AZ0957



FOUR ADJUSTABLE LIGHT ANGLE TILT 90°

WH



BGR

DGR



BK/ GO

WH AGO BK / GO BK / BK

LETICIA

bulb not includ

voltage: 230V	connect G9 1x Max.40W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ0951
- ANODISED GOLD (AGO) AZ0952
- BLACK / GOLD (BK / GO) AZ2814
- BLACK / BLACK (BK / BK) AZ2932



TWO ADJUSTABLE LIGHT ANGLE TILT 90°

LETICIA 2

400 Indoor wall lamps

BK / GO

LETICIA 2

bulb not includ

voltage: 230V	connect G9 1x Max.40W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ1059
- WHITE (WH) AZ1058
- BLACK / GOLD (BK / GO) AZ2815
- BLACK / BLACK (BK / BK) AZ2933



TWO ADJUSTABLE LIGHT ANGLE TILT 90°

ALU

WH

BK / GO

BK / BK

DGR

BK DGR WH

LETICIA 2 LED

LED integrated

voltage: 230V		LED 2x3W 3000K 420lm
IP54		
technical specification		installation place
		beam angle: adjustable max 90°



COLOUR / NEW INDEX NO.

- DARK GRAY (DGR) AZ2189
- WHITE (WH) AZ2190
- BLACK (BK) AZ4469



FOUR ADJUSTABLE LIGHT ANGLE TILT 90°

AVON LED

AVON

LED integrated

voltage: 230V		LED 5W 3000K 385lm
IP20		
technical specification		installation place
		beam angle: 90°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ2196
- WHITE (WH) AZ2195
- GOLD (GO) AZ2197



WARRANTY 5 YEARS INTEGRATED LED

A↑G

CLOVER LED



BK

CLOVER SQUARE *

LED integrated

voltage: 230V	LED 12W 3000K 840lm LED
IP20	
technical specification	installation place
	beam angle: 360°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ2198
- WHITE (WH) AZ2199



WH

CLOVER OVAL

LED integrated

voltage: 230V	LED 12W 3000K 840lm LED
IP20	
technical specification	installation place
	beam angle: 360°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ2997
- WHITE (WH) AZ2998



WARRANTY 5 YEARS INTEGRATED LED

** - OFFERED ONLY OUTSIDE OF THE EUROPEAN UNION

VIGO LED IP54



VIGO

LED integrated

voltage: 230V	LED 2x3W 420lm 3000K
IP54	
technical specification	installation place
	beam angle: 2x90°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ2203





BK

BK WH

LATONA

LED integrated

voltage: 230V		LED 10W 800lm 3000K
IP20		
technical specification		installation place
		beam angle: 90°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ2204
- WHITE (WH) AZ2205



WARRANTY 5 YEARS INTEGRATED LED



CH

RAUL

bulb not includ

voltage: 230V	connect G9 2x Max.40W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0892
- WHITE (WH) AZ0891
- CHROME (CH) AZ0868



ALU

WH

VIDAL



VIDAL

bulb not includ

voltage: 230V	connect G9 1x Max.40W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ☐ ALUMINIUM (ALU) AZ0862
- ☐ WHITE (WH) AZ0863



ANCONA LED IP54



ANCONA S IP54

LED integrated

voltage: 230V	LED 6W 445lm 3000K
IP54	
technical specification	installation place
	beam angle: 360°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2192
- BLACK (BK) AZ2191





ANCONA M IP54

LED integrated

voltage: 230V	LED 9W 890lm 3000K
IP54	
technical specification	installation place
	beam angle: 360°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2193
- BLACK (BK) AZ2194



WARRANTY 5 YEARS INTEGRATED LED

ANCONA L IP54

LED integrated

voltage: 230V	LED 24W 1680lm 3000K
IP54	
technical specification	installation place
	beam angle: 360°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ2852
- WHITE (WH) AZ2853



TORCH LED IP54

WH

BK

WH

TORCH

LED integrated

voltage: 230V	LED 6W 420lm 3000K
IP54	
technical specification	installation place
	beam angle: 45°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ2206
- WHITE (WH) AZ2207





WH

VEGA

bulb not includ

voltage: 230V	connect G9 1x Max. 40W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK / GOLD (BK / GO) AZ1709
- WHITE (WH) AZ1708
- CHROME (CH) AZ1758
- ANODISED GOLD (AGO) AZ1746



BK / GO

WH



CH

AGO

ARCHO



ARCHO A

bulb included

voltage: 230V	connect G24-D2 1x Max.18W
IP20	
	installation place

COLOUR / NEW INDEX NO.

ALUMINIUM (ALU) **AZ0199**





ARCHO 2A

bulb included

voltage: 230V	connect G24-D2 1x Max.18W
IP20	
	installation place

COLOUR / NEW INDEX NO.

CHROME (CH). **AZ0326**





ARCHO 2B

bulb included

voltage: 230V	connect PL-L 1x Max.36W
IP20	
	installation place

COLOUR / NEW INDEX NO.

CHROME (CH). **AZ0327**





ARCHO C

bulb included

voltage: 230V	connect PL-L 1x Max.55W
IP20	
	installation place

COLOUR / NEW INDEX NO.

ALUMINIUM (ALU) **AZ0201**





ARCHO 2C

bulb included

voltage: 230V	connect PL-L 1x Max.55W
IP20	
	installation place

COLOUR / NEW INDEX NO.

CHROME (CH) **AZ0328**



GINNO LED

GINNO 1

LED integrated

voltage: 230V	LED 2x 1W 160 lm 3000K
IP20	
technical specification	installation place
	beam angle: 2x45°

COLOUR / NEW INDEX NO.

ALUMINIUM (ALU) AZ0764



GINNO 2

LED integrated

voltage: 230V	LED 4x 1W 320 lm 3000K
IP20	
technical specification	installation place
	beam angle: 4x45°

COLOUR / NEW INDEX NO.

WHITE / ALUMINIUM (WH / ALU) . . AZ0762

ALUMINIUM (ALU) AZ0765



GINNO 3

LED integrated

voltage: 230V	LED 6x 1W 440 lm 3000K
IP20	
technical specification	installation place
	beam angle: 6x45°

COLOUR / NEW INDEX NO.

ALUMINIUM (ALU) AZ0766







ANGUS LED SWITCH

LED integrated

voltage: 230V	LED 3W 250lm 3000K
IP20	
technical specification	installation place
	beam angle: 15°

COLOUR / NEW INDEX NO.

WHITE (WH) AZ2446

CHROME (CH) AZ2445





RAMONA LED SWITCH



RAMONA 1 LED SWITCH

LED integrated

voltage: 230V	LED 6W 3000K 500lm
IP20	
technical specification	installation place
	beam angle: 60°

COLOUR / NEW INDEX NO.

- SAND WHITE (WH) AZ2566
- SAND BLACK (BK) AZ2565







RAMONA 2 LED SWITCH

LED integrated

voltage: 230V	LED 2X 6W 3000K 500lm
IP20	
technical specification	installation place
	beam angle:2x60°

COLOUR / NEW INDEX NO.

- SAND WHITE (WH) AZ2564





RAMONA LED SWITCH

VERA LED SWITCH



VERA LED SWITCH

LED integrated

voltage: 230V		LED 6W+3W 510lm+255lm 3000K LED
IP20		
technical specification		installation place
		beam angle: 110° + 10°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4417
- BLACK (BK) AZ3201







FARO LED SWITCH

LED integrated

voltage: 230V	LED 6W 420lm
IP20	+ LED 3W 250lm 3000K
technical specification	installation place
	beam angle: 360°+10°

COLOUR / NEW INDEX NO.

- SATIN NICKEL (NI). AZ2552
- CHROME (CH). AZ2424
- BLACK (BK) AZ3204







LUMI LED

LUMI

LED integrated

voltage: 230V	LED 5W 500lm 3000K
IP20	
technical specification	installation place
	adjustable beam angle: 19°÷70°

COLOUR / NEW INDEX NO.

- WHITE FINISH SHINING (WH) AZ4556
- BLACK FINISH SHINING (BK) AZ4555







WARRANTY 5 YEARS INTEGRATED LED

LUMI FLEX

LED integrated

voltage: 230V	LED 5W 500lm 3000K
IP20	
technical specification	installation place
	adjustable beam angle: 19°÷70°

COLOUR / NEW INDEX NO.

- WHITE FINISH SHINING (WH) AZ4562
- BLACK FINISH SHINING (BK) AZ4561



19° 70°
ADJUSTABLE BEAM ANGLE
FLEXIBLE TILT
FLEXIBLE ROTATION

VERONICA LED SWITCH IP44



VERONICA LED IP44 SWITCH

LED integrated

voltage: 230V	LED 1x 3W 150 lm 3000K
IP44	
technical specification	installation place
	beam angle: 15°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ1547
- BLACK (BK) AZ1548
- CHROME (CH) AZ1546





NOGAT LED SWITCH

LED integrated

voltage: 230V	LED 3W 250lm 3000K
IP20	
technical specification	installation place
	beam angle: 10°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ2943
- WHITE (WH) AZ2944



AZzardo®

OUTDOORLINE

www.azzardolighting.com

OUTDOOR
LAMPS

OUTDOOR lamps

482 AFI IP54
500 AGAPE IP54
484 ALF IP65
440 ALIX IP65
437 APULIA IP54
464 ARBAX IP54
465 ARIDA IP54
508 BOOMBOX IP44
462 CASOLA IP54
480 CASORIA IP54
435 CASPER SQUARE IP54
436 CASPER ROUND IP54
472 CIVITA IP54
463 COSEL IP54
468 CREMONA IP54
473 DURANTE IP54
502 EDVARD IP65
502 EDVIN IP65
478 ENOK IP54
432 FANO IP54
434 FANO SMART IP54
503 FLOKI IP54
504 FRAME IP54
492 FREDO IP54
476 GAGARIN IP44
466 GAMBINO IP54
505 GILBERTO IP54
474 GINNA IP54
457 GORAN
493 GUIDO IP54
506 HAVANA IP44
430 HYDE IP54
431 IKA IP65
455 JAKE WALL 2 IP54
445 JASON SQUARE WALL IP65
444 JASON WALL IP65
442 JOE IP54
470 LARS IP54
467 LETICIA 2 LED IP54
475 LIVIO 2 IP54
501 MATERA IP54
488 MIKKEL IP54
486 NIKLAS IP44
498 NILS IP44
491 OSVALD IP44
483 OVE WALL IP54
438 PAPIKO IP65
456 PEDER IP54
490 RASMUS IP65
450 REZIA IP54
454 RIMINI IP54
452 RIMINI SQUARE IP54
447 ROLAND SQ WALL IP65
446 ROLAND WALL IP65
494 ROLF IP44
477 SARONA IP54
496 SORANO IP44
439 TONIO IP54
458 ULF IP44
461 VENETO IP54
460 VENTA IP54
448 ZARIA IP 65 CCT SWITCH
471 ZITA XL IP54



ROMOLO R IP65

ROMOLO R IP65

bulb not included

voltage: 230V	GU10 x MAX 50W
IP65	
	instalation place:

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ5390
- WHITE (WH) AZ5389







BK

ROMOLO S IP65

bulb not included

voltage: 230V	GU10 x MAX 50W
IP65	
	instalation place:

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ5392
- WHITE (WH) AZ5391



BK

WH

HYDE IP54

CH

HYDE OVAL

bulb not includ

voltage: 230V	LED GU10 1x MAX 35W
IP54	
	installation place
	inlet opening Ø 5cm

COLOUR / NEW INDEX NO.

CHROME (CH). AZ3325





CH

HYDE SQUARE

bulb not includ

voltage: 230V	LED GU10 1x MAX 35W
IP54	
	installation place
	inlet opening Ø 5cm

COLOUR / NEW INDEX NO.

CHROME (CH). AZ3326



IKA SQUARE IP65

bulb not includ

voltage: 230V	connect GU10 1x Max. 35W
IP65	
	installation place
	inlet opening Ø 6,4cm

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2864
- BLACK (BK) AZ4230
- DARK GREY (DGR) AZ4231



IKA ROUND IP65

bulb not includ

voltage: 230V	connect GU10 1x Max. 35W
IP65	
	installation place
	inlet opening Ø 6cm

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2865
- BLACK (BK) AZ3017
- DARK GREY (DGR) AZ4232



FANO IP54

FANO S 30

bulb not includ

voltage: 230V	E27 2X MAX 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4372
- DARK GREY (DGR) AZ4370
- WHITE (WH) AZ4374



FANO R 30

bulb not includ

voltage: 230V	E27 2X MAX 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4371
- DARK GREY (DGR) AZ4369
- WHITE (WH) AZ4373



FANO SQUARE

LED integrated

voltage: 230V	LED 9W 582lm 3000K
IP54	installation place

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ2186**



FANO R

LED integrated

voltage: 230V	LED 9W 421lm 3000K
IP54	installation place

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ2187**



FANO S 30 SMART LED RGB

LED integrated

voltage: 230V	LED 24W 1720lm RGB
IP54	2600-6000K
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4786
- DARK GREY (DGR) AZ4787
- WHITE (WH) AZ4788



CCT = 2600÷6000K DIMMABLE REMOTE CONTROL

FANO R 30 SMART LED RGB

LED integrated

voltage: 230V	LED 24W 1720lm RGB
IP54	2600-6000K
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4783
- DARK GREY (DGR) AZ4784
- WHITE (WH) AZ4785



CCT = 2600÷6000K DIMMABLE REMOTE CONTROL



LED DIM POWER

CASPER SQUARE 3000K / 4000K

LED integrated

voltage: 230V	LED 15W 1300lm 3000K
IP54	LED 15W 1300lm 4000K
technical specification	installation place
	beam angle: 110°

COLOUR / NEW INDEX NO.

3000K BLACK (BK)	AZ4496
3000K DARK GREY (DGR)	AZ4498
3000K WHITE (WH)	AZ4500
4000K BLACK (BK)	AZ4497
4000K DARK GREY (DGR)	AZ4499
4000K WHITE (WH)	AZ4501

CASPER ROUND IP54

CASPER ROUND 3000K / 4000K

LED integrated

voltage: 230V	LED 15W 1300lm 3000K
IP54	LED 15W 1300lm 4000K
technical specification	installation place
	beam angle: 110°

COLOUR / NEW INDEX NO.

3000K BLACK (BK)	AZ4490
3000K DARK GREY (DGR)	AZ4492
3000K WHITE (WH)	AZ4494
4000K BLACK (BK)	AZ4491
4000K DARK GREY (DGR)	AZ4493
4000K WHITE (WH)	AZ4495

APULIA R

LED integrated

voltage: 230V	LED 10W 800lm 3000K
IP54	
technical specification	installation place
	beam angle: 130°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4333**
- DARK GREY (DGR) **AZ4335**
- WHITE (WH) **AZ4334**





APULIA S

LED integrated

voltage: 230V	LED 10W 800lm 3000K
IP54	
technical specification	installation place
	beam angle: 130°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4336**
- DARK GREY (DGR) **AZ4338**
- WHITE (WH) **AZ4337**





PAPIKO IP65

PAPIKO IP65

bulb not includ

voltage: 230V	GU10 1x MAX 35W
IP65	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4216

WHITE (WH) AZ4217



TONIO

bulb not includ

voltage: 230V	connect GU10 1x Max.35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

WHITE (WH) AZ0870



ALIX IP65

voltage: 230V	GU10 1x Max 35W
IP65	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4056
- GREY (GR) AZ4057
- WHITE (WH) AZ4055





JOE IP54

JOE TUBE

bulb not includ

voltage: 230V	GU10 1x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) AZ3313
- BLACK (BK) AZ3314
- WHITE (WH) AZ3315
- BRIGHT GREY (BGR) AZ3316



JOE WALL 1

bulb not includ

voltage: 230V	GU10 1x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) AZ3317
- BLACK (BK) AZ3318
- WHITE (WH) AZ4315



JOE WALL 2

bulb not includ

voltage: 230V	GU10 2x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) AZ3319
- BLACK (BK) AZ3320
- WHITE (WH) AZ4316





JOE SQUARE

bulb not includ

voltage: 230V	GU10 1x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) AZ3323
- WHITE (WH) AZ3324
- BLACK (BK) AZ4270





JASON WALL IP65

LED integrated

voltage: 230V		LED 9W 800lm 4000K LED
IP65		
technical specification		installation:
		beam angle: 60°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5217

DARK GREY (DGR) AZ5218



JASON 2 WALL IP65

LED integrated

voltage: 230V		LED 2x 9W 1600lm 4000K LED
IP65		
technical specification		installation:
		beam angle: 2 x 60°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5219

DARK GREY (DGR) AZ5220



JASON SQUARE WALL IP65

LED integrated

voltage: 230V	LED 9W 800lm 4000K LED
IP65	
technical specification	installation:
	beam angle: 60°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5221

DARK GREY (DGR) AZ5222



JASON 2 SQUARE WALL IP65

LED integrated

voltage: 230V	LED 2x 9W 1600lm 4000K LED
IP65	
technical specification	installation:
	beam angle: 2 x 60°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5223

DARK GREY (DGR) AZ5224



ROLAND WALL IP65

LED integrated

voltage: 230V	LED 9W 800lm 3000K
IP65	
technical specification	installation:
	beam angle: 85°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ5226
- DARK GREY (DGR) AZ5225



ROLAND 2 WALL IP65

LED integrated

voltage: 230V	LED 18W 1600lm 3000K
IP65	
technical specification	installation:
	beam angle: 2 x 85°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ5228
- DARK GREY (DGR) AZ5227



ROLAND SQ WALL IP65

LED integrated

voltage: 230V		LED 9W 800lm 3000K
IP65		
technical		instalation:
specification		beam angle: 85°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ5230
- DARK GREY (DGR) AZ5229



ROLAND 2 SQ WALL IP65

LED integrated

voltage: 230V		LED 18W 1600lm 3000K
IP65		
technical		instalation:
specification		beam angle: 2 x 85

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ5232
- DARK GREY (DGR) AZ5231





ZARIA A IP65 CCT SWITCH

LED integrated

voltage: 230V	LED 5W 500 lm 3000K/4000K/6000K
IP65	CCT Switch
technical specification	installation:
	beam angle: 360°

COLOUR / NEW INDEX NO.

☐ WHITE (WH) AZ5233





ZARIA B IP65 CCT SWITCH

LED integrated

voltage: 230V	8W 800 lm 3000K/4000K/6000K
IP65	CCT Switch
technical specification	installation:
	beam angle: 360°

COLOUR / NEW INDEX NO.

☐ WHITE (WH) AZ5234





ZARIA C IP65 CCT SWITCH

LED integrated

voltage: 230V	LED 15W 1500 lm
IP65	3000K/4000K/6000K CCT Switch
technical specification	installation:
	beam angle: 360°

COLOUR / NEW INDEX NO.

☐ WHITE (WH) AZ5235



ZARIA D IP65 CCT SWITCH

LED integrated

voltage: 230V	LED 20W 2000 lm
IP65	3000K/4000K/6000K CCT Switch
technical specification	installation:
	beam angle: 360°

COLOUR / NEW INDEX NO.

☐ WHITE (WH) AZ5236



ZARIA IP 65 CCT SWITCH

REZIA IP54



REZIA 1

bulb not includ

voltage: 230V	GU10 1x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4343
- DARK GRAY (DGR) AZ4344



REZIA 2

bulb not includ

voltage: 230V	GU10 2x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4345
- DARK GRAY (DGR) AZ4346



REZIA IP54

RIMINI 1 SQUARE

bulb not includ

voltage: 230V	GU10 1x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) AZ4311
- WHITE (WH) AZ4313
- BLACK (BK) AZ4267



RIMINI 2 SQUARE

bulb not includ

voltage: 230V	GU10 2x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) AZ4312
- WHITE (WH) AZ4314
- BLACK (BK) AZ4268

RIMINI 1

bulb not includ

voltage: 230V	GU10 1x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) AZ2176
- WHITE (WH) AZ2175
- BLACK (BK) AZ4265



RIMINI 2

bulb not includ

voltage: 230V	GU10 2x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) AZ2178
- WHITE (WH) AZ2177
- BLACK (BK) AZ4266







JAKE WALL 2 IP54

bulb not includ

voltage: 230V	GU10 2x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) AZ3321
- WHITE (WH) AZ3322
- BLACK (BK) AZ4269



PEDER IP54


DGR

BK

DGR

PEDER

bulb not includ

voltage: 230V	GU10 1x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4514

DARK GREY (DGR) AZ4515



TILT 90°

GORAN SENSOR

bulb not includ

voltage: 230V	GU10 1x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4695
- DARK GRAY (DGR) AZ4696
- WHITE (WH) AZ4697



TILT 90°

MASTER SLAVE SYSTEM



One lamp with a PIR sensor (passive motion sensor) is enough to turn on all other lamps connected to the Master line (in the diagram it is marked with a dashed line).

MOTION SENSOR RANGE: 90°/170° +/- 5M



TIME – LIGHTING TIME ADJUSTMENT

LUX – DUSK SENSITIVITY ADJUSTMENT

ULF IP44

DGR

BK

TIME – LIGHTING TIME ADJUSTMENT

SENS – RANGE ADJUSTMENT

LUX – DUSK SENSITIVITY ADJUSTMENT



ULF 1 WALL SENSOR

bulb not includ

voltage: 230V	GU10 1x MAX 35W
IP44	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4454**

DARK GREY (DGR) **AZ4455**



ULF 2 WALL

bulb not includ

voltage: 230V	GU10 2x MAX 35W
IP44	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4473**

DARK GREY (DGR) **AZ4474**





MASTER SLAVE SYSTEM



One lamp with a PIR sensor (passive motion sensor) is enough to turn on all other lamps connected to the Master line (in the diagram it is marked with a dashed line).

MOTION SENSOR RANGE: 90°/170° +/- 5M

VENTA IP54


DGR

BK


DGR

VENTA

voltage: 230V	E27 1x MAX 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4350**

DARK GREY (DGR) **AZ4351**



VENETO

bulb not includ

voltage: 230V	E27 1x MAX 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4348

DARK GREY (DGR) AZ4349



CASOLA IP54

DGR

BK

DGR

CASOLA

LED integrated

voltage: 230V	LED 12W 950lm 3000K
IP54	
technical specification	installation place
	beam angle: 110°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4355
- DARK GREY (DGR) AZ4356



BK

BK

DGR

COSEL

LED integrated

voltage: 230V	LED 2x8W 1300lm 3000K
IP54	
technical specification	installation place
	beam angle: 2x 110°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4353

DARK GREY (DGR) AZ4354



ARBAX IP54

ARBAX 1

LED integrated

voltage: 230V	LED 6W 500lm 3000K
IP54	
technical specification	installation place
	beam angle: 60°

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ4341**





ARBAX 2

LED integrated

voltage: 230V	LED 12W 1000lm 3000K
IP54	
technical specification	installation place
	beam angle: 2x 60°

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ4342**



ARIDA

bulb not includ

voltage: 230V	E27 1x Max 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

DARK GREY (DGR) AZ4347



** NUMBERS IS NOT INCLUDED **

GAMBINO IP54







GAMBINO 1 3000K / 4000K

LED integrated

voltage: 230V	LED 2x3W 500lm 3000K
IP54	LED 2x3W 500lm 4000K
technical specification	installation place
	adjustable beam angle Max 90°

COLOUR / NEW INDEX NO.

	3000K WHITE (WH)	AZ0950
	3000K BRIGHT GREY (BGR)	AZ0958
	3000K DARK GREY (DGR)	AZ0957
	3000K BLACK (BK)	AZ4148
	4000K BLACK (BK)	AZ4470
	4000K DARK GREY (DGR)	AZ4471
	4000K WHITE (WH)	AZ4472



EIGHT ADJUSTABLE LIGHT ANGLE TILT 90°

FOUR ADJUSTABLE LIGHT ANGLE



LETICIA 2 LED

LED integrated

voltage: 230V		LED 2x3W 400lm 3000K
IP54		
technical specification		installation place
		adjustable beam angle Max 90°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4469
- DARK GREY (DGR) AZ2189
- WHITE (WH) AZ2190







FOUR ADJUSTABLE LIGHT ANGLE



CREMONA IP54

CREMONA S

LED integrated

voltage: 230V	LED 2x3W 350lm 3000K
IP54	
technical specification	installation place
	beam angle: 60°

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) AZ2180
- WHITE (WH) AZ2179
- BLACK (BK) AZ4339



CREMONA M

LED integrated

voltage: 230V	LED 2x5W 500lm 3000K
IP54	
technical specification	installation place
	beam angle: 2x 60°

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) AZ2182
- WHITE (WH) AZ2181
- BLACK (BK) AZ4340



LARS IP54



LARS ROUND WALL 3000K / 4000K

LED integrated

voltage: 230V	LED 13W 1000lm 3000K
IP54	LED 13W 1000lm 4000K
technical specification	installation place
	beam angle: 2x 180°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ4504
- 4000K BLACK (BK) AZ4505





LARS SQUARE 3000K / 4000K

LED integrated

voltage: 230V	LED 13W 1000lm 3000K
IP54	LED 13W 1000lm 4000K
technical specification	installation place
	beam angle: 2x 180°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ4506
- 4000K BLACK (BK) AZ4507



ZITA XL

LED integrated

voltage: 230V	LED 6W 450lm 3000K
IP54	
technical specification	installation place
	beam angle: 35°

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) AZ2200
- BRIGHT GREY (BGR) AZ2201
- BLACK (BK) AZ4150
- WHITE (WH) AZ4151



CIVITA

LED integrated

voltage: 230V	LED 12W 800lm 3000K
IP54	
technical specification	installation place
	beam angle: 180°

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ4361**



CIVITA SENSOR

LED integrated

voltage: 230V	LED 12W 800lm 3000K
IP54	
technical specification	installation place
	beam angle: 180°

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ4360**



TIME – LIGHTING TIME ADJUSTMENT

LUX – DUSK SENSITIVITY ADJUSTMENT



MASTER SLAVE SYSTEM (OPTION)



One lamp with a PIR sensor (passive motion sensor) is enough to turn on all other lamps connected to the Master line (in the diagram it is marked with a dashed line).

MOTION SENSOR RANGE: 90°/170° +/- 5M



DURANTE IP54 SENSOR 4000K

LED integrated

voltage: 230V	LED 21W 1365lm 4000K
IP54	
technical specification	installation:
	beam angle: 120°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5340





GINNA IP54



GINNA 3

LED integrated

voltage: 230V	LED 6x1W 500lm 3000K
IP54	installation place
technical specification	beam angle: 60°

COLOUR / NEW INDEX NO.

BLACK (BK))	AZ3484
GOLD (GO)	AZ3485
DARK GREY (DGR)	AZ4194
WHITE (WH)	AZ4195



LIVIO 2 IP54

LIVIO 2

bulb not includ

voltage: 230V	connect GU10 2x Max.35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

BRIGHT GREY (BGR) **AZ0888**



GAGARIN IP44

GAGARIN IP44

bulb not includ

voltage: 230V	E27 1x MAX 40W
IP44	
	installation place

COLOUR / NEW INDEX NO.

DARK GREY (DGR) AZ4352



SARONA LED IP54

LED integrated

voltage: 230V	LED 3W 250lm 3000K LED
IP54	
technical specification	installation place inlet opening ø 7,2cm
	beam angle: 10°

COLOUR / NEW INDEX NO.

DARK GREY (DGR) AZ2183



ENOK IP54

ENOK ROUND WALL 3000K

LED integrated

voltage: 230V		LED 9W 700lm 3000K
IP54		
technical specification		installation place
		beam angle: 360°

COLOUR / NEW INDEX NO.

3000K DARK GREY (DGR) **AZ4460**



ENOK SQUARE WALL 3000K / 4000K

LED integrated

voltage: 230V		LED 9W 700lm 3000K
IP54		LED 9W 700lm 4000K
technical specification		installation place
		beam angle: 360°

COLOUR / NEW INDEX NO.

3000K BLACK (BK) **AZ4461**

4000K BLACK (BK) **AZ4462**



2 IN 1

THERE ARE 2 TYPES OF FRONT COVER FOR THE LAMP INCLUDED.
THANKS TO MAGNETIC FIXING SYSTEM THEY CAN BE EASILY CHANGED OR REMOVED COMPLETELY.



CASORIA IP54

CASORIA ROUND

LED integrated

voltage: 230V	LED 6W 450lm 3000K
IP54	
technical specification	installation place
	beam angle: 60°

COLOUR / NEW INDEX NO.

DARK GREY (DGR) AZ4365

BLACK (BK) AZ4366



CASORIA SLIM

LED integrated

voltage: 230V	LED 6W 450lm 3000K
IP54	
technical specification	installation place
	beam angle: 60°

COLOUR / NEW INDEX NO.

DARK GREY (DGR) AZ4368



CASORIA SQUARE

LED integrated

voltage: 230V	LED 6W 450lm 3000K
IP54	
technical specification	installation place
	beam angle: 60°

COLOUR / NEW INDEX NO.

DARK GREY (DGR) AZ4367



AFI IP54

AFI 3000K / 4000K

LED integrated

voltage: 230V	LED 2W 150lm 3000K
IP54	LED 2W 150lm 4000K
technical specification	installation place
	beam angle: 60°

COLOUR / NEW INDEX NO.

- 3000K DARK GREY (DGR) AZ4510
- 3000K BLACK (BK) AZ4512
- 4000K DARK GREY (DGR) AZ4511
- 4000K BLACK (BK) AZ4513



OVE WALL 3000K / 4000K

LED integrated

voltage: 230V	LED 2W 150lm 3000K
IP54	LED 2W 150lm 4000K
technical specification	installation place
	beam angle: 60°

COLOUR / NEW INDEX NO.

- 3000K DARK GREY (DGR) AZ4508
- 4000K DARK GREY (DGR) AZ4509



ALF ROUND 3000K

LED integrated

voltage: 230V	LED 3W 250lm 3000K
IP65	
technical specification	installation place inlet opening ø 4,5cm
	beam angle: 180°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4463
- DARK GREY (DGR) AZ4464



ALF SQUARE 3000K

LED integrated

voltage: 230V	LED 3W 250lm 3000K
IP65	
technical specification	installation place inlet opening 4,5x4,5cm
	beam angle: 180°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4465
- DARK GREY (DGR) AZ4466



BK

DGR



BK

DGR

NIKLAS WALL SENSOR

	bulb not includ
voltage: 230V	E27 1x MAX 40W
IP44	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4487**



TIME – LIGHTING TIME ADJUSTMENT

LUX – DUSK SENSITIVITY ADJUSTMENT



MASTER SLAVE SYSTEM (OPTION)



One lamp with a PIR sensor (passive motion sensor) is enough to turn on all other lamps connected to the Master line (in the diagram it is marked with a dashed line).

MOTION SENSOR RANGE: 90°/170° +/- 5M



NIKLAS WALL

bulb not includ

voltage: 230V	E27 1x MAX 40W
IP44	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4486



NIKLAS 2 WALL

bulb not includ

voltage: 230V	E27 2x MAX 40W
IP44	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4488



MIKKEL WALL

bulb not includ

voltage: 230V	E27 1x MAX 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4484



MIKKEL

bulb not includ

voltage: 230V	E27 1x MAX 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4485



MIKKEL IP54

RASMUS IP65

RASMUS WALL

bulb not includ

voltage: 230V	E27 1x MAX 40W
IP65	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4482



RASMUS

bulb not includ

voltage: 230V	E27 1x MAX 40W
IP65	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4483



OSVALD WALL

bulb not includ

voltage: 230V	E27 1x MAX 40W
IP44	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4489



FREDO IP54

FREDO 58 IP54 4000K

LED integrated

voltage: 230V	LED 6W 390lm 4000K
IP54	
technical specification	installation:
	beam angle: 120°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5337



FREDO 98 IP54 4000K

LED integrated

voltage: 230V	LED 12W 780lm 4000K
IP54	
technical specification	installation:
	beam angle: 120°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5338





GUIDO WALL IP54 3000K

LED integrated

voltage: 230V	LED 12W 780lm 3000K
IP54	
technical specification	installation:
	beam angle: 120°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ5339



ROLF IP44

ROLF 1 WALL

bulb not includ

voltage: 230V	GU10 1x MAX 35W
IP44	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4475
- DARK GREY (DGR) AZ4476
- WHITE (WH) AZ4477





ROLF 2 500

bulb not includ

voltage: 230V	LED GU10 2x MAX 35W
IP44	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4456
- DARK GREY (DGR) AZ4457



ROLF 2 900

bulb not includ

voltage: 230V	LED GU10 2x MAX 35W
IP44	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4458
- DARK GREY (DGR) AZ4459



SORANO IP54



SORANO 500

	bulb not includ
voltage: 230V	E27 1x MAX 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4444
- DARK GREY (DGR) AZ4358





SORANO 700

	bulb not includ
voltage: 230V	E27 1x MAX 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4445
- DARK GREY (DGR) AZ4359





SORANO WALL

bulb not includ

voltage: 230V	E27 1x MAX 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4446

DARK GREY (DGR) AZ4357







TIME – LIGHTING TIME ADJUSTMENT

LUX – DUSK SENSITIVITY ADJUSTMENT



MASTER SLAVE SYSTEM (OPTION)



One lamp with a PIR sensor (passive motion sensor) is enough to turn on all other lamps connected to the Master line (in the diagram it is marked with a dashed line).

NILS WALL SENSOR

bulb not includ

voltage: 230V	E27 1x MAX 40W
IP44	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4479**



NILS WALL

bulb not includ

voltage: 230V	E27 1x MAX 40W
IP44	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4478**





NILS 500

bulb not includ

voltage: 230V	E27 1x MAX 40W
IP44	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4480



NILS 800

bulb not includ

voltage: 230V	E27 1x MAX 40W
IP44	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4481



AGAPE IP54

AGAPE 60

LED integrated

voltage: 230V	LED 6W 480lm 3000K
IP54	
technical specification	installation place
	beam angle: 60°

COLOUR / NEW INDEX NO.

DARK GREY (DGR) AZ3482



AGAPE 80

LED integrated

voltage: 230V	LED 6W 480lm 3000K
IP54	
technical specification	installation place
	beam angle: 60°

COLOUR / NEW INDEX NO.

DARK GREY (DGR) AZ3483



MATERA 600

bulb not includ

voltage: 230V	connect GU10 1x Max. 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

DARK GREY (DGR) AZ2185





MATERA WALL

bulb not includ

voltage: 230V	connect GU10 1x Max. 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

DARK GREY (DGR) AZ2184



EDVIN / EDVARD IP65

EDVIN

bulb not includ

voltage: 230V	GU10 1x MAX 35W
IP65	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4502**



TILT 90°

EDVARD

bulb not includ

voltage: 230V	GU10 1x MAX 35W
IP65	
	installation place

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ4503**



TILT 90°

FLOKI IP65

FLOKI 3000K / 4000K

LED integrated

voltage: 230V	LED 6W 500lm 3000K
IP65	LED 6W 500lm 4000K
technical specification	installation place
	beam angle: 30°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ4468
- 4000K BLACK (BK) AZ4467



TILT 180°

FRAME WALL

LED integrated

voltage: 230V	LED 8W 800lm 3000K LED
IP54	
technical specification	installation place
	beam angle: 90°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4308
- DARK GREY (DGR) AZ2132



TILT 350°



FRAME SPIKE

LED integrated

voltage: 230V	LED 8W 800lm 3000K LED
IP54	
technical specification	installation place
	beam angle: 90°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4307
- DARK GREY (DGR) AZ2128



TILT 350°



FRAME 70

LED integrated

voltage: 230V	LED 8W 800lm 3000K LED
IP54	
technical specification	installation place
	beam angle: 90°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4305
- DARK GREY (DGR) AZ2130



TILT 350°

GILBERTO TABLE IP54

LED integrated

voltage: 230V		LED 2W 130lm 3000K dimm
IP54		
technical specification		installation:
		beam angle: 110°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ5335
- WHITE (WH) AZ5334
- CORTEN (CORT) AZ5336



BATTERY FOR GILBERTO TABLE IP54

How long does it take to fully charge:	**6~8hours**
What charger parameters are recommended:	Output **5V 1A**
What is the capacity of accumulator: It is lithium battery capacity	**18650*2 4400mA 3.7V**
How many charging cycles it lasts:	**500cycles**
After **300 cycles** of use and charging, the battery can still reach **80% capacity**	
Is the accu replacable:	**Yes**
Others, like brightness memory function:	**Yes**

HAVANA IP44



HAVANA

voltage: 230V	E27 1x MAX 40W
IP44	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4662
- WHITE (WH) AZ4663



HAVANA IP44



waterproof switch button

BOOMBOX IP44

HIT! – Portable LED lamp with a built-in 10W Bluetooth speaker



Turn on | off the light

Pairing a device

Choice of colors

Previous track

Quieter | louder

Play | stop music

Previous track

Turn on / off the power

Light intensity adjustment

Mute

Light working mode

Light flashing to the beat of the music

Portable LED lamp with a built-in 1 0W Bluetooth speaker. Equipped with a practical carrying handle. Lamp consists of 9 LEDs with variable color and 6 LEDs with white light. It has 7 light colors in various modes of operation. Product is made of white plastic. Comes with a remote control as well as a battery and USB charging cabie so that the lamp can be placed anywhere due to the fact that it is not limited by access to mains supply.This is a wonderful decoration that can imspire to create an amazing arrangement in your garden. IP44 water resistance allows outdoor use.

Play music from your smartphone or tablet via bluetooth!

BOOMBOX MEDIUM RGBW + REMOTE CONTROL

Dimensions: 22x22x32cm
Power: 10W speaker
Battery: 2000mAh
Color: RGBW
Accessories: remote control included

BOOMBOX BUCKET RGBW + REMOTE CONTROL

Dimensions: 32x56cm
Power: 5W speaker
Battery: 2000mAh
Color: RGBW
Accessories: remote control included

WH

BOOMBOX MEDIUM RGBW + REMOTE CONTROL

LED integrated

voltage: 230V	LED 10W 800lm RGBW DIMM USB 3000K
IP44	RGB
technical specification	installation place
	beam angle: 360°

COLOUR / NEW INDEX NO.

☐ WHITE (WH) AZ4664



WH

BOOMBOX BUCKET RGBW + REMOTE CONTROL

LED integrated

voltage: 230V	LED 5W 400lm RGBW DIMM USB 3000K
IP44	RGB
technical specification	installation place
	beam angle: 360°

COLOUR / NEW INDEX NO.

☐ WHITE (WH) AZ4665



LED TUBES, LED GRILL & HERMETIC LAMPS

LED tubes

LED Grill & Hermetic lamps

LED TUBE 600mm 4300K / AZ1153

LED TUBE 600mm 6400K / AZ1154

LED TUBE 1200mm 4300K / AZ1155



LED TUBE 1200mm 6400K / AZ1156



LED TUBE 1500mm 4300K / AZ1157



LED TUBE 1500mm 6400K / AZ1158

LED Grill Lamp Surface 1200mm / AZ1190

LED Grill Lamp Concealed 1200mm / AZ1191

LED Grill Lamp Concealed 600mm / AZ1189

LED HERMETIC LAMP Surface 1200mm / AZ1192

LED BULBS

LED bulbs



GU10 LED BULB GU10 BLUETOOTH 4,9W CCT DIMM WH AZ5421

E14 LED BULB E14 BLUETOOTH 4,9W CCT DIMM WH AZ5422

E27 LED BULB E27 BLUETOOTH 9W CCT DIMM WH AZ5423

E27 AZZARDO BULB LED E27 8W BALL WH / **AZ4019**

DIMMABLE / **FULL GLASS**

E27 AZZARDO BULB LED E27 8,5W BALL WH / **AZ4020**

DIMMABLE / **FULL GLASS**

E27 AZZARDO BULB LED E27 8W BALL AM / **AZ4021**

DIMMABLE / **FULL GLASS**

E27 AZZARDO BULB LED E27 8W BALL WH / **AZ4022**

DIMMABLE / **FULL GLASS**

E27 10W LL127101 / **AZ1639**

FULL GLASS

E27 12W LL127121 / **AZ1640**

FULL GLASS

180°

E27 15W LL127151 / **AZ1081**

E27 | 1200lm 15W | 3000 K | NO DIMM | 25 000 h = 25 Years 2,7h/day | 95 mm 135 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G

360°

E14 AZZARDO BULB LED E14 5W CANDLE WH / **AZ4016**
DIMMABLE / **FULL GLASS**

E14 | 450lm 5W | 2700 K | DIMMABLE | 25 000 h = 25 Years 2,7h/day | 24 mm 75 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G

360°

E14 AZZARDO BULB LED E14 5W BALL WH / **AZ4017**
DIMMABLE / **FULL GLASS**

E14 | 450lm 5W | 2700 K | DIMMABLE | 25 000 h = 25 Years 2,7h/day | 24 mm 75 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G

360°

E14 AZZARDO BULB LED E14 5W BALL WH / **AZ4018**
DIMMABLE / **FULL GLASS**

E14 | 450lm 5W | 4000 K | DIMMABLE | 25 000 h = 25 Years 2,7h/day | 24 mm 75 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G

38°

GU10 AZZARDO BULB LED GU10 7W / **AZ4023**
DIMMABLE / **FULL GLASS**

GU10 | 530lm 7W | 3000 K | NO DIMM | 25 000 h = 25 Years 2,7h/day | 50 mm 55mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G

38°

GU10 7W LL210071 RA>90 DIMMABLE 4000K **AZ2165**
FULL GLASS

GU10 | 520lm 7W | 4000 K | DIMMABLE | 25 000 h = 25 Years 2,7h/day | 50 mm 53mm | RA ≥90 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G

ADAPTER PAR-16 ADAP111 / AZ1117



HOW TO USE:



ES111 15W White LL110152 / AZ1500

DIMMABLE – 3000K

45° | GU10 | 1150lm 15W | 3000 K | DIMMABLE | 25 000 h = 25 Years 2,7h/day | 111 mm 69,5 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G A↑G

ES111 15W White LL210152 / AZ1877

DIMMABLE – 4000K

45° | GU10 | 1200lm 15W | 4300 K | DIMMABLE | 25 000 h = 25 Years 2,7h/day | 111 mm 69,5 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G A↑G

ES111 15W BLACK LL110151 / AZ1499

DIMMABLE – 3000K

45° | GU10 | 1150lm 15W | 3000 K | DIMMABLE | 25 000 h = 25 Years 2,7h/day | 111 mm 69,5 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G A↑G

ES111 15W BLACK LL210151 / AZ1876

DIMMABLE – 4000K

45° | GU10 | 1200lm 15W | 4300 K | DIMMABLE | 25 000 h = 25 Years 2,7h/day | 111 mm 69,5 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G A↑G

ES111 NEW chrome 15W 230V LL110154 / AZ1785

DIMMABLE

48° | GU10 | 800lm 15W | 3000 K | DIMMABLE | 40 000 h = 25 Years 4,3h/day | 111 mm 102 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥25 000× | G A↑G

24°

QR111 NEW chrome 12W 12V LL110123 / **AZ1182**

no DIMM – 3000K

G53 | 480 lm 12W | 3000 K | NO DIMM | 25 000 h = 25 Years 2,7h/day | 111mm 59mm | RA ≥90 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G A↑G

24°

ES111 NEW chrome 12W 230V LL110122 / **AZ2364**

DIMMABLE – 3000K

COLOUR RENDERING INDEX ≥90 SIZE RA

GU10 | 480 lm 12W | 3000 K | DIMMABLE | 25 000 h = 25 Years 2,7h/day | 111mm 69mm | RA ≥90 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G A↑G

24°

ES111 NEW chrome 12W 230V LL210122 / **AZ2365**

DIMMABLE – 4000K

COLOUR RENDERING INDEX ≥90 SIZE RA

GU10 | 560 lm 12W | 4000 K | DIMMABLE | 25 000 h = 25 Years 2,7h/day | 111mm 69mm | RA ≥90 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G A↑G

24°

ES111 NEW chrome 12W 230V LL110121 / **AZ2362**

no DIMM – 3000K

COLOUR RENDERING INDEX ≥90 SIZE RA

GU10 | 480 lm 12W | 3000 K | NO DIMM | 25 000 h = 25 Years 2,7h/day | 111mm 69mm | RA ≥90 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G A↑G

24°

ES111 NEW chrome 12W 230V LL210121 / **AZ2363**

no DIMM – 4000K

COLOUR RENDERING INDEX ≥90 SIZE RA

GU10 | 560 lm 12W | 4000 K | NO DIMM | 25 000 h = 25 Years 2,7h/day | 111mm 69mm | RA ≥90 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G A↑G

LED bulbs

ENERGY efficiency

Group energy label **A**

Group energy label **B**

Group energy label **C**

Group energy label **D**

Group energy label **E**

Group energy label **F**

Group energy label **G**

RESERVATIONS

We reserve the rights to make changes in the product range, design and model.
Please note that, as a result of printing processes, actual colors may vary from those reproduced here.

Nous nous reservons le droid d'apporter des modifications dans le choix et le design des modeles.
Veuillez noter qu'en raison des techniques d'impression les teintes des produits peuvent legerement varier par rapport a celles du cataloque.

Zastrzegamy sobie prawo do dokonania zmian ofertowych i konstrukcyjnych.
Z uwagi na proces druku przedstawione kolory mogą się różnić od rzeczywistych.

Fenntartjuk a jogunkat a termékskála, a dizájn és a modellek változtatására.
Kérem vegyék figyelembe, a nyomtatási folyamat eredményeképpen
a termék valós színe esetleg kismértékben különbözhet a nyomtatott változattól.

Vyhrazujeme si právo k provádění nabídkových a konstrukčních změn.
Vzhledem k procesu tisku se mohou nabízené barvy lišit od reálných.

Vyhradzujeme si právo na vykonávanie ponukových a konštrukčných zmien.
Vzhľadom k procesu tlače sa môžu ponúkané farby líšiť od reálnych.

TECHNOLOGICAL
CHANGES and limitations

We can paint the lamps in any RAL colour subject to an extra charge.

Contre un supplément, il est possible de commander la lampe dans une teinte choisie dans la palette RAL.

Za dopłatą, możliwość wybarwienia lampy z palety kolorów RAL.

Za doplatek je možné svítidlo barevně upravit dle vzorníku barev RAL.

Za doplatok je možné svietidlo farebne upraviť podľa vzorkovníka farieb RAL.

PROJEKT GRAFICZNY I PRZYGOTOWALNIA MORYC STUDIO TEL. 602 215 250 LUB 604 542 652

www.moryc.com.pl

5 lat gwarancji na sterownik w lampie LED oraz moduł świecący (wraz z diodami).
Czas gwarancji jest liczony od dnia zakupu potwierdzonego paragonem lub fakturą.

A warranty of 5 years is given for the driver for LED lamps and light modules (with diodes).
The warranty is counted from the day of purchase, confirmed by a bill or an invoice.

5 év garancia érvényes a LED vezérlőre és a Led panelre egyaránt.
A garancia a vásárlás napján lép életbe, melyet számlával vagy nyugtával szükséges igazolni

Les 5 ans de garantie concernant le driver de LED et le module lumineux (avec les diods). La durée de la garantie est dès le jour d'achat confirmé par un ticket de caisse ou une facture.

5 -ročná záruka sa vzťahuje na ovládač pre LED lampy, vrátane svetelného zdroja
Záručná doba sa počíta od dátumu zakúpenia tovaru.

5 letá záruka se vztahuje na ovládač pro LED lampy, včetne světelného zdroje.
Záruční doba se počíta od dátumu zakoupení zboží.

PROJEKT GRAFICZNY I PRZYGOTOWALNIA MORYC STUDIO TEL. 602 215 250 LUB 604 542 652
www.moryc.com.pl

Ra (CRI) - Colour Rendering Index **EU standard – Ra ≥ 80**
Best colour rendering index, Ra (CRI) = 100

Ra (CRI) - wskaźnik oddawania barw **Standard UE – Ra ≥ 80**
Najlepszy wskaźnik oddawania barw, Ra (CRI) = 100

Ra (CRI)- Index podania farieb **Štandard EU – Ra ≥ 80**
Najlepší index podania farieb Ra(CRI)=100

Ra (CRI)- Index podání barev **Standard EU – Ra ≥ 80**
Nejlepší index podání barev Ra(CRI)=100

PROJEKT GRAFICZNY I PRZYGOTOWALNIA MORYC STUDIO TEL. 602 215 250 LUB 604 542 652
www.moryc.com.pl